
Fixed PGAM5/source labels | Exclude sources satisfying T-RNA gate
NA = insufficient testable observations
MHC-II antigen presentation
Inflammatory myeloid RNA
CCL / CXCL8 chemokines
CXCR3 ligands
Checkpoint ligands
IL10 / TGFB1 / LGALS9
Costimulation ligands
Scavenger / LPL state
C1Q complement (gate overlap)
Uptake proxy (gate overlap)
SPP1 / MMP12 remodeling
Hypoxia response
Cycling
+0.15 -0.05 +0.14 +0.33
-0.04 +0.08 -0.21 -0.09
-0.08 -0.15 +0.36 -0.25
+0.04 +0.25 -0.43 +0.06
+0.002 -0.08 +0.03 +0.14
+0.07 -0.06 +0.17 -0.05
+0.27 -0.01 +0.06 +0.11
-0.23 -0.04 -0.41 -0.02
-0.12 -0.21 -0.24 +0.14
+0.07 -0.09 +0.005 -0.03
-0.05 +0.03 -0.62 -0.02
-0.12 +0.36 -0.06 -0.18
-0.07 +0.007 +0.33 +0.09
A009
B013
C004
C008
1.00
0.75
0.50
0.25
0.00
−0.25
−0.50
−0.75
−1.00
Adjusted coefficient / within-section outcome SD