Trabalho Prático ISI

Generated by Doxygen 1.9.2

| 1 | LICENSE | 1 |
|---|--|----|
| 2 | LICENSE | 3 |
| 3 | Json.NET Schema | 5 |
| | 3.1 Commercial License | 5 |
| 4 | LICENSE | 7 |
| 5 | Namespace Index | 9 |
| | 5.1 Packages | 9 |
| 6 | Hierarchical Index | 11 |
| | 6.1 Class Hierarchy | 11 |
| 7 | Class Index | 15 |
| | 7.1 Class List | 15 |
| 8 | Namespace Documentation | 17 |
| | 8.1 API Namespace Reference | 17 |
| | 8.2 API.Controllers Namespace Reference | 17 |
| | 8.3 API.Models Namespace Reference | 17 |
| | 8.4 Cliente Namespace Reference | 18 |
| | 8.5 Cliente.Casos Namespace Reference | 18 |
| | 8.6 Cliente.CasosAzure Namespace Reference | 18 |
| | 8.7 Cliente.Contactos Namespace Reference | 18 |
| | 8.8 Cliente.ContactosAzure Namespace Reference | 18 |
| | 8.9 Cliente.Properties Namespace Reference | 19 |
| | 8.10 Cliente.Utentes Namespace Reference | 19 |
| | 8.11 Cliente.UtentesAzure Namespace Reference | 19 |
| | 8.12 ClientRest Namespace Reference | 19 |
| | 8.13 ClientRest.Properties Namespace Reference | 19 |
| | 8.14 Dashboard Namespace Reference | 20 |
| | 8.15 Dashboard.Casos Namespace Reference | 20 |
| | 8.16 Dashboard.CasosAzure Namespace Reference | 20 |
| | 8.17 Dashboard.Properties Namespace Reference | 20 |
| | 8.18 FileConversion Namespace Reference | 20 |
| | 8.19 FileConversion.Properties Namespace Reference | 21 |
| | 8.20 ISIAPI Namespace Reference | 21 |
| | 8.21 ISIAPI.Controllers Namespace Reference | 21 |
| | 8.22 SOAP Namespace Reference | 21 |
| 9 | Class Documentation | 23 |
| | 9.1 API.AuthorizedRequirement Class Reference | 23 |
| | 9.2 API.AuthorizedRequirementHandler Class Reference | |
| | 0.2 / ii i./ attion20artoquiromontriunator Olabo Holoronoo | |

| 9.3 API.Models.AuthRequest Class Reference | 24 |
|--|----|
| 9.4 API.Models.AuthResponse Class Reference | 24 |
| 9.5 SOAP.Casos Class Reference | 24 |
| 9.5.1 Member Function Documentation | 25 |
| 9.5.1.1 AddCasos() | 25 |
| 9.5.1.2 GetCasos() [1/3] | 25 |
| 9.5.1.3 GetCasos() [2/3] | 25 |
| 9.5.1.4 GetCasos() [3/3] | 26 |
| 9.6 Cliente.Casos.CasosClient Class Reference | 26 |
| 9.6.1 Member Function Documentation | 26 |
| 9.6.1.1 AddCasos() | 26 |
| 9.6.1.2 AddCasosAsync() | 27 |
| 9.6.1.3 GetCasos() | 27 |
| 9.6.1.4 GetCasosAsync() | 27 |
| 9.6.1.5 GetCasosByData() | 27 |
| 9.6.1.6 GetCasosByDataAsync() | 27 |
| 9.6.1.7 GetCasosByNIF() | 27 |
| 9.6.1.8 GetCasosByNIFAsync() | 28 |
| 9.7 Cliente.CasosAzure.CasosClient Class Reference | 28 |
| 9.7.1 Member Function Documentation | 28 |
| 9.7.1.1 AddCasos() | 28 |
| 9.7.1.2 AddCasosAsync() | 29 |
| 9.7.1.3 GetCasos() | 29 |
| 9.7.1.4 GetCasosAsync() | 29 |
| 9.7.1.5 GetCasosByData() | 29 |
| 9.7.1.6 GetCasosByDataAsync() | 29 |
| 9.7.1.7 GetCasosByNIF() | 30 |
| 9.7.1.8 GetCasosByNIFAsync() | 30 |
| 9.8 Dashboard.Casos.CasosClient Class Reference | 30 |
| 9.8.1 Member Function Documentation | 30 |
| 9.8.1.1 AddCasos() | 31 |
| 9.8.1.2 AddCasosAsync() | 31 |
| 9.8.1.3 GetCasos() | 31 |
| 9.8.1.4 GetCasosAsync() | 31 |
| 9.8.1.5 GetCasosByData() | 31 |
| 9.8.1.6 GetCasosByDataAsync() | 31 |
| 9.8.1.7 GetCasosByNIF() | 32 |
| 9.8.1.8 GetCasosByNIFAsync() | 32 |
| 9.9 Dashboard.CasosAzure.CasosClient Class Reference | 32 |
| 9.9.1 Member Function Documentation | 32 |
| 9.9.1.1 AddCasos() | 33 |
| 9.9.1.2 AddCasosAsync() | 33 |

| 9.9.1.3 GetCasos() | . 33 |
|---|--|
| 9.9.1.4 GetCasosAsync() | . 33 |
| 9.9.1.5 GetCasosByData() | . 33 |
| 9.9.1.6 GetCasosByDataAsync() | . 34 |
| 9.9.1.7 GetCasosByNIF() | . 34 |
| 9.9.1.8 GetCasosByNIFAsync() | . 34 |
| 9.10 API.Models.ConcelhoModel Class Reference | . 34 |
| 9.11 Dashboard.ConcelhoModel Class Reference | . 35 |
| 9.12 SOAP.Contactos Class Reference | . 36 |
| 9.12.1 Member Function Documentation | . 36 |
| 9.12.1.1 AddContacto() | . 36 |
| 9.12.1.2 GetContacto() [1/2] | . 37 |
| 9.12.1.3 GetContacto() [2/2] | . 37 |
| 9.13 Cliente.Contactos.ContactosClient Class Reference | . 38 |
| 9.13.1 Member Function Documentation | . 38 |
| 9.13.1.1 AddContacto() | . 38 |
| 9.13.1.2 AddContactoAsync() | . 38 |
| 9.13.1.3 GetContacto() | . 39 |
| 9.13.1.4 GetContactoAsync() | . 39 |
| 9.13.1.5 GetContactoByAtributes() | . 39 |
| 9.13.1.6 GetContactoByAtributesAsync() | . 39 |
| 9.14 Cliente.ContactosAzure.ContactosClient Class Reference | . 39 |
| | |
| 9.14.1 Member Function Documentation | . 40 |
| 9.14.1 Member Function Documentation | |
| | . 40 |
| 9.14.1.1 AddContacto() | . 40 |
| 9.14.1.1 AddContacto() | . 40 . 40 |
| 9.14.1.1 AddContacto() 9.14.1.2 AddContactoAsync() 9.14.1.3 GetContacto() | . 40 . 40 . 40 |
| 9.14.1.1 AddContacto() 9.14.1.2 AddContactoAsync() 9.14.1.3 GetContacto() 9.14.1.4 GetContactoAsync() | . 40 . 40 . 40 . 41 |
| 9.14.1.1 AddContacto() 9.14.1.2 AddContactoAsync() 9.14.1.3 GetContacto() 9.14.1.4 GetContactoAsync() 9.14.1.5 GetContactoByAtributes() | . 40 . 40 . 41 . 41 |
| 9.14.1.1 AddContacto() 9.14.1.2 AddContactoAsync() 9.14.1.3 GetContacto() 9.14.1.4 GetContactoAsync() 9.14.1.5 GetContactoByAtributes() 9.14.1.6 GetContactoByAtributesAsync() | . 40 . 40 . 41 . 41 . 41 |
| 9.14.1.1 AddContacto() 9.14.1.2 AddContactoAsync() 9.14.1.3 GetContacto() 9.14.1.4 GetContactoAsync() 9.14.1.5 GetContactoByAtributes() 9.14.1.6 GetContactoByAtributesAsync() 9.15 API.Controllers.DGSController Class Reference | . 40 . 40 . 41 . 41 . 41 . 41 |
| 9.14.1.1 AddContacto() 9.14.1.2 AddContactoAsync() 9.14.1.3 GetContacto() 9.14.1.4 GetContactoAsync() 9.14.1.5 GetContactoByAtributes() 9.14.1.6 GetContactoByAtributesAsync() 9.15 API.Controllers.DGSController Class Reference 9.16 ISIAPI.Controllers.EquipaController Class Reference | . 40 . 40 . 41 . 41 . 41 . 42 . 42 |
| 9.14.1.1 AddContacto() 9.14.1.2 AddContactoAsync() 9.14.1.3 GetContacto() 9.14.1.4 GetContactoAsync() 9.14.1.5 GetContactoByAtributes() 9.14.1.6 GetContactoByAtributesAsync() 9.15 API.Controllers.DGSController Class Reference 9.16 ISIAPI.Controllers.EquipaController Class Reference 9.16.1 Member Function Documentation | . 40 . 40 . 41 . 41 . 41 . 42 . 42 |
| 9.14.1.1 AddContacto() 9.14.1.2 AddContactoAsync() 9.14.1.3 GetContacto() 9.14.1.4 GetContactoAsync() 9.14.1.5 GetContactoByAtributes() 9.14.1.6 GetContactoByAtributesAsync() 9.15 API.Controllers.DGSController Class Reference 9.16 ISIAPI.Controllers.EquipaController Class Reference 9.16.1 Member Function Documentation 9.16.1.1 AddEquipa() | . 40 . 40 . 41 . 41 . 41 . 42 . 42 . 42 |
| 9.14.1.1 AddContacto() 9.14.1.2 AddContactoAsync() 9.14.1.3 GetContacto() 9.14.1.4 GetContactoAsync() 9.14.1.5 GetContactoByAtributes() 9.14.1.6 GetContactoByAtributesAsync() 9.15 API.Controllers.DGSController Class Reference 9.16 ISIAPI.Controllers.EquipaController Class Reference 9.16.1 Member Function Documentation 9.16.1.1 AddEquipa() 9.16.1.2 GetEquipa() | . 40 . 40 . 41 . 41 . 41 . 42 . 42 . 42 . 43 |
| 9.14.1.1 AddContacto() 9.14.1.2 AddContactoAsync() 9.14.1.3 GetContacto() 9.14.1.4 GetContactoAsync() 9.14.1.5 GetContactoByAtributes() 9.14.1.6 GetContactoByAtributesAsync() 9.15 API.Controllers.DGSController Class Reference 9.16 ISIAPI.Controllers.EquipaController Class Reference 9.16.1 Member Function Documentation 9.16.1.1 AddEquipa() 9.16.1.2 GetEquipa() 9.16.1.3 GetEquipaMaisCara() | . 40 . 40 . 41 . 41 . 41 . 42 . 42 . 42 . 43 . 43 |
| 9.14.1.1 AddContacto() 9.14.1.2 AddContactoAsync() 9.14.1.3 GetContacto() 9.14.1.4 GetContactoAsync() 9.14.1.5 GetContactoByAtributes() 9.14.1.6 GetContactoByAtributesAsync() 9.15 API.Controllers.DGSController Class Reference 9.16 ISIAPI.Controllers.EquipaController Class Reference 9.16.1 Member Function Documentation 9.16.1.1 AddEquipa() 9.16.1.2 GetEquipa() 9.16.1.3 GetEquipaMaisCara() 9.17 API.Models.EquipaModel Class Reference | . 40 . 40 . 41 . 41 . 41 . 42 . 42 . 42 . 43 . 43 |
| 9.14.1.1 AddContacto() 9.14.1.2 AddContactoAsync(). 9.14.1.3 GetContacto(). 9.14.1.4 GetContactoAsync(). 9.14.1.5 GetContactoByAtributes(). 9.14.1.6 GetContactoByAtributesAsync(). 9.15 API.Controllers.DGSController Class Reference 9.16 ISIAPI.Controllers.EquipaController Class Reference 9.16.1 Member Function Documentation 9.16.1.1 AddEquipa(). 9.16.1.2 GetEquipa(). 9.16.1.3 GetEquipaMaisCara(). 9.17 API.Models.EquipaModel Class Reference | . 40 . 40 . 41 . 41 . 41 . 42 . 42 . 42 . 43 . 43 . 43 |
| 9.14.1.1 AddContacto() 9.14.1.2 AddContactoAsync() 9.14.1.3 GetContacto() 9.14.1.4 GetContactoAsync() 9.14.1.5 GetContactoByAtributes() 9.14.1.6 GetContactoByAtributesAsync() 9.15 API.Controllers.DGSController Class Reference 9.16 ISIAPI.Controllers.EquipaController Class Reference 9.16.1 Member Function Documentation 9.16.1.1 AddEquipa() 9.16.1.2 GetEquipa() 9.16.1.3 GetEquipaMaisCara() 9.17 API.Models.EquipaModel Class Reference 9.18 ClientRest.EquipaModel Class Reference | . 40 . 40 . 41 . 41 . 41 . 42 . 42 . 42 . 43 . 43 . 43 . 44 |
| 9.14.1.1 AddContacto() 9.14.1.2 AddContactoAsync() 9.14.1.3 GetContacto() 9.14.1.4 GetContactoAsync() 9.14.1.5 GetContactoByAtributes() 9.14.1.6 GetContactoByAtributesAsync() 9.15 API.Controllers.DGSController Class Reference 9.16 ISIAPI.Controllers.EquipaController Class Reference 9.16.1 Member Function Documentation 9.16.1.1 AddEquipa() 9.16.1.2 GetEquipa() 9.16.1.3 GetEquipaMaisCara() 9.17 API.Models.EquipaModel Class Reference 9.18 ClientRest.EquipaModel Class Reference 9.19 Dashboard.EquipaModel Class Reference | . 40 . 40 . 41 . 41 . 41 . 42 . 42 . 42 . 43 . 43 . 43 . 44 . 44 |

| 9.22.1 Detailed Description | 5 |
|---|----|
| 9.22.2 Constructor & Destructor Documentation | 5 |
| 9.22.2.1 Fiscalizado() | 5 |
| 9.23 Cliente.Form1 Class Reference | 6 |
| 9.23.1 Member Function Documentation | -6 |
| 9.23.1.1 Dispose() | 6 |
| 9.24 ClientRest.Form1 Class Reference | -6 |
| 9.24.1 Member Function Documentation | 7 |
| 9.24.1.1 Dispose() | 7 |
| 9.25 Dashboard.Form1 Class Reference | 7 |
| 9.25.1 Member Function Documentation | 8 |
| 9.25.1.1 Dispose() | 8 |
| 9.26 FileConversion.Form1 Class Reference | 8 |
| 9.26.1 Member Function Documentation | 9 |
| 9.26.1.1 Dispose() | 9 |
| 9.27 Cliente.Casos.ICasos Interface Reference | 9 |
| 9.28 Cliente.CasosAzure.ICasos Interface Reference | C |
| 9.29 Dashboard.Casos.ICasos Interface Reference | 0 |
| 9.30 Dashboard.CasosAzure.ICasos Interface Reference | 1 |
| 9.31 SOAP.ICasos Interface Reference | 1 |
| 9.32 Cliente.Casos.ICasosChannel Interface Reference | 2 |
| 9.33 Cliente.CasosAzure.ICasosChannel Interface Reference | 2 |
| 9.34 Dashboard.Casos.ICasosChannel Interface Reference | 2 |
| 9.35 Dashboard.CasosAzure.ICasosChannel Interface Reference | 3 |
| 9.36 Cliente.Contactos.IContactos Interface Reference | 3 |
| 9.37 Cliente.ContactosAzure.IContactos Interface Reference | 4 |
| 9.38 SOAP.IContactos Interface Reference | 4 |
| 9.38.1 Member Function Documentation | 4 |
| 9.38.1.1 AddContacto() | 5 |
| 9.38.1.2 GetContacto() [1/2] 5 | 5 |
| 9.38.1.3 GetContacto() [2/2] 5 | 5 |
| 9.39 Cliente.Contactos.IContactosChannel Interface Reference | 5 |
| 9.40 Cliente.ContactosAzure.IContactosChannel Interface Reference | 6 |
| 9.41 API.Controllers.IJWTAuthManager Interface Reference | 6 |
| 9.41.1 Member Function Documentation | 6 |
| 9.41.1.1 Authenticate() [1/2] 5 | 6 |
| 9.41.1.2 Authenticate() [2/2] 5 | 7 |
| 9.42 FileConversion.Irregularidade Class Reference | 7 |
| 9.42.1 Detailed Description | 7 |
| 9.43 Cliente.Utentes.IUtentes Interface Reference | 7 |
| 9.44 Cliente.UtentesAzure.IUtentes Interface Reference | 8 |
| 9.45 SOAP lUtentes Interface Reference | 58 |

| 9.45.1 Member Function Documentation | 59 |
|---|----|
| 9.45.1.1 AddUtentes() | 59 |
| 9.45.1.2 GetUtentes() [1/3] | 59 |
| 9.45.1.3 GetUtentes() [2/3] | 59 |
| 9.45.1.4 GetUtentes() [3/3] | 59 |
| 9.46 Cliente.Utentes.IUtentesChannel Interface Reference | 60 |
| 9.47 Cliente.UtentesAzure.IUtentesChannel Interface Reference | 60 |
| 9.48 API.Controllers.JWTAuthManager Class Reference | 60 |
| 9.48.1 Detailed Description | 61 |
| 9.48.2 Constructor & Destructor Documentation | 61 |
| 9.48.2.1 JWTAuthManager() [1/2] | 61 |
| 9.48.2.2 JWTAuthManager() [2/2] | 61 |
| 9.48.3 Member Function Documentation | 62 |
| 9.48.3.1 Authenticate() [1/2] | 62 |
| 9.48.3.2 Authenticate() [2/2] | 62 |
| 9.49 Dashboard.Login Class Reference | 63 |
| 9.49.1 Member Function Documentation | 63 |
| 9.49.1.1 Dispose() | 63 |
| 9.50 ISIAPI.Controllers.MaterialController Class Reference | 63 |
| 9.50.1 Member Function Documentation | 64 |
| 9.50.1.1 AddMaterial() | 64 |
| 9.50.1.2 GetMateriais() | 64 |
| 9.50.1.3 GetMaterialMaisUsado() | 65 |
| 9.51 API.Models.MaterialModel Class Reference | 65 |
| 9.52 ClientRest.MaterialModel Class Reference | 65 |
| 9.53 Dashboard.MaterialModel Class Reference | 65 |
| 9.54 ISIAPI.Controllers.RequisicaoMaterialController.MaterialParaRequisicao Class Reference | 66 |
| 9.55 Dashboard.Casos.ModeloCasos Class Reference | 66 |
| 9.56 SOAP.ModeloCasos Class Reference | 66 |
| 9.57 SOAP.ModeloContactos Class Reference | 67 |
| 9.58 ISIAPI.ModeloEquipa Class Reference | 67 |
| 9.59 ISIAPI.ModeloEquipas Class Reference | 67 |
| 9.59.1 Member Function Documentation | 68 |
| 9.59.1.1 AddEquipa() | 68 |
| 9.59.1.2 GetAllEquipas() | 68 |
| 9.59.1.3 GetEquipaMaisCara() | 68 |
| 9.60 ISIAPI.ModeloMateriais Class Reference | 69 |
| 9.60.1 Member Function Documentation | 69 |
| 9.60.1.1 AddMaterial() | 69 |
| 9.60.1.2 GetAllMateriais() | 69 |
| 9.60.1.3 GetMaterialMaisUsado() | 70 |
| 9.61 ISIAPI.ModeloMaterial Class Reference | 70 |

| 9.62 ISIAPI.ModeloRequisicao Class Reference | 70 |
|--|----|
| 9.63 ISIAPI.ModeloRequisicaoMaterial Class Reference | 70 |
| 9.64 ISIAPI.ModeloRequisicoes Class Reference | 71 |
| 9.64.1 Member Function Documentation | 71 |
| 9.64.1.1 AddRequisicao() | 71 |
| 9.64.1.2 GetAllRequisicoes() | 71 |
| 9.64.1.3 GetRequisicaoByEquipa() | 72 |
| 9.64.1.4 UpdateRequisicao() | 72 |
| 9.65 ISIAPI.ModeloRequisicoesMateriais Class Reference | 72 |
| 9.65.1 Member Function Documentation | 73 |
| 9.65.1.1 AddRequisicaoMaterial() | 73 |
| 9.65.1.2 GetAllRequisicoesMateriais() | 73 |
| 9.65.1.3 GetRequisicaoMaterialByRequisicaoEquipa() | 73 |
| 9.66 SOAP.ModeloUtente Class Reference | 74 |
| 9.67 API.Program Class Reference | 74 |
| 9.68 ISIAPI.Program Class Reference | 74 |
| 9.69 ISIAPI.Controllers.RequisicaoController Class Reference | 74 |
| 9.69.1 Member Function Documentation | 75 |
| 9.69.1.1 AddRequisicao() | 75 |
| 9.69.1.2 GetRequisicaoByEquipca() | 75 |
| 9.69.1.3 GetRequisicoes() | 76 |
| 9.69.1.4 UpdateRequisicaoEntregue() | 76 |
| 9.70 ISIAPI.Controllers.RequisicaoMaterialController Class Reference | 76 |
| 9.70.1 Member Function Documentation | 77 |
| 9.70.1.1 AddRequisicaoMaterial() [1/2] | 77 |
| 9.70.1.2 AddRequisicaoMaterial() [2/2] | 78 |
| 9.70.1.3 GetRequisicaoMaterialbyRequisicaoEquipa() | 78 |
| 9.70.1.4 GetRequisisoesMateriais() | 78 |
| 9.71 ClientRest.RequisicaoMaterialModel Class Reference | 79 |
| 9.72 ClientRest.RequisicaoModel Class Reference | 79 |
| 9.73 API.Controllers.SecurityController Class Reference | 79 |
| 9.73.1 Member Function Documentation | 79 |
| 9.73.1.1 Login() | 79 |
| 9.74 API.Startup Class Reference | 30 |
| 9.75 ISIAPI.Startup Class Reference | 30 |
| 9.76 API.Models.User Class Reference | 31 |
| 9.77 API.Controllers.UserController Class Reference | 31 |
| 9.77.1 Detailed Description | 31 |
| 9.78 API.Models.Users Class Reference | 32 |
| 9.78.1 Member Data Documentation | 32 |
| 9.78.1.1 users | 32 |
| 9.79 SOAPUtentes Class Beference | 32 |

91

| 9.79.1 Member Function Documentation | 83 |
|---|----|
| 9.79.1.1 AddUtentes() | 83 |
| 9.79.1.2 GetUtentes() [1/3] | 83 |
| 9.79.1.3 GetUtentes() [2/3] | 84 |
| 9.79.1.4 GetUtentes() [3/3] | 84 |
| 9.80 Cliente.Utentes.UtentesClient Class Reference | 85 |
| 9.80.1 Member Function Documentation | 85 |
| 9.80.1.1 AddUtentes() | 85 |
| 9.80.1.2 AddUtentesAsync() | 85 |
| 9.80.1.3 GetUtentes() | 86 |
| 9.80.1.4 GetUtentesAsync() | 86 |
| 9.80.1.5 GetUtentesByNIF() | 86 |
| 9.80.1.6 GetUtentesByNIFAsync() | 86 |
| 9.80.1.7 GetUtentesByNome() | 86 |
| 9.80.1.8 GetUtentesByNomeAsync() | 87 |
| 9.81 Cliente.UtentesAzure.UtentesClient Class Reference | 87 |
| 9.81.1 Member Function Documentation | 87 |
| 9.81.1.1 AddUtentes() | 87 |
| 9.81.1.2 AddUtentesAsync() | 88 |
| 9.81.1.3 GetUtentes() | 88 |
| 9.81.1.4 GetUtentesAsync() | 88 |
| 9.81.1.5 GetUtentesByNIF() | 88 |
| 9.81.1.6 GetUtentesByNIFAsync() | 88 |
| 9.81.1.7 GetUtentesByNome() | 89 |
| 9.81.1.8 GetUtentesByNomeAsync() | 89 |
| 9.82 API.Controllers.VisitasController Class Reference | 89 |
| 9.83 ISIAPI.WeatherForecast Class Reference | 90 |
| | |

Index

LICENSE

The MIT License (MIT)

Copyright (c) 2007 James Newton-King

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

2 LICENSE

LICENSE

The MIT License (MIT)

Copyright (c) 2007 James Newton-King

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

4 LICENSE

Json.NET Schema

Copyright (c) 2014 Newtonsoft

This program is free software: you can redistribute it and/or modify it under the terms of the GNU Affero General Public License as published by the Free Software Foundation, either version 3 of the License, see httpc://www.gnu.org/licenses/agpl-3.0.html.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Affero General Public License for more details.

3.1 Commercial License

In addition to this license, Json.NET Schema is offered under a commercial license.

5 Json.NET Schema

LICENSE

The MIT License (MIT)

Copyright (c) 2007 James Newton-King

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

8 LICENSE

Namespace Index

5.1 Packages

Here are the packages with brief descriptions (if available):

| PI | 1 |
|--------------------------|---|
| PI.Controllers | 1 |
| PI.Models | 1 |
| Niente | 1 |
| Hiente.Casos | 1 |
| Cliente.CasosAzure | 1 |
| Cliente.Contactos | 1 |
| Cliente.ContactosAzure | 1 |
| Cliente.Properties | 1 |
| Niente.Utentes | 1 |
| Cliente.UtentesAzure | 1 |
| ClientRest | 1 |
| ClientRest.Properties | 1 |
| Pashboard | 2 |
| Pashboard.Casos | 2 |
| Pashboard.CasosAzure | 2 |
| ashboard.Properties | 2 |
| ileConversion | 2 |
| ileConversion.Properties | 2 |
| SIAPI | 2 |
| SIAPI.Controllers | 2 |
| SOAP | 2 |

10 Namespace Index

Hierarchical Index

6.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

| AuthorizationHandler | |
|---|--------|
| API.AuthorizedRequirementHandler | 23 |
| API.Models.AuthRequest | 24 |
| API.Models.AuthResponse | 24 |
| System.ServiceModel.ClientBase | |
| Cliente.Casos.CasosClient | 26 |
| Cliente.CasosAzure.CasosClient | 28 |
| Cliente.Contactos.ContactosClient | 38 |
| Cliente.ContactosAzure.ContactosClient | 39 |
| Cliente.Utentes.UtentesClient | |
| Cliente.UtentesAzure.UtentesClient | 87 |
| Dashboard.Casos.CasosClient | 30 |
| Dashboard.CasosAzure.CasosClient | 32 |
| API.Models.ConcelhoModel | 34 |
| Dashboard.ConcelhoModel | 35 |
| Controller | |
| API.Controllers.DGSController | 41 |
| API.Controllers.EquipasController | 44 |
| API.Controllers.VisitasController | 89 |
| ControllerBase | |
| API.Controllers.SecurityController | 79 |
| API.Controllers.UserController | 81 |
| ISIAPI.Controllers.EquipaController | 42 |
| ISIAPI.Controllers.MaterialController | 63 |
| ISIAPI.Controllers.RequisicaoController | 74 |
| ISIAPI.Controllers.RequisicaoMaterialController | 76 |
| API.Models.EquipaModel | 43 |
| ClientRest.EquipaModel | 43 |
| Dashboard.EquipaModel | 44 |
| FileConversion.Fiscalizacao | 44 |
| FileConversion.Fiscalizado | 45 |
| Form | |
| ClientRest.Form1 | 46 |
| Cliente.Form1 | 46 |
| Dashboard.Form1 | 47 |
| | |

12 Hierarchical Index

| Dashboard.Login | |
|---|----------|
| IAuthorizationRequirement | |
| API.AuthorizedRequirement | |
| Cliente.Casos.ICasos | |
| Cliente.Casos.CasosClient 2 Cliente.Casos.ICasosChannel 3 | |
| Cliente.CasosAzure.ICasos | 50 |
| Cliente.CasosAzure.CasosClient | |
| Cliente.CasosAzure.ICasosChannel | 52 |
| Dashboard.Casos.ICasos | |
| Dashboard.Casos.CasosClient 3 Dashboard.Casos.ICasosChannel 5 | |
| Dashboard.CasosAzure.ICasos | 51 |
| Dashboard.CasosAzure.CasosClient | |
| Dashboard.CasosAzure.ICasosChannel | 53 |
| SOAP.ICasos | |
| SOAP.Casos | 24 |
| System.ServiceModel.IClientChannel | |
| Cliente.Casos.ICasosChannel | |
| Cliente.CasosAzure.ICasosChannel | |
| Cliente.Contactos.IContactosChannel | |
| Cliente.Utentes.IUtentesChannel | |
| Cliente.UtentesAzure.IUtentesChannel | |
| Dashboard.Casos.ICasosChannel | |
| Dashboard.CasosAzure.ICasosChannel | |
| Cliente.Contactos.IContactos | 53 |
| Cliente.Contactos.ContactosClient | 38 |
| Cliente.Contactos.IContactosChannel | 55 |
| | 54 |
| Cliente.ContactosAzure.ContactosClient | |
| Cliente.ContactosAzure.IContactosChannel | 56 |
| SOAP.IContactos | 54 |
| SOAP.Contactos | 36 |
| System.Runtime.Serialization.IExtensibleDataObject | |
| | 66 |
| | 56 |
| API.Controllers.JWTAuthManager | 30 |
| System.ComponentModel.INotifyPropertyChanged | |
| | 36 |
| 3 | 57 57 |
| | 30 30 |
| | 35 |
| | 58 |
| | 30 |
| | 37 |
| SOAP.IUtentes | 58 |
| SOAP.Utentes | 32 |
| API.Models.MaterialModel | 35 |
| | 35 |
| | 35 |
| | 66 66 |
| | |

6.1 Class Hierarchy 13

| SOAP.ModeloContactos | 67 |
|------------------------------------|------|
| ISIAPI.ModeloEquipa | 67 |
| ISIAPI.ModeloEquipas | 67 |
| ISIAPI.ModeloMateriais | 69 |
| ISIAPI.ModeloMaterial | 70 |
| ISIAPI.ModeloRequisicao | 70 |
| ISIAPI.ModeloRequisicaoMaterial | 70 |
| ISIAPI.ModeloRequisicoes | 71 |
| ISIAPI.ModeloRequisicoesMateriais | 72 |
| SOAP.ModeloUtente | 74 |
| object | |
| Dashboard.Casos.ModeloCasos | . 66 |
| API.Program | 74 |
| ISIAPI.Program | 74 |
| ClientRest.RequisicaoMaterialModel | |
| ClientRest.RequisicaoModel | 79 |
| API.Startup | 80 |
| ISIAPI.Startup | 80 |
| API.Models.User | 81 |
| API.Models.Users | 82 |
| | OL |

14 Hierarchical Index

Class Index

7.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

| API.AuthorizedRequirement |
|---|
| API.AuthorizedRequirementHandler |
| API.Models.AuthRequest |
| API.Models.AuthResponse |
| SOAP.Casos |
| Cliente.Casos.CasosClient |
| Cliente.CasosAzure.CasosClient |
| Dashboard.Casos.CasosClient |
| Dashboard.CasosAzure.CasosClient |
| API.Models.ConcelhoModel |
| Dashboard.ConcelhoModel |
| SOAP.Contactos |
| Cliente.Contactos.ContactosClient |
| Cliente.ContactosAzure.ContactosClient |
| API.Controllers.DGSController |
| ISIAPI.Controllers.EquipaController |
| API.Models.EquipaModel |
| ClientRest.EquipaModel |
| Dashboard.EquipaModel |
| API.Controllers.EquipasController |
| FileConversion.Fiscalizacao |
| Estrutura de Dados de uma Ação de Fiscalização |
| FileConversion.Fiscalizado |
| Estrutura de Dados dos Fiscalizados (Visitados) |
| Cliente.Form1 |
| ClientRest.Form1 |
| Dashboard.Form1 |
| FileConversion.Form1 |
| Cliente.Casos.ICasos |
| Cliente.CasosAzure.ICasos |
| Dashboard.Casos.ICasos |
| Dashboard.CasosAzure.ICasos |
| SOAP.ICasos |
| Cliente.Casos.ICasosChannel |
| Cliente.CasosAzure.ICasosChannel |

16 Class Index

| Dashboard.Casos.ICasosChannel | 52 |
|--|----|
| Dashboard.CasosAzure.ICasosChannel | 53 |
| Cliente.Contactos.IContactos | 53 |
| Cliente.ContactosAzure.IContactos | 54 |
| SOAP.IContactos | 54 |
| Cliente.Contactos.IContactosChannel | 55 |
| Cliente.ContactosAzure.lContactosChannel | 56 |
| | 56 |
| FileConversion.Irregularidade | |
| | 57 |
| | 57 |
| | 58 |
| | 58 |
| | 60 |
| | 60 |
| API.Controllers.JWTAuthManager | 00 |
| · | 60 |
| | 63 |
| | 63 |
| | |
| | 65 |
| | 65 |
| | 65 |
| · | 66 |
| | 66 |
| | 66 |
| | 67 |
| | 67 |
| | 67 |
| | 69 |
| | 70 |
| · | 70 |
| · | 70 |
| | 71 |
| · · · · · · · · · · · · · · · · · · · | 72 |
| SOAP.ModeloUtente | 74 |
| API.Program | 74 |
| ISIAPI.Program | 74 |
| ISIAPI.Controllers.RequisicaoController | 74 |
| ISIAPI.Controllers.RequisicaoMaterialController | 76 |
| ClientRest.RequisicaoMaterialModel | 79 |
| ClientRest.RequisicaoModel | 79 |
| API.Controllers.SecurityController | 79 |
| API.Startup | 80 |
| ISIAPI.Startup | 80 |
| API.Models.User | 81 |
| API.Controllers.UserController | |
| Gestor de Autenticações - Authentication Manager | 81 |
| · · · · · · · · · · · · · · · · · · · | 82 |
| | 82 |
| | 85 |
| | 87 |
| | 89 |
| | 90 |

Namespace Documentation

8.1 API Namespace Reference

Classes

- · class AuthorizedRequirement
- · class AuthorizedRequirementHandler
- class Program
- class Startup

8.2 API.Controllers Namespace Reference

Classes

- class DGSController
- class EquipasController
- interface IJWTAuthManager
- · class JWTAuthManager

Classe auxiliar para gerir Autenticação e JWT

- class SecurityController
- · class UserController

Gestor de Autenticações - Authentication Manager

class VisitasController

8.3 API.Models Namespace Reference

Classes

- class AuthRequest
- · class AuthResponse
- class ConcelhoModel
- · class EquipaModel
- · class MaterialModel
- class User
- class Users

Enumerations

• enum Roles { Admin , Reader , Editor , User }

8.4 Cliente Namespace Reference

Classes

- class Form1
- · class Program

8.5 Cliente. Casos Namespace Reference

Classes

- class CasosClient
- interface ICasos
- interface ICasosChannel

8.6 Cliente.CasosAzure Namespace Reference

Classes

- · class CasosClient
- interface ICasos
- interface ICasosChannel

8.7 Cliente.Contactos Namespace Reference

Classes

- · class ContactosClient
- interface IContactos
- interface IContactosChannel

8.8 Cliente.ContactosAzure Namespace Reference

Classes

- · class ContactosClient
- interface IContactos
- interface |ContactosChannel

8.9 Cliente. Properties Namespace Reference

Classes

· class Resources

Uma classe de recurso fortemente tipados, para pesquisar cadeias de caracteres localizadas etc.

· class Settings

8.10 Cliente. Utentes Namespace Reference

Classes

- interface IUtentes
- interface IUtentesChannel
- · class UtentesClient

8.11 Cliente. Utentes Azure Namespace Reference

Classes

- interface IUtentes
- interface IUtentesChannel
- class UtentesClient

8.12 ClientRest Namespace Reference

Classes

- class EquipaModel
- class Form1
- class MaterialModel
- class Program
- class RequisicaoMaterialModel
- · class RequisicaoModel

8.13 ClientRest.Properties Namespace Reference

Classes

class Resources

A strongly-typed resource class, for looking up localized strings, etc.

class Settings

8.14 Dashboard Namespace Reference

Classes

- · class ConcelhoModel
- · class EquipaModel
- class Form1
- class Login
- · class MaterialModel
- · class Program

8.15 Dashboard.Casos Namespace Reference

Classes

- class CasosClient
- interface ICasos
- interface |CasosChannel
- class ModeloCasos

8.16 Dashboard.CasosAzure Namespace Reference

Classes

- · class CasosClient
- interface ICasos
- interface ICasosChannel

8.17 Dashboard.Properties Namespace Reference

Classes

· class Resources

Uma classe de recurso fortemente tipados, para pesquisar cadeias de caracteres localizadas etc.

· class Settings

8.18 FileConversion Namespace Reference

Classes

· class Fiscalização

Estrutura de Dados de uma Ação de Fiscalização.

· class Fiscalizado

Estrutura de Dados dos Fiscalizados (Visitados).

- class Form1
- · class Irregularidade

Estrutura de Dados de Irregularidades detetadas em cada Visita.

class Program

8.19 FileConversion.Properties Namespace Reference

Classes

· class Resources

A strongly-typed resource class, for looking up localized strings, etc.

· class Settings

8.20 ISIAPI Namespace Reference

Classes

- class ModeloEquipa
- · class ModeloEquipas
- class ModeloMateriais
- class ModeloMaterial
- class ModeloRequisicao
- class ModeloRequisicaoMaterial
- class ModeloRequisicoes
- · class ModeloRequisicoesMateriais
- class Program
- class Startup
- · class WeatherForecast

8.21 ISIAPI.Controllers Namespace Reference

Classes

- class EquipaController
- · class MaterialController
- class RequisicaoController
- · class RequisicaoMaterialController

8.22 SOAP Namespace Reference

Classes

- class Casos
- · class Contactos
- interface ICasos
- interface | Contactos
- interface IUtentes
- class ModeloCasos
- · class ModeloContactos
- class ModeloUtente
- class Utentes

Class Documentation

9.1 API.AuthorizedRequirement Class Reference

Inheritance diagram for API.AuthorizedRequirement:




The documentation for this class was generated from the following file:

• Dashboard/API/Models/AuthorizedRequirement.cs

9.2 API.AuthorizedRequirementHandler Class Reference

Inheritance diagram for API.AuthorizedRequirementHandler:



Protected Member Functions

• override Task **HandleRequirementAsync** (AuthorizationHandlerContext context, AuthorizedRequirement requirement)

The documentation for this class was generated from the following file:

Dashboard/API/Models/AuthorizedRequirement.cs

24 Class Documentation

9.3 API.Models.AuthRequest Class Reference

Properties

- string **Username** [getset]
- string Password [getset]

The documentation for this class was generated from the following files:

- Dashboard/API/Models/AuthRequest.cs
- Dashboard/Dashboard/Models/AuthRequest.cs

9.4 API.Models.AuthResponse Class Reference

Public Member Functions

- AuthResponse (string user, string token)
- AuthResponse (AuthRequest user, string token, DateTime expires)
- AuthResponse (string user, string token)
- AuthResponse (AuthRequest user, string token, DateTime expires)

Properties


- string Name [getset]
- string **Token** [getset]
- DateTime Expiration [getset]

The documentation for this class was generated from the following files:

- Dashboard/API/Models/AuthResponse.cs
- Dashboard/Dashboard/Models/AuthResponse.cs

9.5 SOAP.Casos Class Reference

Inheritance diagram for SOAP.Casos:



Public Member Functions

- DataSet GetCasos ()
- DataSet GetCasos (int nif)
- DataSet GetCasos (string data)
- string AddCasos (ModeloCasos casos)

Protected Attributes

• SqlConnection **con** = new SqlConnection(server)

Static Protected Attributes

• static string **server** = ConfigurationManager.ConnectionStrings["ISI"].ConnectionString

9.5.1 Member Function Documentation

9.5.1.1 AddCasos()

Implements SOAP.ICasos.

9.5.1.2 GetCasos() [1/3]

```
DataSet SOAP.Casos.GetCasos ( )
```

Implements SOAP.ICasos.

9.5.1.3 GetCasos() [2/3]

Implements SOAP.ICasos.

26 Class Documentation

9.5.1.4 GetCasos() [3/3]

Implements SOAP.ICasos.

The documentation for this class was generated from the following file:

SOAP service/SOAP/SOAP/Casos.svc.cs

9.6 Cliente.Casos.CasosClient Class Reference

Inheritance diagram for Cliente. Casos. Casos Client:



Public Member Functions

- CasosClient (string endpointConfigurationName)
- CasosClient (string endpointConfigurationName, string remoteAddress)
- CasosClient (string endpointConfigurationName, System.ServiceModel.EndpointAddress remoteAddress)
- CasosClient (System.ServiceModel.Channels.Binding binding, System.ServiceModel.EndpointAddress remoteAddress)
- System.Data.DataSet GetCasos ()
- System.Threading.Tasks.Task
 System.Data.DataSet > GetCasosAsync ()
- System.Data.DataSet GetCasosByNIF (int nif)
- System.Threading.Tasks.Task
 System.Data.DataSet > GetCasosByNIFAsync (int nif)
- System.Data.DataSet GetCasosByData (string data)
- System.Threading.Tasks.Task
 System.Data.DataSet > GetCasosByDataAsync (string data)
- string AddCasos (SOAP.ModeloCasos casos)
- System.Threading.Tasks.Task< string > AddCasosAsync (SOAP.ModeloCasos casos)

9.6.1 Member Function Documentation

9.6.1.1 AddCasos()

Implements Cliente. Casos. I Casos.

9.6.1.2 AddCasosAsync()

```
System.Threading.Tasks.Task< string > Cliente.Casos.CasosClient.AddCasosAsync ( SOAP.ModeloCasos casos )
```

Implements Cliente.Casos.ICasos.

9.6.1.3 GetCasos()

```
System.Data.DataSet Cliente.Casos.CasosClient.GetCasos ( )
```

Implements Cliente. Casos. I Casos.

9.6.1.4 GetCasosAsync()

```
System.Threading.Tasks.Task< System.Data.DataSet > Cliente.Casos.CasosClient.GetCasosAsync ( )
```

Implements Cliente.Casos.ICasos.

9.6.1.5 GetCasosByData()

```
\label{eq:casosClient.GetCasosByData} System. Data. DataSet Cliente. Casos. CasosClient. GetCasosByData ( string data )
```

Implements Cliente.Casos.ICasos.

9.6.1.6 GetCasosByDataAsync()

Implements Cliente. Casos. I Casos.

9.6.1.7 GetCasosByNIF()

```
\label{eq:casosClient.GetCasosByNIF} \mbox{ ( } \mbox{ int } \mbox{ } \mb
```

Implements Cliente.Casos.ICasos.

9.6.1.8 GetCasosByNIFAsync()

Implements Cliente. Casos. ICasos.

The documentation for this class was generated from the following file:

• SOAP service/SOAP/Cliente/Connected Services/Casos/Reference.cs

9.7 Cliente.CasosAzure.CasosClient Class Reference

Inheritance diagram for Cliente.CasosAzure.CasosClient:



Public Member Functions

- CasosClient (string endpointConfigurationName)
- CasosClient (string endpointConfigurationName, string remoteAddress)
- CasosClient (string endpointConfigurationName, System.ServiceModel.EndpointAddress remoteAddress)
- CasosClient (System.ServiceModel.Channels.Binding binding, System.ServiceModel.EndpointAddress remoteAddress)
- System.Data.DataSet GetCasos ()
- System.Threading.Tasks.Task< System.Data.DataSet > GetCasosAsync ()
- System.Data.DataSet GetCasosByNIF (int nif)
- $\bullet \ \ System. Threading. Tasks. Task < System. Data. DataSet > {\tt GetCasosByNIFAsync} \ (int \ nif)$
- System.Data.DataSet GetCasosByData (string data)
- System.Threading.Tasks.Task
 System.Data.DataSet > GetCasosByDataAsync (string data)
- string AddCasos (string data, int idUtente)
- System.Threading.Tasks.Task< string > AddCasosAsync (string data, int idUtente)

9.7.1 Member Function Documentation

9.7.1.1 AddCasos()

```
string Cliente.CasosAzure.CasosClient.AddCasos ( string \ data, int \ idUtente \ )
```

Implements Cliente. Casos Azure. I Casos.

9.7.1.2 AddCasosAsync()

```
System.Threading.Tasks.Task< string > Cliente.CasosAzure.CasosClient.AddCasosAsync ( string data, int idUtente)
```

Implements Cliente.CasosAzure.ICasos.

9.7.1.3 GetCasos()

```
System.Data.DataSet Cliente.CasosAzure.CasosClient.GetCasos ( )
```

Implements Cliente. Casos Azure. I Casos.

9.7.1.4 GetCasosAsync()

```
\label{thm:casosAzure.CasosClient.GetCasos} System. Data. DataSet > Cliente. CasosAzure. CasosClient. GetCasos \leftrightarrow Async ()
```

Implements Cliente. Casos Azure. I Casos.

9.7.1.5 GetCasosByData()

```
{\tt System.Data.DataSet~Client.CasosAzure.CasosClient.GetCasosByData~(} {\tt string~data~)}
```

Implements Cliente. Casos Azure. I Casos.

9.7.1.6 GetCasosByDataAsync()

Implements Cliente. Casos Azure. I Casos.

9.7.1.7 GetCasosByNIF()

```
\label{eq:casosAzure.CasosClient.GetCasosByNIF} \mbox{ (} \\ \mbox{int } nif \mbox{ )}
```

Implements Cliente. Casos Azure. I Casos.

9.7.1.8 GetCasosByNIFAsync()


Implements Cliente. Casos Azure. I Casos.

The documentation for this class was generated from the following file:

• SOAP service/SOAP/Cliente/Connected Services/CasosAzure/Reference.cs

9.8 Dashboard.Casos.CasosClient Class Reference

Inheritance diagram for Dashboard.Casos.CasosClient:



Public Member Functions

- CasosClient (string endpointConfigurationName)
- CasosClient (string endpointConfigurationName, string remoteAddress)
- CasosClient (string endpointConfigurationName, System.ServiceModel.EndpointAddress remoteAddress)
- CasosClient (System.ServiceModel.Channels.Binding binding, System.ServiceModel.EndpointAddress remoteAddress)
- System.Data.DataSet GetCasos ()
- System.Threading.Tasks.Task
 System.Data.DataSet > GetCasosAsync ()
- System.Data.DataSet GetCasosByNIF (int nif)
- $\bullet \ \ System. Threading. Tasks. Task < System. Data. DataSet > GetCasosByNIFA sync \ (int \ nif)$
- System.Data.DataSet GetCasosByData (string data)
- System.Threading.Tasks.Task< System.Data.DataSet > GetCasosByDataAsync (string data)
- string AddCasos (Dashboard.Casos.ModeloCasos casos)
- System.Threading.Tasks.Task< string > AddCasosAsync (Dashboard.Casos.ModeloCasos casos)

9.8.1 Member Function Documentation

9.8.1.1 AddCasos()

```
string Dashboard.Casos.CasosClient.AddCasos ( {\tt Dashboard.Casos.ModeloCasos}~\it casos~\tt )
```

Implements Dashboard.Casos.ICasos.

9.8.1.2 AddCasosAsync()

Implements Dashboard.Casos.ICasos.

9.8.1.3 GetCasos()

```
System.Data.DataSet Dashboard.Casos.CasosClient.GetCasos ( )
```

Implements Dashboard.Casos.ICasos.

9.8.1.4 GetCasosAsync()

```
System.Threading.Tasks.Task< System.Data.DataSet > Dashboard.Casos.CasosClient.GetCasosAsync (
```

Implements Dashboard.Casos.ICasos.

9.8.1.5 GetCasosByData()

```
\label{eq:casosClient.GetCasosByData} System. Data. DataSet Dashboard. Casos. CasosClient. GetCasosByData ( string data )
```

Implements Dashboard.Casos.ICasos.

9.8.1.6 GetCasosByDataAsync()

Implements Dashboard.Casos.ICasos.

9.8.1.7 GetCasosByNIF()

Implements Dashboard.Casos.ICasos.

9.8.1.8 GetCasosByNIFAsync()

Implements Dashboard.Casos.ICasos.

The documentation for this class was generated from the following file:

• Dashboard/Dashboard/Connected Services/Casos/Reference.cs

9.9 Dashboard.CasosAzure.CasosClient Class Reference

Inheritance diagram for Dashboard.CasosAzure.CasosClient:



Public Member Functions

- CasosClient (string endpointConfigurationName)
- CasosClient (string endpointConfigurationName, string remoteAddress)
- CasosClient (string endpointConfigurationName, System.ServiceModel.EndpointAddress remoteAddress)
- CasosClient (System.ServiceModel.Channels.Binding binding, System.ServiceModel.EndpointAddress remoteAddress)
- System.Data.DataSet GetCasos ()
- System.Threading.Tasks.Task
 System.Data.DataSet > GetCasosAsync ()
- System.Data.DataSet GetCasosByNIF (int nif)
- System.Threading.Tasks.Task< System.Data.DataSet > GetCasosByNIFAsync (int nif)
- System.Data.DataSet GetCasosByData (string data)
- System.Threading.Tasks.Task
 System.Data.DataSet
 GetCasosByDataAsync (string data)
- string AddCasos (string data, int idUtente)
- System.Threading.Tasks.Task< string > AddCasosAsync (string data, int idUtente)

9.9.1 Member Function Documentation

9.9.1.1 AddCasos()

```
string Dashboard.CasosAzure.CasosClient.AddCasos ( string \ data, int \ idUtente \ )
```

Implements Dashboard.CasosAzure.ICasos.

9.9.1.2 AddCasosAsync()

```
\label{eq:casosAzure.CasosAzure.CasosClient.AddCasosAsync (assosAzure.CasosClient.AddCasosAsync (assosAzure.CasosClient.AddCasosCasosClient.AddC
```

Implements Dashboard.CasosAzure.ICasos.

9.9.1.3 GetCasos()

```
System.Data.DataSet Dashboard.CasosAzure.CasosClient.GetCasos ( )
```

 $Implements\ Dashboard. Casos Azure. I Casos.$

9.9.1.4 GetCasosAsync()

Implements Dashboard.CasosAzure.ICasos.

9.9.1.5 GetCasosByData()

```
{\tt System.Data.DataSet\ Dashboard.CasosAzure.CasosClient.GetCasosByData\ (} {\tt string\ } data\ )
```

Implements Dashboard.CasosAzure.ICasos.

9.9.1.6 GetCasosByDataAsync()

Implements Dashboard.CasosAzure.ICasos.

9.9.1.7 GetCasosByNIF()

```
\label{eq:casosAzure.CasosClient.GetCasosByNIF (as one of the control of the co
```

Implements Dashboard.CasosAzure.ICasos.

9.9.1.8 GetCasosByNIFAsync()

Implements Dashboard.CasosAzure.ICasos.

The documentation for this class was generated from the following file:

• Dashboard/Dashboard/Connected Services/CasosAzure/Reference.cs

9.10 API.Models.ConcelhoModel Class Reference

Properties

```
string data [getset]
string concelho [getset]
int confirmados_14 [getset]
int confirmados_1 [getset]
int incidencia [getset]
string incidencia_categoria [getset]
string incidencia_risco [getset]
string tendencia_incidencia [getset]
string tendencia_categoria [getset]
string tendencia_desc [getset]
int casos_14dias [getset]
string ars [getset]
string distrito [getset]
int dicofre [getset]
```

• float area [getset]

```
int population [getset]
int population_65_69 [getset]
int population_70_74 [getset]
int population_75_79 [getset]
int population_80_84 [getset]
int population_85_mais [getset]
int population_80_mais [getset]
int population_75_mais [getset]
int population_70_mais [getset]
int population_65_mais [getset]
float densidade_populacional [getset]
float densidade_1 [getset]
float densidade_2 [getset]
float densidade_3 [getset]
```

The documentation for this class was generated from the following file:

· Dashboard/API/Models/ConcelhoModel.cs

9.11 Dashboard.ConcelhoModel Class Reference

Properties

```
• string data [getset]
• string concelho [getset]

    int confirmados 14 [getset]

• int confirmados_1 [getset]
• int incidencia [getset]
• string incidencia_categoria [getset]
• string incidencia_risco [getset]
• string tendencia_incidencia [getset]
• string tendencia_categoria [getset]
• string tendencia_desc [getset]
int casos_14dias [getset]
• string ars [getset]
• string distrito [getset]
• int dicofre [getset]
• float area [getset]
• int population [getset]

    int population 65 69 [getset]

• int population_70_74 [getset]
int population_75_79 [getset]
• int population 80 84 [getset]
• int population_85_mais [getset]
int population_80_mais [getset]
int population_75_mais [getset]
int population_70_mais [getset]
int population_65_mais [getset]
• float densidade_populacional [getset]
• float densidade_1 [getset]
float densidade_2 [getset]
• float densidade_3 [getset]
```

The documentation for this class was generated from the following file:

Dashboard/Dashboard/Form1.cs

9.12 SOAP.Contactos Class Reference

Inheritance diagram for SOAP.Contactos:



Public Member Functions

• DataSet GetContacto ()

Connects to a Database to Find Contacts.

• DataSet GetContacto (int id, bool nif)

Connects to a Database to Find Contacts.

• string AddContacto (ModeloContactos contacto)

Connects to a Database to Insert Contactos

Protected Attributes

• SqlConnection **con** = new SqlConnection(server)

Static Protected Attributes

• static string **server** = ConfigurationManager.ConnectionStrings["ISI"].ConnectionString

9.12.1 Member Function Documentation

9.12.1.1 AddContacto()

```
string SOAP.Contactos.AddContacto ( {\tt ModeloContactos}\ contacto\ )
```

Connects to a Database to Insert Contactos

Parameters

| | T |
|----------|----------------------|
| idUtente | NIF. |
| idCaso | ID de Caso associado |

Returns

If reaches end of function.

If reaches end of function.

Implements SOAP.IContactos.

9.12.1.2 GetContacto() [1/2]

```
DataSet SOAP.Contactos.GetContacto ( )
```

Connects to a Database to Find Contacts.

Returns

Returns a DataSet with information on All Rows for Contacts with Covid-positive Cases.

Implements SOAP.IContactos.

9.12.1.3 GetContacto() [2/2]

Connects to a Database to Find Contacts.

Parameters

| id | |
|-----|---------------------------------------|
| nif | True if 'id' is NIF. False if IdCaso. |

Returns

Returns a DataSet with information on All Rows for Contacts with Covid-positive Cases.

Implements SOAP.IContactos.

The documentation for this class was generated from the following file:

• SOAP service/SOAP/SOAP/Contactos.svc.cs

9.13 Cliente.Contactos.ContactosClient Class Reference

Inheritance diagram for Cliente.Contactos.ContactosClient:



Public Member Functions

- ContactosClient (string endpointConfigurationName)
- ContactosClient (string endpointConfigurationName, string remoteAddress)
- ContactosClient (string endpointConfigurationName, System.ServiceModel.EndpointAddress remote
 — Address)
- **ContactosClient** (System.ServiceModel.Channels.Binding binding, System.ServiceModel.EndpointAddress remoteAddress)
- System.Data.DataSet GetContacto ()
- System.Threading.Tasks.Task
 System.Data.DataSet > GetContactoAsync ()
- System.Data.DataSet GetContactoByAtributes (int id, bool nif)
- System.Threading.Tasks.Task< System.Data.DataSet > GetContactoByAtributesAsync (int id, bool nif)
- string AddContacto (SOAP.ModeloContactos contacto)
- System.Threading.Tasks.Task< string > AddContactoAsync (SOAP.ModeloContactos contacto)

9.13.1 Member Function Documentation

9.13.1.1 AddContacto()

```
string Cliente.Contactos.ContactosClient.AddContacto ( {\tt SOAP.ModeloContactos}\ \ contacto\ )
```

Implements Cliente. Contactos. I Contactos.

9.13.1.2 AddContactoAsync()

Implements Cliente. Contactos. I Contactos.

9.13.1.3 GetContacto()

```
System.Data.DataSet Cliente.Contactos.ContactosClient.GetContacto ( )
```

Implements Cliente.Contactos.IContactos.

9.13.1.4 GetContactoAsync()

```
\label{thm:contactos} System. Threading. Tasks. Task < System. Data. DataSet > Cliente. Contactos. Contactos Client. Get \leftarrow Contacto Async ()
```

Implements Cliente. Contactos. I Contactos.

9.13.1.5 GetContactoByAtributes()

```
System.Data.DataSet Cliente.Contactos.ContactosClient.GetContactoByAtributes ( int \ id, \\ bool \ nif \ )
```

Implements Cliente.Contactos.IContactos.

9.13.1.6 GetContactoByAtributesAsync()

Implements Cliente.Contactos.IContactos.

The documentation for this class was generated from the following file:

• SOAP service/SOAP/Cliente/Connected Services/Contactos/Reference.cs

9.14 Cliente.ContactosAzure.ContactosClient Class Reference

Inheritance diagram for Cliente.ContactosAzure.ContactosClient:



Public Member Functions

- ContactosClient (string endpointConfigurationName)
- ContactosClient (string endpointConfigurationName, string remoteAddress)
- ContactosClient (string endpointConfigurationName, System.ServiceModel.EndpointAddress remote
 — Address)
- **ContactosClient** (System.ServiceModel.Channels.Binding binding, System.ServiceModel.EndpointAddress remoteAddress)
- System.Data.DataSet GetContacto ()
- System.Threading.Tasks.Task< System.Data.DataSet > GetContactoAsync ()
- System.Data.DataSet GetContactoByAtributes (int id, bool nif)
- System.Threading.Tasks.Task
 System.Data.DataSet
 GetContactoByAtributesAsync (int id, bool nif)
- string AddContacto (int idUtente, int idCaso)
- System.Threading.Tasks.Task< string > AddContactoAsync (int idUtente, int idCaso)

9.14.1 Member Function Documentation

9.14.1.1 AddContacto()

Implements Cliente. Contactos Azure. I Contactos.

9.14.1.2 AddContactoAsync()

Implements Cliente.ContactosAzure.IContactos.

9.14.1.3 GetContacto()

```
System.Data.DataSet Cliente.ContactosAzure.ContactosClient.GetContacto ( )
```

Implements Cliente.ContactosAzure.IContactos.

9.14.1.4 GetContactoAsync()

```
\label{thm:contactosAzure.ContactosClient.} System. Data. DataSet > Cliente. ContactosAzure. ContactosClient. \hookleftarrow GetContactoAsync ( )
```

Implements Cliente.ContactosAzure.IContactos.

9.14.1.5 GetContactoByAtributes()

```
System.Data.DataSet Cliente.ContactosAzure.ContactosClient.GetContactoByAtributes ( int \ id, \\ bool \ nif \ )
```

Implements Cliente. Contactos Azure. I Contactos.

9.14.1.6 GetContactoByAtributesAsync()

Implements Cliente.ContactosAzure.IContactos.

The documentation for this class was generated from the following file:

• SOAP service/SOAP/Cliente/Connected Services/ContactosAzure/Reference.cs

9.15 API.Controllers.DGSController Class Reference

Inheritance diagram for API.Controllers.DGSController:



Public Member Functions


• object DGS ()

The documentation for this class was generated from the following file:

· Dashboard/API/Controllers/DGSController.cs

9.16 ISIAPI.Controllers.EquipaController Class Reference

Inheritance diagram for ISIAPI.Controllers.EquipaController:



Public Member Functions

• string GetEquipa ()

Rota para devolver todas as equipas presentes na base de dados

• string GetEquipaMaisCara ()

Rota para devolver as 10 equipas mais caras

• string AddEquipa ([FromBody] string equipa)

Rota para adicionar uma equipa

Public Attributes

• ModeloEquipas m = new ModeloEquipas()

9.16.1 Member Function Documentation

9.16.1.1 AddEquipa()

```
string ISIAPI.Controllers.EquipaController.AddEquipa (  [FromBody] \ string \ equipa \ )
```

Rota para adicionar uma equipa

Parameters

| equipa | Recebe uma variavel do tipo json com o nome da equipa a adicionar no formato {"nome": |
|--------|--|
| | nome}" <returns string="Success"> If reaches end of function. </returns> <returns< th=""></returns<> |
| | string="\$EXCEPTION\$"> If it fails. |

9.16.1.2 GetEquipa()

```
string ISIAPI.Controllers.EquipaController.GetEquipa ( )
```

Rota para devolver todas as equipas presentes na base de dados

Returns

If reaches end of function.

If it fails.

9.16.1.3 GetEquipaMaisCara()

```
string ISIAPI.Controllers.EquipaController.GetEquipaMaisCara ( )
```

Rota para devolver as 10 equipas mais caras

Returns

If reaches end of function.

If it fails.

The documentation for this class was generated from the following file:

REST_API service/ISIAPI/Controllers/EquipaController.cs

9.17 API.Models.EquipaModel Class Reference

Properties

- int idEquipa [getset]
- string nome [getset]
- float total [getset]

The documentation for this class was generated from the following file:

• Dashboard/API/Models/EquipaModel.cs

9.18 ClientRest.EquipaModel Class Reference

Properties

```
int idEquipa [getset]string nome [getset]
```

The documentation for this class was generated from the following file:

• REST_API service/ClientRest/Form1.cs

9.19 Dashboard.EquipaModel Class Reference

Properties


int idEquipa [getset]string nome [getset]float total [getset]

The documentation for this class was generated from the following file:

· Dashboard/Dashboard/Form1.cs

9.20 API.Controllers.EquipasController Class Reference

Inheritance diagram for API.Controllers.EquipasController:



Public Member Functions

- object Equipas ()
- · object Produtos ()

The documentation for this class was generated from the following file:

· Dashboard/API/Controllers/EquipasController.cs

9.21 FileConversion. Fiscalização Class Reference

Estrutura de Dados de uma Ação de Fiscalização.

Properties

• List< Fiscalizado > Fiscalizados [getset]

9.21.1 Detailed Description

Estrutura de Dados de uma Ação de Fiscalização.

The documentation for this class was generated from the following file:

· FileConversion/FileConversion/Fiscalizacao.cs

9.22 FileConversion. Fiscalizado Class Reference

Estrutura de Dados dos Fiscalizados (Visitados).

Public Member Functions

- Fiscalizado (string nif, DateTime data, List< Irregularidade > irregularidades)
- · Fiscalizado ()

Construtor Vazio.

Properties

```
    int IdCivil [getset]
    DateTime Data [getset]
    List< | Irregularidade > Irregularidades [getset]
```

9.22.1 Detailed Description

Estrutura de Dados dos Fiscalizados (Visitados).

9.22.2 Constructor & Destructor Documentation

9.22.2.1 Fiscalizado()

Construtor

Parameters


| nif | Identificação do Fiscalizado. |
|-----------------|--------------------------------------|
| data | Momento da Fiscalização. |
| irregularidades | Irregularidades detetadas na Visita. |

The documentation for this class was generated from the following file:

• FileConversion/FileConversion/Fiscalizacao.cs

9.23 Cliente.Form1 Class Reference

Inheritance diagram for Cliente.Form1:



Protected Member Functions

override void Dispose (bool disposing)
 Limpar os recursos que estão sendo usados.

9.23.1 Member Function Documentation

9.23.1.1 Dispose()

Limpar os recursos que estão sendo usados.

Parameters


| disposing | true se for necessário descartar os recursos gerenciados; caso contrário, false. |
|-----------|--|
| , , | |

The documentation for this class was generated from the following files:

- SOAP service/SOAP/Cliente/Form1.cs
- SOAP service/SOAP/Cliente/Form1.Designer.cs

9.24 ClientRest.Form1 Class Reference

Inheritance diagram for ClientRest.Form1:



Public Member Functions

• Form1 ()

Função que inicializa o form

Protected Member Functions

• override void Dispose (bool disposing)

Clean up any resources being used.

9.24.1 Member Function Documentation

9.24.1.1 Dispose()

Clean up any resources being used.

Parameters


disposing true if managed resources should be disposed; otherwise, false.

The documentation for this class was generated from the following files:

- REST_API service/ClientRest/Form1.cs
- REST_API service/ClientRest/Form1.Designer.cs

9.25 Dashboard.Form1 Class Reference

Inheritance diagram for Dashboard.Form1:



Protected Member Functions

• override void Dispose (bool disposing)

Limpar os recursos que estão sendo usados.

Protected Attributes

• SqlConnection **con** = new SqlConnection(server)

Static Protected Attributes

• static string **server** = "Server=.;Database=ISI;Trusted_Connection=True;"

9.25.1 Member Function Documentation

9.25.1.1 Dispose()

Limpar os recursos que estão sendo usados.

Parameters


| disposing true se for necessário descartar os recursos gerenciados; caso | so contrário, false. |
|--|----------------------|
|--|----------------------|

The documentation for this class was generated from the following files:

- Dashboard/Dashboard/Form1.cs
- Dashboard/Dashboard/Form1.Designer.cs

9.26 FileConversion.Form1 Class Reference

Inheritance diagram for FileConversion.Form1:



Protected Member Functions

override void Dispose (bool disposing)
 Clean up any resources being used.

Protected Attributes

• SqlConnection **con** = new SqlConnection(server)

Static Protected Attributes

 $\bullet \quad \text{static string } \textbf{server} = Configuration Manager. Connection Strings ["ISI"]. Connection String}$

9.26.1 Member Function Documentation

9.26.1.1 Dispose()

Clean up any resources being used.

Parameters


| disposing | true if managed resources should be disposed; otherwise, false. |
|-----------|---|
|-----------|---|

The documentation for this class was generated from the following files:

- FileConversion/FileConversion/Form1.cs
- FileConversion/FileConversion/Form1.Designer.cs

9.27 Cliente.Casos.ICasos Interface Reference

Inheritance diagram for Cliente. Casos. I Casos:



Public Member Functions


- System.Data.DataSet GetCasos ()
- System.Threading.Tasks.Task< System.Data.DataSet > GetCasosAsync ()
- System.Data.DataSet GetCasosByNIF (int nif)
- System.Threading.Tasks.Task< System.Data.DataSet > GetCasosByNIFAsync (int nif)
- System.Data.DataSet GetCasosByData (string data)
- System.Threading.Tasks.Task
 System.Data.DataSet
 GetCasosByDataAsync (string data)
- string AddCasos (SOAP.ModeloCasos casos)
- $\bullet \ \ \ System. Threading. Tasks. Task < string > \textbf{AddCasosAsync} \ (SOAP. Modelo Casos \ casos)$

The documentation for this interface was generated from the following file:

• SOAP service/SOAP/Cliente/Connected Services/Casos/Reference.cs

9.28 Cliente.CasosAzure.ICasos Interface Reference

Inheritance diagram for Cliente.CasosAzure.ICasos:



Public Member Functions


- System.Data.DataSet GetCasos ()
- System.Threading.Tasks.Task
 System.Data.DataSet > GetCasosAsync ()
- System.Data.DataSet GetCasosByNIF (int nif)
- System.Threading.Tasks.Task< System.Data.DataSet > GetCasosByNIFAsync (int nif)
- System.Data.DataSet **GetCasosByData** (string data)
- $\bullet \quad \text{System.Threading.Tasks.Task} < \text{System.Data.DataSet} > \textbf{GetCasosByDataAsync} \text{ (string data)} \\$
- string AddCasos (string data, int idUtente)
- System.Threading.Tasks.Task< string > AddCasosAsync (string data, int idUtente)

The documentation for this interface was generated from the following file:

SOAP service/SOAP/Cliente/Connected Services/CasosAzure/Reference.cs

9.29 Dashboard.Casos.ICasos Interface Reference

Inheritance diagram for Dashboard.Casos.ICasos:



Public Member Functions


- System.Data.DataSet GetCasos ()
- $\bullet \ \ \mathsf{System}. \mathsf{Threading}. \mathsf{Tasks}. \mathsf{Task} \! < \mathsf{System}. \mathsf{Data}. \mathsf{DataSet} > \mathbf{GetCasosAsync} \ ()$
- System.Data.DataSet GetCasosByNIF (int nif)
- System.Threading.Tasks.Task
 System.Data.DataSet
 GetCasosByNIFAsync (int nif)
- System.Data.DataSet GetCasosByData (string data)
- System.Threading.Tasks.Task
 System.Data.DataSet
 GetCasosByDataAsync (string data)
- string AddCasos (Dashboard.Casos.ModeloCasos casos)
- $\bullet \quad \text{System.Threading.Tasks.Task} < \text{string} > \textbf{AddCasosAsync} \text{ (Dashboard.Casos.ModeloCasos casos)}$

The documentation for this interface was generated from the following file:

Dashboard/Dashboard/Connected Services/Casos/Reference.cs

9.30 Dashboard.CasosAzure.ICasos Interface Reference

Inheritance diagram for Dashboard.CasosAzure.ICasos:



Public Member Functions


- System.Data.DataSet GetCasos ()
- System.Threading.Tasks.Task
 System.Data.DataSet > GetCasosAsync ()
- System.Data.DataSet GetCasosByNIF (int nif)
- $\bullet \quad \text{System.Threading.Tasks.Task} < \text{System.Data.DataSet} > \textbf{GetCasosByNIFAsync} \text{ (int nif)} \\$
- System.Data.DataSet GetCasosByData (string data)
- System.Threading.Tasks.Task
 System.Data.DataSet
 GetCasosByDataAsync (string data)
- string AddCasos (string data, int idUtente)
- System.Threading.Tasks.Task< string > AddCasosAsync (string data, int idUtente)

The documentation for this interface was generated from the following file:

• Dashboard/Dashboard/Connected Services/CasosAzure/Reference.cs

9.31 SOAP.ICasos Interface Reference

Inheritance diagram for SOAP.ICasos:



Public Member Functions


- DataSet GetCasos ()
- DataSet GetCasos (int nif)
- DataSet GetCasos (string data)
- string AddCasos (ModeloCasos casos)

The documentation for this interface was generated from the following file:

SOAP service/SOAP/SOAP/ICasos.cs

9.32 Cliente.Casos.ICasosChannel Interface Reference

Inheritance diagram for Cliente. Casos. I Casos Channel:




Additional Inherited Members

The documentation for this interface was generated from the following file:

• SOAP service/SOAP/Cliente/Connected Services/Casos/Reference.cs

9.33 Cliente.CasosAzure.lCasosChannel Interface Reference

Inheritance diagram for Cliente.CasosAzure.ICasosChannel:




Additional Inherited Members

The documentation for this interface was generated from the following file:

SOAP service/SOAP/Cliente/Connected Services/CasosAzure/Reference.cs

9.34 Dashboard.Casos.ICasosChannel Interface Reference

Inheritance diagram for Dashboard.Casos.ICasosChannel:




Additional Inherited Members

The documentation for this interface was generated from the following file:

Dashboard/Dashboard/Connected Services/Casos/Reference.cs

9.35 Dashboard.CasosAzure.lCasosChannel Interface Reference

Inheritance diagram for Dashboard.CasosAzure.ICasosChannel:




Additional Inherited Members

The documentation for this interface was generated from the following file:

• Dashboard/Dashboard/Connected Services/CasosAzure/Reference.cs

9.36 Cliente.Contactos.IContactos Interface Reference

Inheritance diagram for Cliente.Contactos.IContactos:



Public Member Functions


- System.Data.DataSet GetContacto ()
- System.Threading.Tasks.Task< System.Data.DataSet > GetContactoAsync ()
- System.Data.DataSet GetContactoByAtributes (int id, bool nif)
- System.Threading.Tasks.Task
 System.Data.DataSet > GetContactoByAtributesAsync (int id, bool nif)
- string AddContacto (SOAP.ModeloContactos contacto)
- System.Threading.Tasks.Task< string > AddContactoAsync (SOAP.ModeloContactos contacto)

The documentation for this interface was generated from the following file:

• SOAP service/SOAP/Cliente/Connected Services/Contactos/Reference.cs

9.37 Cliente.ContactosAzure.IContactos Interface Reference

Inheritance diagram for Cliente.ContactosAzure.IContactos:



Public Member Functions


- System.Data.DataSet GetContacto ()
- System.Threading.Tasks.Task
 System.Data.DataSet > GetContactoAsync ()
- System.Data.DataSet GetContactoByAtributes (int id, bool nif)
- System.Threading.Tasks.Task< System.Data.DataSet > GetContactoByAtributesAsync (int id, bool nif)
- string AddContacto (int idUtente, int idCaso)
- System.Threading.Tasks.Task< string > AddContactoAsync (int idUtente, int idCaso)

The documentation for this interface was generated from the following file:

• SOAP service/SOAP/Cliente/Connected Services/ContactosAzure/Reference.cs

9.38 SOAP.IContactos Interface Reference

Inheritance diagram for SOAP.IContactos:



Public Member Functions

- DataSet GetContacto ()
- DataSet GetContacto (int id, bool nif)
- string AddContacto (ModeloContactos contacto)

9.38.1 Member Function Documentation

9.38.1.1 AddContacto()

```
string SOAP.IContactos.AddContacto ( {\tt ModeloContactos}\ contacto\ )
```

Implemented in SOAP.Contactos.

9.38.1.2 GetContacto() [1/2]

```
DataSet SOAP.IContactos.GetContacto ( )
```

Implemented in SOAP.Contactos.

9.38.1.3 GetContacto() [2/2]


Implemented in SOAP.Contactos.

The documentation for this interface was generated from the following file:

• SOAP service/SOAP/SOAP/IContactos.cs

9.39 Cliente.Contactos.IContactosChannel Interface Reference

Inheritance diagram for Cliente.Contactos.IContactosChannel:




Additional Inherited Members

The documentation for this interface was generated from the following file:

• SOAP service/SOAP/Cliente/Connected Services/Contactos/Reference.cs

9.40 Cliente.ContactosAzure.IContactosChannel Interface Reference

Inheritance diagram for Cliente. Contactos Azure. I Contactos Channel:




Additional Inherited Members

The documentation for this interface was generated from the following file:

• SOAP service/SOAP/Cliente/Connected Services/ContactosAzure/Reference.cs

9.41 API.Controllers.IJWTAuthManager Interface Reference

Inheritance diagram for API.Controllers.IJWTAuthManager:



Public Member Functions

- AuthResponse Authenticate (AuthRequest loginDetails)
 - Várias possibilidades de autenticação Podem ser criadas mais!
- AuthResponse Authenticate (string username, Claim[] claims)

9.41.1 Member Function Documentation

9.41.1.1 Authenticate() [1/2]

```
AuthResponse API.Controllers.IJWTAuthManager.Authenticate (
AuthRequest loginDetails )
```

Várias possibilidades de autenticação Podem ser criadas mais!

Parameters

loginDetails

Returns

Implemented in API.Controllers.JWTAuthManager.

9.41.1.2 Authenticate() [2/2]

Implemented in API.Controllers.JWTAuthManager.

The documentation for this interface was generated from the following file:

· Dashboard/API/Controllers/JWTAuthManager .cs

9.42 FileConversion.Irregularidade Class Reference

Estrutura de Dados de Irregularidades detetadas em cada Visita.

Properties

• string **Descricao** [getset]

9.42.1 Detailed Description


Estrutura de Dados de Irregularidades detetadas em cada Visita.

The documentation for this class was generated from the following file:

• FileConversion/FileConversion/Fiscalizacao.cs

9.43 Cliente. Utentes. IUtentes Interface Reference

Inheritance diagram for Cliente. Utentes: IUtentes:



Public Member Functions


- System.Data.DataSet GetUtentes ()
- System.Threading.Tasks.Task
 System.Data.DataSet > GetUtentesAsync ()
- System.Data.DataSet GetUtentesByNIF (int nif)
- System.Threading.Tasks.Task
 System.Data.DataSet
 GetUtentesByNIFAsync (int nif)
- System.Data.DataSet **GetUtentesByNome** (string nome)
- System.Threading.Tasks.Task
 System.Data.DataSet
 GetUtentesByNomeAsync (string nome)
- string AddUtentes (SOAP.ModeloUtente utente)
- System.Threading.Tasks.Task< string > AddUtentesAsync (SOAP.ModeloUtente utente)

The documentation for this interface was generated from the following file:

• SOAP service/SOAP/Cliente/Connected Services/Utentes/Reference.cs

9.44 Cliente. Utentes Azure. IUtentes Interface Reference

Inheritance diagram for Cliente. Utentes Azure. I Utentes:



Public Member Functions


- System.Data.DataSet GetUtentes ()
- System.Threading.Tasks.Task
 System.Data.DataSet > GetUtentesAsync ()
- System.Data.DataSet GetUtentesByNIF (int nif)
- $\bullet \quad \text{System.Threading.Tasks.Task} < \text{System.Data.DataSet} > \textbf{GetUtentesByNIFAsync} \text{ (int nif)} \\$
- System.Data.DataSet GetUtentesByNome (string nome)
- System.Threading.Tasks.Task
 System.Data.DataSet
 GetUtentesByNomeAsync (string nome)
- string **AddUtentes** (int idUtente, string nome)
- System.Threading.Tasks.Task< string > **AddUtentesAsync** (int idUtente, string nome)

The documentation for this interface was generated from the following file:

• SOAP service/SOAP/Cliente/Connected Services/UtentesAzure/Reference.cs

9.45 SOAP.IUtentes Interface Reference

Inheritance diagram for SOAP.IUtentes:



Public Member Functions

- DataSet GetUtentes ()
- DataSet GetUtentes (int nif)
- DataSet GetUtentes (string nome)
- string AddUtentes (ModeloUtente utente)

9.45.1 Member Function Documentation

9.45.1.1 AddUtentes()

```
string SOAP.IUtentes.AddUtentes ( {\tt ModeloUtente}\ utente\ )
```

Implemented in SOAP.Utentes.

9.45.1.2 GetUtentes() [1/3]

```
DataSet SOAP.IUtentes.GetUtentes ( )
```

Implemented in SOAP.Utentes.

9.45.1.3 GetUtentes() [2/3]

```
DataSet SOAP.IUtentes.GetUtentes ( \label{eq:soap} \mbox{int } \mbox{\it nif } \mbox{\it )}
```

Implemented in SOAP.Utentes.

9.45.1.4 GetUtentes() [3/3]


Implemented in SOAP.Utentes.

The documentation for this interface was generated from the following file:

• SOAP service/SOAP/SOAP/IUtentes.cs

9.46 Cliente. Utentes. I Utentes Channel Interface Reference

Inheritance diagram for Cliente. Utentes. I Utentes Channel:




Additional Inherited Members

The documentation for this interface was generated from the following file:

• SOAP service/SOAP/Cliente/Connected Services/Utentes/Reference.cs

9.47 Cliente.UtentesAzure.IUtentesChannel Interface Reference

Inheritance diagram for Cliente.UtentesAzure.IUtentesChannel:



Additional Inherited Members


The documentation for this interface was generated from the following file:

SOAP service/SOAP/Cliente/Connected Services/UtentesAzure/Reference.cs

9.48 API.Controllers.JWTAuthManager Class Reference

Classe auxiliar para gerir Autenticação e JWT

Inheritance diagram for API.Controllers.JWTAuthManager:



Public Member Functions

• JWTAuthManager (IConfiguration Configuration)

instanciado em startup.cs: services.AddSingleton<IConfiguration>(Configuration)

• JWTAuthManager (string tokenKey)

Gere Token

• AuthResponse Authenticate (string username, Claim[] claims)

h1: Autenticar com Claims

AuthResponse Authenticate (AuthRequest loginDetails)

h2:Autenticar sem Claims mas apenas com login/password

9.48.1 Detailed Description

Classe auxiliar para gerir Autenticação e JWT

9.48.2 Constructor & Destructor Documentation

9.48.2.1 JWTAuthManager() [1/2]

```
\label{eq:API.Controllers.JWTAuthManager.JWTAuthManager (} \\ IConfiguration \ \textit{Configuration} \ )
```

instanciado em startup.cs: services.AddSingleton<IConfiguration>(Configuration)

Parameters

Configuration

9.48.2.2 **JWTAuthManager()** [2/2]

```
API.Controllers.JWTAuthManager.JWTAuthManager ( string \ tokenKey \ )
```

Gere Token

Parameters

tokenKey

9.48.3 Member Function Documentation

9.48.3.1 Authenticate() [1/2]

```
AuthResponse API.Controllers.JWTAuthManager.Authenticate (
AuthRequest loginDetails )
```

h2:Autenticar sem Claims mas apenas com login/password

Parameters

| username | |
|----------|--|
| password | |

Returns

Implements API.Controllers.IJWTAuthManager.

9.48.3.2 Authenticate() [2/2]

h1: Autenticar com Claims

Parameters



Returns


Implements API.Controllers.IJWTAuthManager.

The documentation for this class was generated from the following file:

• Dashboard/API/Controllers/JWTAuthManager .cs

9.49 Dashboard.Login Class Reference

Inheritance diagram for Dashboard.Login:



Protected Member Functions

override void Dispose (bool disposing)
 Clean up any resources being used.

9.49.1 Member Function Documentation

9.49.1.1 Dispose()

Clean up any resources being used.

Parameters


| disposina | true if managed resources should be disposed; otherwise, false. |
|-------------|---|
| and pooning | a do a managou roccardos encara do disposou, carer mos, raiser |

The documentation for this class was generated from the following files:

- Dashboard/Dashboard/Login.cs
- Dashboard/Dashboard/Login.Designer.cs

9.50 ISIAPI.Controllers.MaterialController Class Reference

Inheritance diagram for ISIAPI.Controllers.MaterialController:



Public Member Functions

• string GetMateriais ()

Rota para devolver todos os materiais presentes na base de dados

• string GetMaterialMaisUsado ()

Rota para devolver os 5 materiais presentes em mais requisições

• string AddMaterial ([FromBody] string material)

Rota para adicionar um novo material

Public Attributes

• ModeloMateriais m = new ModeloMateriais()

9.50.1 Member Function Documentation

9.50.1.1 AddMaterial()

```
string ISIAPI.Controllers.MaterialController.AddMaterial ( [FromBody] string material )
```

Rota para adicionar um novo material

Parameters

| material | recebe uma | variável do | odit | json no formato | {"nome":nome. | "custo":custo} |
|----------|------------|-------------|------|-----------------|---------------|----------------|
|----------|------------|-------------|------|-----------------|---------------|----------------|

Returns

If reaches end of function.

If it fails.

9.50.1.2 GetMateriais()

```
string ISIAPI.Controllers.MaterialController.GetMateriais ( )
```

Rota para devolver todos os materiais presentes na base de dados

Returns

If reaches end of function.

If it fails.

9.50.1.3 GetMaterialMaisUsado()

```
string ISIAPI.Controllers.MaterialController.GetMaterialMaisUsado ( )
```

Rota para devolver os 5 materiais presentes em mais requisições

Returns

If reaches end of function.

If it fails.

The documentation for this class was generated from the following file:

• REST_API service/ISIAPI/Controllers/MaterialController.cs

9.51 API.Models.MaterialModel Class Reference

Properties

- int idMaterial [getset]
- **string nome** [getset]
- int total [getset]

The documentation for this class was generated from the following file:

· Dashboard/API/Models/MaterialModel.cs

9.52 ClientRest.MaterialModel Class Reference

Properties

- int idMaterial [getset]
- string nome [getset]
- float custo [getset]

The documentation for this class was generated from the following file:

REST_API service/ClientRest/Form1.cs

9.53 Dashboard.MaterialModel Class Reference

Properties

- int idMaterial [getset]
- string nome [getset]
- int total [getset]

The documentation for this class was generated from the following file:

· Dashboard/Dashboard/Form1.cs

9.54 ISIAPI.Controllers.RequisicaoMaterialController.MaterialPara Requisicao Class Reference

Properties


- int idMaterial [getset]
- int qtd [getset]

The documentation for this class was generated from the following file:

• REST_API service/ISIAPI/Controllers/RequisicaoMaterialController.cs

9.55 Dashboard.Casos.ModeloCasos Class Reference

Inheritance diagram for Dashboard.Casos.ModeloCasos:



Protected Member Functions

void RaisePropertyChanged (string propertyName)

Properties

- System.Runtime.Serialization.ExtensionDataObject ExtensionData [getset]
- string Data [getset]
- int Nif [getset]

Events

 $\bullet \quad \text{System.} Component Model. Property Change d Event Handler \textbf{Property Change d}$

The documentation for this class was generated from the following file:

• Dashboard/Dashboard/Connected Services/Casos/Reference.cs

9.56 SOAP.ModeloCasos Class Reference

Public Member Functions

- ModeloCasos (string data, int nif)
- override string ToString ()

Properties

- string Data [getset]
- int Nif [getset]

The documentation for this class was generated from the following file:

SOAP service/SOAP/SOAP/ICasos.cs

9.57 SOAP.ModeloContactos Class Reference

Public Member Functions

- · ModeloContactos (int idcaso, int nif)
- override string ToString ()

Properties

```
int IdCaso [getset]int Nif [getset]
```

The documentation for this class was generated from the following file:

SOAP service/SOAP/SOAP/IContactos.cs

9.58 ISIAPI.ModeloEquipa Class Reference

Properties

```
int ld [getset]string Nome [getset]
```

The documentation for this class was generated from the following file:

• REST_API service/ISIAPI/Model/ModeloEquipa.cs

9.59 ISIAPI.ModeloEquipas Class Reference

Public Member Functions

• string GetAllEquipas ()

Obter todos os materiais através da base de dados

• string AddEquipa (ModeloEquipa s)

Adicionar uma equipa à base de dados

string GetEquipaMaisCara ()

Obter as 10 equipas cujo total de preços de requisições é o mais elevado

Properties

• List< ModeloEquipa > Equipas [get]

9.59.1 Member Function Documentation

9.59.1.1 AddEquipa()

```
string ISIAPI.ModeloEquipas.AddEquipa ( {\tt ModeloEquipa}\ s\ )
```

Adicionar uma equipa à base de dados

recebe uma variavel do tipo Modelo Equipa

Returns

If reaches end of function.

If it fails.

9.59.1.2 GetAllEquipas()

```
string ISIAPI.ModeloEquipas.GetAllEquipas ( )
```

Obter todos os materiais através da base de dados

Returns

If reaches end of function.

If it fails.

9.59.1.3 GetEquipaMaisCara()

```
string ISIAPI.ModeloEquipas.GetEquipaMaisCara ( )
```

Obter as 10 equipas cujo total de preços de requisições é o mais elevado

Returns

If reaches end of function.

If it fails.

The documentation for this class was generated from the following file:

• REST_API service/ISIAPI/Model/ModeloEquipa.cs

9.60 ISIAPI.ModeloMateriais Class Reference

Public Member Functions

• string GetAllMateriais ()

Obter todos os materiais através da base de dados

• string GetMaterialMaisUsado ()

Obter os materiais mais usados em requisições através de uma query à base de dados

• string AddMaterial (ModeloMaterial s)

Adicionar um material à base de dados

Properties

List < ModeloMaterial > Materiais [get]

9.60.1 Member Function Documentation

9.60.1.1 AddMaterial()

```
string ISIAPI.ModeloMateriais.AddMaterial ( {\tt ModeloMaterial}\ s\ )
```

Adicionar um material à base de dados

recebe uma variável do tipo ModeloMaterial

Returns

If reaches end of function. returns the id of the material If it fails.

9.60.1.2 GetAllMateriais()

```
string ISIAPI.ModeloMateriais.GetAllMateriais ( )
```

Obter todos os materiais através da base de dados

Returns

If reaches end of function.

If it fails.

9.60.1.3 GetMaterialMaisUsado()

```
string ISIAPI.ModeloMateriais.GetMaterialMaisUsado ( )
```

Obter os materiais mais usados em requisições através de uma query à base de dados

Returns

If reaches end of function.

If it fails.

The documentation for this class was generated from the following file:

• REST_API service/ISIAPI/Model/ModeloMaterial.cs

9.61 ISIAPI.ModeloMaterial Class Reference

Properties

```
• int ld [getset]
```

- string Nome [getset]
- float Custo [getset]

The documentation for this class was generated from the following file:

• REST API service/ISIAPI/Model/ModeloMaterial.cs

9.62 ISIAPI.ModeloRequisicao Class Reference

Properties

```
int ld [getset]
```

- bool Entregue [getset]
- int IdEquipa [getset]

The documentation for this class was generated from the following file:

REST_API service/ISIAPI/Model/ModeloRequisicao.cs

9.63 ISIAPI.ModeloRequisicaoMaterial Class Reference

Properties

```
• int ld [getset]
```

- int IdMaterial [getset]
- int IdRequisicao [getset]
- int Qtd [getset]

The documentation for this class was generated from the following file:

REST_API service/ISIAPI/Model/ModeloRequisicaoMaterial.cs

9.64 ISIAPI.ModeloRequisicoes Class Reference

Public Member Functions

• string GetAllRequisicoes ()

Obter todas as requisições através da base de dados

• string AddRequisicao (ModeloRequisicao s)

Adicionar uma equipa através da base de dados

• string GetRequisicaoByEquipa (int idEquipa)

Obter todas as requisicoes de uma equipa

• string UpdateRequisicao (int idRequisicao)

Fazer update do valor "entregue" de uma requisição

Properties

• List< ModeloRequisicao > Requisicoes [get]

9.64.1 Member Function Documentation

9.64.1.1 AddRequisicao()

```
string ISIAPI.ModeloRequisicoes.AddRequisicao ( {\tt ModeloRequisicao}\ s\ )
```

Adicionar uma equipa através da base de dados

recebe uma variável do tipo ModeloRequisicao

Returns

If reaches end of function.

If it fails.

9.64.1.2 GetAllRequisicoes()

```
string ISIAPI.ModeloRequisicoes.GetAllRequisicoes ( )
```

Obter todas as requisições através da base de dados

Returns

If reaches end of function.

If it fails.

9.64.1.3 GetRequisicaoByEquipa()

```
string ISIAPI.ModeloRequisicoes.GetRequisicaoByEquipa ( int \ idEquipa \ )
```

Obter todas as requisicoes de uma equipa

recebe uma variavel do tipo int para o idEquipa que quer procurar na base de dados

Returns

If reaches end of function.

If it fails.

9.64.1.4 UpdateRequisicao()

```
string ISIAPI.ModeloRequisicoes.UpdateRequisicao ( int\ idRequisicao\ )
```

Fazer update do valor "entregue" de uma requisição

recebe uma variavel int com o id da requisicao a fazer update

Returns

If reaches end of function.

If it fails.

The documentation for this class was generated from the following file:

• REST_API service/ISIAPI/Model/ModeloRequisicao.cs

9.65 ISIAPI.ModeloRequisicoesMateriais Class Reference

Public Member Functions

• string GetAllRequisicoesMateriais ()

Obter todas as requisições de materiais através da base de dados

• string AddRequisicaoMaterial (ModeloRequisicaoMaterial s)

Adicionar uma RequisicãoMaterial

• string GetRequisicaoMaterialByRequisicaoEquipa (int idRequisicao)

Devolver materiais para uma requisicao efetuada por uma equipa

Properties

List < Modelo Requisica o Material > Requisico es Materiais [get]

9.65.1 Member Function Documentation

9.65.1.1 AddRequisicaoMaterial()

```
string ISIAPI.ModeloRequisicoesMateriais.AddRequisicaoMaterial ( {\tt ModeloRequisicaoMaterial}~s~)
```

Adicionar uma RequisicãoMaterial

recebe uma variável do tipo ModeloRequisicaoMaterial

Returns

If reaches end of function.

If it fails.

9.65.1.2 GetAllRequisicoesMateriais()

```
string ISIAPI.ModeloRequisicoesMateriais.GetAllRequisicoesMateriais ( )
```

Obter todas as requisições de materiais através da base de dados

Returns

If reaches end of function.

If it fails.

9.65.1.3 GetRequisicaoMaterialByRequisicaoEquipa()

```
string ISIAPI.ModeloRequisicoesMateriais.GetRequisicaoMaterialByRequisicaoEquipa ( idRequisicao \ )
```

Devolver materiais para uma requisicao efetuada por uma equipa

recebe uma variavel do tipo int referente ao id da equipa

Returns

If reaches end of function.

If it fails.

The documentation for this class was generated from the following file:

• REST_API service/ISIAPI/Model/ModeloRequisicaoMaterial.cs

9.66 SOAP.ModeloUtente Class Reference

Public Member Functions

- ModeloUtente (string nome, int nif)
- override string ToString ()

Properties

- string Nome [getset]
- int Nif [getset]

The documentation for this class was generated from the following file:

SOAP service/SOAP/SOAP/IUtentes.cs

9.67 API.Program Class Reference

Static Public Member Functions

- static void Main (string[] args)
- static IHostBuilder CreateHostBuilder (string[] args)

The documentation for this class was generated from the following file:

• Dashboard/API/Program.cs

9.68 ISIAPI.Program Class Reference

Static Public Member Functions


- static void Main (string[] args)
- static IHostBuilder CreateHostBuilder (string[] args)

The documentation for this class was generated from the following file:

• REST API service/ISIAPI/Program.cs

9.69 ISIAPI.Controllers.RequisicaoController Class Reference

Inheritance diagram for ISIAPI.Controllers.RequisicaoController:



Public Member Functions

• string GetRequisicoes ()

Rota para devolver todas as requisições presentes na base de dados

• string AddRequisicao (string requisicao)

Rota para adicionar uma requisicao

• string GetRequisicaoByEquipca (int idEquipa)

Rota para devolver as requisições de uma equipa

• string UpdateRequisicaoEntregue (int idRequisicao)

Rota para dar update ao estado de entregue de uma requisição

Public Attributes

• ModeloRequisicoes m = new ModeloRequisicoes()

9.69.1 Member Function Documentation

9.69.1.1 AddRequisicao()

```
string ISIAPI.Controllers.RequisicaoController.AddRequisicao ( {\tt string} \ requisicao \ )
```

Rota para adicionar uma requisicao

Parameters

Returns

If reaches end of function.

If it fails.

9.69.1.2 GetRequisicaoByEquipca()

```
string ISIAPI.Controllers.RequisicaoController.GetRequisicaoByEquipca ( int\ idEquipa\ )
```

Rota para devolver as requisições de uma equipa

Parameters

| idEquipa | recebe o id da equipa na rota |
|----------|-------------------------------|
|----------|-------------------------------|

Returns

If reaches end of function.

If it fails.

9.69.1.3 GetRequisicoes()

```
string ISIAPI.Controllers.RequisicaoController.GetRequisicoes ( )
```

Rota para devolver todas as requisições presentes na base de dados

Returns

If reaches end of function.

If it fails.

9.69.1.4 UpdateRequisicaoEntregue()

```
string ISIAPI.Controllers.RequisicaoController.UpdateRequisicaoEntregue ( int\ \textit{idRequisicao}\ )
```

Rota para dar update ao estado de entregue de uma requisição

Parameters

| | idRequisicao | Recebe o id da Requisição na rota | l |
|--|--------------|-----------------------------------|---|
|--|--------------|-----------------------------------|---|

Returns

If reaches end of function.


If it fails.

The documentation for this class was generated from the following file:

• REST_API service/ISIAPI/Controllers/RequisicaoController.cs

9.70 ISIAPI.Controllers.RequisicaoMaterialController Class Reference

Inheritance diagram for ISIAPI.Controllers.RequisicaoMaterialController:



Classes

• class MaterialParaRequisicao

Public Member Functions

• string GetRequisisoesMateriais ()

Rota para devolver todas as RequisicoesMateriais

• string AddRequisicaoMaterial (string requisicaoMaterial)

Rota para adicionar uma RequisicaoMaterial

• string GetRequisicaoMaterialbyRequisicaoEquipa (int idRequisicao)

Rota para obter os materiais de uma requisicao

• string AddRequisicaoMaterial (int idEquipa,[FromBody]JsonElement body)

Rota para adicionar uma requisicaoMaterial

Public Attributes

- ModeloRequisicoesMateriais m = new ModeloRequisicoesMateriais()
- ModeloRequisicoes r = new ModeloRequisicoes()

9.70.1 Member Function Documentation

9.70.1.1 AddRequisicaoMaterial() [1/2]

```
string ISIAPI.Controllers.RequisicaoMaterialController.AddRequisicaoMaterial ( int\ idEquipa, \\ [FromBody]\ JsonElement\ body\ )
```

Rota para adicionar uma requisicaoMaterial

Parameters

| idEquipa | recebe o id da equipa através da rota |
|----------|--|
| body | recebe uma variavel do tipo json no formato {{"idMaterial":id, "qtd":qtd},{"idMaterial":id, "qtd":qtd},} |
| | para cada material a adicionar |

Returns

If reaches end of function.

If it fails.

9.70.1.2 AddRequisicaoMaterial() [2/2]

```
string ISIAPI.Controllers.RequisicaoMaterialController.AddRequisicaoMaterial ( string \ requisicaoMaterial \ )
```

Rota para adicionar uma RequisicaoMaterial

Parameters

| requisicaoMaterial | recebe uma variavel do tipo json no formato | |
|--------------------|---|--|
| | {"idMaterial":idMaterial,"idRequisicao":idRequisicao,"qtd":qtd} | |

Returns

If reaches end of function.

If it fails.

9.70.1.3 GetRequisicaoMaterialbyRequisicaoEquipa()

```
string ISIAPI.Controllers.RequisicaoMaterialController.GetRequisicaoMaterialbyRequisicaoEquipa ( int \ idRequisicao \ )
```

Rota para obter os materiais de uma requisicao

Parameters

| ic | dRequisicao | recebe o id da requisição através da rota |
|----|-------------|---|
|----|-------------|---|

Returns

If reaches end of function.

If it fails.

9.70.1.4 GetRequisisoesMateriais()

```
string ISIAPI.Controllers.RequisicaoMaterialController.GetRequisisoesMateriais ( )
```

Rota para devolver todas as RequisicoesMateriais

Returns

If reaches end of function.

If it fails.

The documentation for this class was generated from the following file:

REST_API service/ISIAPI/Controllers/RequisicaoMaterialController.cs

9.71 ClientRest.RequisicaoMaterialModel Class Reference

Properties

- int idRequsicao [getset]
- int idMaterial [getset]
- string nome [getset]
- float custo [getset]
- int qtd [getset]

The documentation for this class was generated from the following file:

· REST API service/ClientRest/Form1.cs

9.72 ClientRest.RequisicaoModel Class Reference

Properties


- int idRequisicao [getset]
- boolentregue [getset]
- int idEquipa [getset]

The documentation for this class was generated from the following file:

REST API service/ClientRest/Form1.cs

9.73 API.Controllers.SecurityController Class Reference

Inheritance diagram for API.Controllers.SecurityController:



Public Member Functions

- SecurityController (IJWTAuthManager jWTAuthManager)
- AuthResponse Login (AuthRequest loginDetalhes)

Método para Autenticação...não protegido!

• bool Authenticated ()

9.73.1 Member Function Documentation

9.73.1.1 Login()

```
AuthResponse API.Controllers.SecurityController.Login (
AuthRequest loginDetalhes)
```

Método para Autenticação...não protegido!

Parameters

loginDetalhes

Returns

The documentation for this class was generated from the following file:

Dashboard/API/Controllers/SecurityController.cs

9.74 API.Startup Class Reference

Public Member Functions

- Startup (IConfiguration configuration)
- · void ConfigureServices (IServiceCollection services)
- void Configure (IApplicationBuilder app, IWebHostEnvironment env)

Properties

• IConfiguration Configuration [get]

The documentation for this class was generated from the following file:

· Dashboard/API/Startup.cs

9.75 ISIAPI.Startup Class Reference

Public Member Functions

- Startup (IConfiguration configuration)
- void ConfigureServices (IServiceCollection services)
- void **Configure** (IApplicationBuilder app, IWebHostEnvironment env)

Properties

• IConfiguration Configuration [get]

The documentation for this class was generated from the following file:

REST_API service/ISIAPI/Startup.cs

9.76 API.Models.User Class Reference

Public Member Functions

• User (string name, string pass, string token, Roles r)

Properties

string Name [getset]
string UserName [getset]
string EmailAddress [getset]
string Pass [getset]
int Id [getset]
Roles Role [getset]
string Token [getset]


The documentation for this class was generated from the following file:

• Dashboard/API/Models/User.cs

9.77 API.Controllers.UserController Class Reference

Gestor de Autenticações - Authentication Manager

Inheritance diagram for API.Controllers.UserController:



Public Member Functions

- ActionResult< IEnumerable< string >> GetAll ()
- ActionResult < User > Get (int id)
- ActionResult< bool > Post (User u)
- ActionResult< bool > ChangePass (string name,[FromBody] string passwd)
- ActionResult< bool > Put (User u)
- ActionResult< bool > Delete (int id)

9.77.1 Detailed Description

Gestor de Autenticações - Authentication Manager

The documentation for this class was generated from the following file:

· Dashboard/API/Controllers/UserController.cs

9.78 API.Models.Users Class Reference

Static Public Attributes

static List< User > users

9.78.1 Member Data Documentation

9.78.1.1 users

```
List<User> API.Models.Users.users [static]
```

Initial value:

```
= new List<User>
            new User {
               Id=1.
                UserName = "Admin",
                EmailAddress = "reader1001@me.com",
                Role = Roles.Admin
            new User {
   Id = 2,
                UserName = "Reader",
                EmailAddress = "reader1002@me.com",
                Role = Roles.Reader
            new User {
                Id = 3.
                UserName = "Editor",
                EmailAddress = "reader1003@me.com",
                Role = Roles.Editor
            new User {
                Id = 4,
                UserName = "User",
                EmailAddress = "reader1004@me.com",
                Role = Roles.User
```

The documentation for this class was generated from the following file:

• Dashboard/API/Models/User.cs

9.79 SOAP.Utentes Class Reference

Inheritance diagram for SOAP.Utentes:



Public Member Functions

• DataSet GetUtentes ()

Selects Utentes.

• DataSet GetUtentes (int nif)

Selects Utentes with matching nif (idutente).

• DataSet GetUtentes (string nome)

Selects Utentes with matching nome.

• string AddUtentes (ModeloUtente utente)

Add Utentes to Database.

Protected Attributes

• SqlConnection **con** = new SqlConnection(server)

Static Protected Attributes

• static string **server** = ConfigurationManager.ConnectionStrings["ISI"].ConnectionString

9.79.1 Member Function Documentation

9.79.1.1 AddUtentes()

Add Utentes to Database.

Parameters

| idUtente | |
|----------|--|
| nome | |

Returns

On successful INSERT.

On error or conflict. Returns Type and Message.

Implements SOAP.IUtentes.

9.79.1.2 GetUtentes() [1/3]

```
DataSet SOAP.Utentes.GetUtentes ( )
```

Selects Utentes.

Returns

All Utentes From Table.

Implements SOAP.IUtentes.

9.79.1.3 GetUtentes() [2/3]

```
DataSet SOAP.Utentes.GetUtentes ( \inf \ nif \ )
```

Selects Utentes with matching nif (idutente).

Parameters

```
nif Primary Key on Database table.
```

Returns

Matching Table Rows.

Implements SOAP.IUtentes.

9.79.1.4 GetUtentes() [3/3]

```
DataSet SOAP.Utentes.GetUtentes ( string\ nome )
```

Selects Utentes with matching nome.

Parameters

| nome | Filtering Condition. |
|------|----------------------|
| | _ |

Returns

Matching Table Rows.

 $Implements \ SOAP. I Utentes.$

The documentation for this class was generated from the following file:

• SOAP service/SOAP/SOAP/Utentes.svc.cs

9.80 Cliente. Utentes. Utentes Client Class Reference

Inheritance diagram for Cliente. Utentes. Utentes Client:



Public Member Functions

- **UtentesClient** (string endpointConfigurationName)
- UtentesClient (string endpointConfigurationName, string remoteAddress)
- UtentesClient (string endpointConfigurationName, System.ServiceModel.EndpointAddress remoteAddress)
- **UtentesClient** (System.ServiceModel.Channels.Binding binding, System.ServiceModel.EndpointAddress remoteAddress)
- System.Data.DataSet GetUtentes ()
- $\bullet \ \ System. Threading. Tasks. Task < System. Data. DataSet > \underline{GetUtentesAsync} \ ()$
- System.Data.DataSet GetUtentesByNIF (int nif)
- System.Threading.Tasks.Task< System.Data.DataSet > GetUtentesByNIFAsync (int nif)
- System.Data.DataSet GetUtentesByNome (string nome)
- System.Threading.Tasks.Task< System.Data.DataSet > GetUtentesByNomeAsync (string nome)
- string AddUtentes (SOAP.ModeloUtente utente)
- System.Threading.Tasks.Task< string > AddUtentesAsync (SOAP.ModeloUtente utente)

9.80.1 Member Function Documentation

9.80.1.1 AddUtentes()

```
string Cliente.Utentes.UtentesClient.AddUtentes ( {\tt SOAP.ModeloUtente}\ utente\ )
```

Implements Cliente. Utentes. IUtentes.

9.80.1.2 AddUtentesAsync()

```
\label{thm:continuous} System. Threading. Tasks. Task < string > Cliente. Utentes. Utentes Client. AddUtentes Async ( SOAP. Modelo Utente utente )
```

Implements Cliente. Utentes. I Utentes.

9.80.1.3 GetUtentes()

```
System.Data.DataSet Cliente.Utentes.UtentesClient.GetUtentes ( )
```

Implements Cliente. Utentes. IUtentes.

9.80.1.4 GetUtentesAsync()

```
{\tt System. Threading. Tasks. Task} < {\tt System. Data. DataSet} > {\tt Cliente. Utentes. UtentesClient. GetUtentes} \leftarrow {\tt Async} \ (\ )
```

Implements Cliente. Utentes. IUtentes.

9.80.1.5 GetUtentesByNIF()

```
System.Data.DataSet Cliente.Utentes.UtentesClient.GetUtentesByNIF ( int \ nif \ )
```

Implements Cliente. Utentes. IUtentes.

9.80.1.6 GetUtentesByNIFAsync()

Implements Cliente. Utentes. IUtentes.

9.80.1.7 GetUtentesByNome()

Implements Cliente. Utentes. IUtentes.

9.80.1.8 GetUtentesByNomeAsync()

Implements Cliente. Utentes. IUtentes.

The documentation for this class was generated from the following file:

SOAP service/SOAP/Cliente/Connected Services/Utentes/Reference.cs

9.81 Cliente. Utentes Azure. Utentes Client Class Reference

Inheritance diagram for Cliente. Utentes Azure. Utentes Client:



Public Member Functions

- **UtentesClient** (string endpointConfigurationName)
- UtentesClient (string endpointConfigurationName, string remoteAddress)
- **UtentesClient** (string endpointConfigurationName, System.ServiceModel.EndpointAddress remoteAddress)
- UtentesClient (System.ServiceModel.Channels.Binding binding, System.ServiceModel.EndpointAddress remoteAddress)
- System.Data.DataSet GetUtentes ()
- System.Threading.Tasks.Task< System.Data.DataSet > GetUtentesAsync ()
- System.Data.DataSet GetUtentesByNIF (int nif)
- System.Threading.Tasks.Task< System.Data.DataSet > GetUtentesByNIFAsync (int nif)
- System.Data.DataSet GetUtentesByNome (string nome)
- System.Threading.Tasks.Task
 System.Data.DataSet > GetUtentesByNomeAsync (string nome)
- string AddUtentes (int idUtente, string nome)
- System.Threading.Tasks.Task< string > AddUtentesAsync (int idUtente, string nome)

9.81.1 Member Function Documentation

9.81.1.1 AddUtentes()

```
string Cliente.UtentesAzure.UtentesClient.AddUtentes ( int \ idUtente, \\ string \ nome \ )
```

Implements Cliente. Utentes Azure. I Utentes.

9.81.1.2 AddUtentesAsync()

```
System.Threading.Tasks.Task< string > Cliente.UtentesAzure.UtentesClient.AddUtentesAsync ( int \ idUtente, \\ string \ nome \ )
```

Implements Cliente. Utentes Azure. I Utentes.

9.81.1.3 GetUtentes()

```
System.Data.DataSet Cliente.UtentesAzure.UtentesClient.GetUtentes ( )
```

Implements Cliente. Utentes Azure. I Utentes.

9.81.1.4 GetUtentesAsync()

```
\label{thm:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuity:continuit
```

Implements Cliente. Utentes Azure. I Utentes.

9.81.1.5 GetUtentesByNIF()

```
\label{eq:System.Data} \mbox{\tt DataSet Cliente.UtentesAzure.UtentesClient.GetUtentesByNIF (} \\ \mbox{\tt int } nif \mbox{\tt )}
```

Implements Cliente. Utentes Azure. I Utentes.

9.81.1.6 GetUtentesByNIFAsync()

Implements Cliente. Utentes Azure. I Utentes.

9.81.1.7 GetUtentesByNome()

```
{\tt System.Data.DataSet~Cliente.UtentesAzure.UtentesClient.GetUtentesByNome~(} {\tt string~nome~)}
```

Implements Cliente. Utentes Azure. I Utentes.

9.81.1.8 GetUtentesByNomeAsync()


Implements Cliente. Utentes Azure. I Utentes.

The documentation for this class was generated from the following file:

• SOAP service/SOAP/Cliente/Connected Services/UtentesAzure/Reference.cs

9.82 API.Controllers.VisitasController Class Reference

Inheritance diagram for API.Controllers.VisitasController:



Public Member Functions

· object Visitas ()

Protected Attributes

• SqlConnection **con** = new SqlConnection(server)

Static Protected Attributes

• static string **server** = "Server=.;Database=ISI;Trusted_Connection=True;"

The documentation for this class was generated from the following file:

• Dashboard/API/Controllers/VisitasController.cs

9.83 ISIAPI.WeatherForecast Class Reference

Properties

```
    DateTime Date [getset]
    int TemperatureC [getset]
    int TemperatureF [get]
    string Summary [getset]
```

The documentation for this class was generated from the following file:

• REST_API service/ISIAPI/WeatherForecast.cs

Index

| AddCasos | Authenticate, 62 |
|--|---|
| Cliente.Casos.CasosClient, 26 | JWTAuthManager, 61 |
| Cliente.CasosAzure.CasosClient, 28 | API.Controllers.SecurityController, 79 |
| Dashboard.Casos.CasosClient, 30 | Login, 79 |
| Dashboard.CasosAzure.CasosClient, 32 | API.Controllers.UserController, 81 |
| SOAP.Casos, 25 | API.Controllers.VisitasController, 89 |
| AddCasosAsync | API.Models, 17 |
| Cliente.Casos.CasosClient, 26 | API.Models.AuthRequest, 24 |
| Cliente.CasosAzure.CasosClient, 28 | API.Models.AuthResponse, 24 |
| Dashboard.Casos.CasosClient, 31 | API.Models.ConcelhoModel, 34 |
| Dashboard.CasosAzure.CasosClient, 33 | API.Models.EquipaModel, 43 |
| AddContacto | API.Models.MaterialModel, 65 |
| Cliente.Contactos.ContactosClient, 38 | API.Models.User, 81 |
| Cliente.ContactosAzure.ContactosClient, 40 | API.Models.Users, 82 |
| SOAP.Contactos, 36 | users, 82 |
| SOAP.IContactos, 54 | API.Program, 74 |
| AddContactoAsync | API.Startup, 80 |
| Cliente.Contactos.ContactosClient, 38 | Authenticate |
| Cliente.ContactosAzure.ContactosClient, 40 | API.Controllers.IJWTAuthManager, 56, 57 |
| AddEquipa | API.Controllers.JWTAuthManager, 62 |
| ISIAPI.Controllers.EquipaController, 42 | • |
| ISIAPI.ModeloEquipas, 68 | Cliente, 18 |
| AddMaterial | Cliente.Casos, 18 |
| ISIAPI.Controllers.MaterialController, 64 | Cliente.Casos.CasosClient, 26 |
| ISIAPI.ModeloMateriais, 69 | AddCasos, 26 |
| AddRequisicao | AddCasosAsync, 26 |
| ISIAPI.Controllers.RequisicaoController, 75 | GetCasos, 27 |
| ISIAPI.ModeloRequisicoes, 71 | GetCasosAsync, 27 |
| AddRequisicaoMaterial | GetCasosByData, 27 |
| ISIAPI.Controllers.RequisicaoMaterialController, | GetCasosByDataAsync, 27 |
| 77 | GetCasosByNIF, 27 |
| ISIAPI.ModeloRequisicoesMateriais, 73 | GetCasosByNIFAsync, 27 |
| AddUtentes | Cliente.Casos.ICasos, 49 |
| Cliente.Utentes.UtentesClient, 85 | Cliente.Casos.ICasosChannel, 52 |
| Cliente.UtentesAzure.UtentesClient, 87 | Cliente.CasosAzure, 18 |
| SOAP.IUtentes, 59 | Cliente.CasosAzure.CasosClient, 28 |
| SOAP.Utentes, 83 | AddCasos, 28 |
| AddUtentesAsync | AddCasosAsync, 28 |
| Cliente.Utentes.UtentesClient, 85 | GetCasos, 29 |
| Cliente.UtentesAzure.UtentesClient, 87 | GetCasosAsync, 29 |
| API, 17 | GetCasosByData, 29 |
| API.AuthorizedRequirement, 23 | GetCasosByDataAsync, 29 |
| API.AuthorizedRequirementHandler, 23 | GetCasosByNIF, 29 |
| API.Controllers, 17 | GetCasosByNIFAsync, 30 |
| API.Controllers.DGSController, 41 | Cliente.CasosAzure.ICasos, 50 |
| API.Controllers.EquipasController, 44 | Cliente.CasosAzure.ICasosChannel, 52 |
| API.Controllers.IJWTAuthManager, 56 | Cliente.Contactos, 18 |
| Authenticate, 56, 57 | Cliente.Contactos.ContactosClient, 38 |
| API.Controllers.JWTAuthManager, 60 | AddContacto, 38 |
| 2 | AddContactoAsync, 38 |

92 INDEX

| GetContacto, 38 | GetCasosByData, 31 |
|--|--|
| GetContactoAsync, 39 | GetCasosByDataAsync, 31 |
| GetContactoByAtributes, 39 | GetCasosByNIF, 31 |
| GetContactoByAtributesAsync, 39 | GetCasosByNIFAsync, 32 |
| Cliente.Contactos.IContactos, 53 | Dashboard.Casos.ICasos, 50 |
| Cliente.Contactos.IContactosChannel, 55 | Dashboard.Casos.ICasosChannel, 52 |
| Cliente.ContactosAzure, 18 | Dashboard.Casos.ModeloCasos, 66 |
| Cliente.ContactosAzure.ContactosClient, 39 | Dashboard.CasosAzure, 20 |
| AddContacto, 40 | Dashboard.CasosAzure.CasosClient, 32 |
| AddContactoAsync, 40 | AddCasos, 32 |
| GetContacto, 40 | AddCasosAsync, 33 |
| GetContactoAsync, 40 | GetCasos, 33 |
| GetContactoByAtributes, 41 | GetCasosAsync, 33 |
| GetContactoByAtributesAsync, 41 | GetCasosByData, 33 |
| Cliente.ContactosAzure.IContactos, 54 | GetCasosByDataAsync, 33 |
| Cliente.ContactosAzure.IContactosChannel, 56 | GetCasosByNIF, 34 |
| Cliente.Form1, 46 | GetCasosByNIFAsync, 34 |
| Dispose, 46 | Dashboard.CasosAzure.ICasos, 51 |
| Cliente.Properties, 19 | Dashboard.CasosAzure.ICasosChannel, 53 |
| Cliente. Utentes, 19 | Dashboard.ConcelhoModel, 35 |
| • | , |
| Cliente Utentes Il tentes, 57 | Dashboard EquipaModel, 44 |
| Cliente. Utentes. I Utentes Channel, 60 | Dashboard.Form1, 47 |
| Cliente.Utentes.UtentesClient, 85 | Dispose, 48 |
| AddUtentes, 85 | Dashboard.Login, 63 |
| AddUtentesAsync, 85 | Dispose, 63 |
| GetUtentes, 85 | Dashboard.MaterialModel, 65 |
| GetUtentesAsync, 86 | Dashboard.Properties, 20 |
| GetUtentesByNIF, 86 | Dispose |
| GetUtentesByNIFAsync, 86 | Cliente.Form1, 46 |
| GetUtentesByNome, 86 | ClientRest.Form1, 47 |
| GetUtentesByNomeAsync, 86 | Dashboard.Form1, 48 |
| Cliente.UtentesAzure, 19 | Dashboard.Login, 63 |
| Cliente.UtentesAzure.IUtentes, 58 | FileConversion.Form1, 49 |
| Cliente.UtentesAzure.IUtentesChannel, 60 | |
| Cliente.UtentesAzure.UtentesClient, 87 | FileConversion, 20 |
| AddUtentes, 87 | FileConversion.Fiscalizacao, 44 |
| AddUtentesAsync, 87 | FileConversion.Fiscalizado, 45 |
| GetUtentes, 88 | Fiscalizado, 45 |
| GetUtentesAsync, 88 | FileConversion.Form1, 48 |
| GetUtentesByNIF, 88 | Dispose, 49 |
| GetUtentesByNIFAsync, 88 | FileConversion.Irregularidade, 57 |
| GetUtentesByNome, 88 | FileConversion.Properties, 21 |
| GetUtentesByNomeAsync, 89 | Fiscalizado |
| ClientRest, 19 | FileConversion.Fiscalizado, 45 |
| ClientRest.EquipaModel, 43 | |
| ClientRest.Form1, 46 | GetAllEquipas |
| Dispose, 47 | ISIAPI.ModeloEquipas, 68 |
| ClientRest.MaterialModel, 65 | GetAllMateriais |
| ClientRest.Properties, 19 | ISIAPI.ModeloMateriais, 69 |
| ClientRest.RequisicaoMaterialModel, 79 | GetAllRequisicoes |
| ClientRest.RequisicaoModel, 79 | ISIAPI.ModeloRequisicoes, 71 |
| Olienthest. nequisicativitudes, 79 | GetAllRequisicoesMateriais |
| Dashboard, 20 | ISIAPI.ModeloRequisicoesMateriais, 73 |
| Dashboard.Casos, 20 | GetCasos |
| Dashboard.Casos.CasosClient, 30 | Cliente.Casos.CasosClient, 27 |
| AddCasos, 30 | Cliente.CasosAzure.CasosClient, 29 |
| AddCasosAsync, 31 | Dashboard.Casos.CasosClient, 31 |
| GetCasos, 31 | Dashboard.CasosAzure.CasosClient, 33 |
| GetCasosAsync, 31 | SOAP.Casos, 25 |
| adioasosasyilo, si | OO/11.00303, 20 |

INDEX 93

| GetCasosAsync | GetRequisicoes |
|--|---|
| Cliente.Casos.CasosClient, 27 | ISIAPI.Controllers.RequisicaoController, 76 |
| Cliente.CasosAzure.CasosClient, 29 | GetRequisisoesMateriais |
| Dashboard.Casos.CasosClient, 31 | ISIAPI.Controllers.RequisicaoMaterialController, |
| Dashboard.CasosAzure.CasosClient, 33 | 78 |
| GetCasosByData | GetUtentes |
| Cliente.Casos.CasosClient, 27 | Cliente.Utentes.UtentesClient, 85 |
| Cliente.CasosAzure.CasosClient, 29 | Cliente.UtentesAzure.UtentesClient, 88 |
| Dashboard.Casos.CasosClient, 31 | SOAP.IUtentes, 59 |
| Dashboard.CasosAzure.CasosClient, 33 | SOAP.Utentes, 83, 84 |
| GetCasosByDataAsync | GetUtentesAsync |
| Cliente.Casos.CasosClient, 27 | Cliente.Utentes.UtentesClient, 86 |
| Cliente.CasosAzure.CasosClient, 29 | Cliente.UtentesAzure.UtentesClient, 88 |
| Dashboard.Casos.CasosClient, 31 | GetUtentesByNIF |
| Dashboard.CasosAzure.CasosClient, 33 | Cliente.Utentes.UtentesClient, 86 |
| GetCasosByNIF | Cliente.UtentesAzure.UtentesClient, 88 |
| Cliente.Casos.CasosClient, 27 | GetUtentesByNIFAsync |
| Cliente.CasosAzure.CasosClient, 29 | Cliente.Utentes.UtentesClient, 86 |
| Dashboard.Casos.CasosClient, 31 | Cliente.UtentesAzure.UtentesClient, 88 |
| Dashboard.CasosAzure.CasosClient, 34 | GetUtentesByNome |
| GetCasosByNIFAsync | Cliente. Utentes. Utentes Client, 86 |
| Cliente.Casos.CasosClient, 27 | Cliente.UtentesAzure.UtentesClient, 88 |
| Cliente.CasosAzure.CasosClient, 30 | GetUtentesByNomeAsync |
| Dashboard.Casos.CasosClient, 32 | Cliente. Utentes. Utentes Client, 86 |
| Dashboard.CasosAzure.CasosClient, 34 | Cliente.UtentesAzure.UtentesClient, 89 |
| GetContacto | |
| Cliente.Contactos.ContactosClient, 38 | ISIAPI, 21 |
| Cliente.ContactosAzure.ContactosClient, 40 | ISIAPI.Controllers, 21 |
| SOAP.Contactos, 37 | ISIAPI.Controllers.EquipaController, 42 |
| SOAP.IContactos, 55 | AddEquipa, 42 |
| GetContactoAsync | GetEquipa, 42 |
| Cliente.Contactos.ContactosClient, 39 | GetEquipaMaisCara, 43 |
| Cliente.ContactosAzure.ContactosClient, 40 | ISIAPI.Controllers.MaterialController, 63 |
| GetContactoByAtributes | AddMaterial, 64 |
| Cliente.Contactos.ContactosClient, 39 | GetMateriais, 64 |
| Cliente.ContactosAzure.ContactosClient, 41 | GetMaterialMaisUsado, 64 |
| GetContactoByAtributesAsync | ISIAPI.Controllers.RequisicaoController, 74 |
| Cliente.Contactos.ContactosClient, 39 | AddRequisicao, 75 |
| Cliente.ContactosAzure.ContactosClient, 41 | GetRequisicaoByEquipca, 75 |
| GetEquipa | GetRequisicoes, 76 |
| ISIAPI.Controllers.EquipaController, 42 | UpdateRequisicaoEntregue, 76 |
| GetEquipaMaisCara | ISIAPI.Controllers.RequisicaoMaterialController, 76 |
| ISIAPI.Controllers.EquipaController, 43 | AddRequisicaoMaterial, 77 |
| ISIAPI.ModeloEquipas, 68 | GetRequisicaoMaterialbyRequisicaoEquipa, 78 |
| GetMateriais | GetRequisisoesMateriais, 78 |
| ISIAPI.Controllers.MaterialController, 64 | ISIAPI.Controllers.RequisicaoMaterialController.MaterialParaRequisicao, |
| GetMaterialMaisUsado | 66 |
| ISIAPI.Controllers.MaterialController, 64 | ISIAPI.ModeloEquipa, 67 |
| ISIAPI.ModeloMateriais, 69 | ISIAPI.ModeloEquipas, 67 |
| GetRequisicaoByEquipa | AddEquipa, 68 |
| ISIAPI.ModeloRequisicoes, 71 | GetAllEquipas, 68 |
| GetRequisicaoByEquipca | GetEquipaMaisCara, 68 |
| ISIAPI.Controllers.RequisicaoController, 75 | ISIAPI.ModeloMateriais, 69 |
| GetRequisicaoMaterialByRequisicaoEquipa | AddMaterial, 69 |
| ISIAPI.ModeloRequisicoesMateriais, 73 | GetAllMateriais, 69 |
| GetRequisicaoMaterialbyRequisicaoEquipa | GetMaterialMaisUsado, 69 |
| ISIAPI.Controllers.RequisicaoMaterialController, | ISIAPI.ModeloMaterial, 70 |
| 78 | ISIAPI.ModeloRequisicao, 70 |
| 70 | ISIAPI.ModeloRequisicaoMaterial, 70 |

94 INDEX

```
ISIAPI.ModeloRequisicoes, 71
    AddRequisicao, 71
    GetAllRequisicoes, 71
    GetRequisicaoByEquipa, 71
    UpdateRequisicao, 72
ISIAPI.ModeloRequisicoesMateriais, 72
    AddRequisicaoMaterial, 73
    GetAllRequisicoesMateriais, 73
    GetRequisicaoMaterialByRequisicaoEquipa, 73
ISIAPI.Program, 74
ISIAPI.Startup, 80
ISIAPI.WeatherForecast, 90
JWTAuthManager
    API.Controllers.JWTAuthManager, 61
Login
    API.Controllers.SecurityController, 79
SOAP, 21
SOAP.Casos, 24
    AddCasos, 25
    GetCasos, 25
SOAP.Contactos, 36
    AddContacto, 36
    GetContacto, 37
SOAP.ICasos, 51
SOAP.IContactos, 54
    AddContacto, 54
    GetContacto, 55
SOAP.IUtentes, 58
    AddUtentes, 59
     GetUtentes, 59
SOAP.ModeloCasos, 66
SOAP.ModeloContactos, 67
SOAP.ModeloUtente, 74
SOAP.Utentes, 82
    AddUtentes, 83
    GetUtentes, 83, 84
UpdateRequisicao
    ISIAPI.ModeloRequisicoes, 72
UpdateRequisicaoEntregue
    ISIAPI.Controllers.RequisicaoController, 76
users
```

API.Models.Users, 82