

OPEN SOURCE PROGRAMMING
PROJECT
ONLINE EXAMS

NAME: VENKATESH.R

REG NUM: 18BIT0479

SOURCE CODE:

HOME PAGE:

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
```

```
<html>
```

```
<head>
```

```
<title>New user signup </title>
```

```
<style>
```

```
p.ridge{
```

```
    border-style: ridge;
```

```
    background: linear-gradient(to top right, #33ccff 0%, #ffcccc 100%);
```

```
    border: 5px solid green;
```

```
    padding: 10px;
```

```
}</style>
```

```
<script language="javascript">
```

```
function check()
```

```
{
```

```
    if(document.form1.lid.value=="")
```

```
    {
```

```
        alert("Plese Enter Login Id");
```

```
        document.form1.lid.focus();
```

```
        return false;
```

```
    }
```

```
    if(document.form1.pass.value=="")
```

```
{
    alert("Plese Enter Your Password");
    document.form1.pass.focus();
    return false;
}
if(document.form1.cpass.value=="")
{
    alert("Plese Enter Confirm Password");
    document.form1.cpass.focus();
    return false;
}
if(document.form1.pass.value!=document.form1.cpass.value)
{
    alert("Confirm Password does not matched");
    document.form1.cpass.focus();
    return false;
}
if(document.form1.name.value=="")
{
    alert("Plese Enter Your Name");
    document.form1.name.focus();
    return false;
}
if(document.form1.address.value=="")
{
    alert("Plese Enter Address");
    document.form1.address.focus();
    return false;
}
if(document.form1.city.value=="")
{
    alert("Plese Enter City Name");
```

```

        document.form1.city.focus();
        return false;
    }
    if(document.form1.phone.value=="")
    {
        alert("Plese Enter Contact No");
        document.form1.phone.focus();
        return false;
    }
    if(document.form1.email.value=="")
    {
        alert("Plese Enter your Email Address");
        document.form1.email.focus();
        return false;
    }
    e=document.form1.email.value;
        f1=e.indexOf('@');
        f2=e.indexOf('@',f1+1);
        e1=e.indexOf('.');
        e2=e.indexOf('.',e1+1);
        n=e.length;

        if(!(f1>0 && f2===-1 && e1>0 && e2===-1 && f1!=e1+1 && e1!=f1+1 && f1!=n-1
&& e1!=n-1))
        {
            alert("Please Enter valid Email");
            document.form1.email.focus();
            return false;
        }
    return true;
}

</script>

```

```
<link href="quiz.css" rel="stylesheet" type="text/css">
```

```
</head>
```

```
<body style="background: linear-gradient(to top right, #ff0066 0%, #0099ff 100%);"
```

```
>
```

```
<div style="background-color: navyblue;">
```

```
<table width="100%" border="0">
```

```
<tr>
```

```
<td width="132" rowspan="2" valign="top"><span class="style8"></span></td>
```

```
<td width="468" height="57"><h1 align="center"><span class="style8"><h1
style="color:yellow;">ONLINE EXAMS</H1></span></h1></td>
```

```
</tr>
```

```
<tr>
```

```
<td><form name="form1" method="post" action="connect.php";">
```

```
<table width="301" border="0" align="left">
```

```
<tr>
```

```
<td><div align="left" class="style7">Login Id </div></td>
```

```
<td><input type="text" name="lid"></td>
```

```
</tr>
```

```
<tr>
```

```
<td class="style7">Password</td>
```

```
<td><input type="password" name="pass"></td>
```

```
</tr>
```

```
<tr>
```

```
<td class="style7">Confirm Password </td>
```

```
<td><input name="cpass" type="password" id="cpass"></td>
```

```
</tr>
```

```
<tr>
```

```
<td class="style7">Name</td>
```

```
<td><input name="name" type="text" id="name"></td>
```

```
</tr>
```

```

<tr>
  <td valign="top" class="style7">Address</td>
  <td><textarea name="address" id="address"></textarea></td>
</tr>
<tr>
  <td valign="top" class="style7">City</td>
  <td><input name="city" type="text" id="city"></td>
</tr>
<tr>
  <td valign="top" class="style7">Phone</td>
  <td><input name="phone" type="text" id="phone"></td>
</tr>
<tr>
  <td valign="top" class="style7">E-mail</td>
  <td><input name="email" type="text" id="email"></td>
</tr>
<tr>
  <td>&nbsp;</td>
  <td><button type="submit">Submit</a>
  </td>
</tr>
</table>
</form></td>
</tr>
</table>
<p>&nbsp;</p></div>

<table align="center"><tr><td>
<p class="ridge"> You already have a account please enter here<br><br>
<button type="submit"><a href="login.html">Log in</a></button></p><br></td><br>
<td><p class="ridge">IF YOU WANT ADMIN ACCOUNT enter here<br><br>
<button type="submit"><a href="admin.html">Log in</a></button></p><br></td></table>

```

```
<h3><a style="color:white;" href="contact.html">Contact us</a></h3>
```

```
</body>
```

```
</html>
```

CONNECT.PHP

```
<?php
```

```
$login_id=filter_input(INPUT_POST,'lid');
```

```
$password=filter_input(INPUT_POST,'pass');
```

```
$confirm_password=filter_input(INPUT_POST,'cpass');
```

```
$name=filter_input(INPUT_POST,'name');
```

```
$address=filter_input(INPUT_POST,'address');
```

```
$city=filter_input(INPUT_POST,'city');
```

```
$phone=filter_input(INPUT_POST,'phone');
```

```
$email=filter_input(INPUT_POST,'email');
```

```
if(!empty($login_id)){
```

```
if(!empty($password)){
```

```
if(!empty($confirm_password)){
```

```
if(!empty($name)){
```

```
if(!empty($address)){
```

```
if(!empty($city)){
```

```
if(!empty($phone)){
```

```
if(!empty($email)){
```

```
$host='localhost';
```

```
$dbusername='root';
```

```
$dbpassword='';
```

```
$dbname='project';
```

```
//create connection
```

```
$conn=new mysqli($host,$dbusername,$dbpassword,$dbname);
```

```
if(mysqli_connect_error()){
```

```
    die('Connect Error(' .mysqli_connect_errno().')
```

```
    .mysqli_connect_error());
```

```
}
```

```
else{
    $sql="INSERT INTO exam1 (lid,pass,cpass,name,address,city,phone,email)
    values ('$login_id','$password','$confirm_password','$name','$address','$city','$phone','$email)";
    if($conn->query($sql)){
        echo "";
    }
    else "error:". $sql. "<br>". $conn->error;
    $conn->close();
}
}
else{
    echo"email should not be empty";
    die();
}}
else{
    echo"phone should not be empty";
    die();
}}
else{
    echo"city should not be empty";
    die();
}}
else{
    echo"address should not be empty";
    die();
}}
else{
    echo"name should not be empty";
    die();
}}
else{
    echo"confirm_password should not be empty";
```

```
die();
}}
else{
    echo"password should not be empty";
    die();
}}
else{
    echo"login_id should not be empty";
    die();
}
```

```
?><html>
```

```
<head>
```

```
<style>
```

```
body {
    background-image: url('hand1.jpg');
    background-repeat: no-repeat;
    background-attachment: fixed;
    background-size: cover;
}
h1{ color: white;
text-align: center;}
h2{ color: white;
text-align: center;}
p {
    font-family:blue;
    font-size: 20px;
}
```

```
</style></head>
```



```
<body>
<h2>From</h2>
<h1>ONLINE EXAMS</h1>
<p align="center">You successfully create an account
<form align="center"><button typr="submit"><a
href="countiue.html">Countiue</a></button></form>

</body></html>
```

LOGIN FOR STUDENTS:

```
<html>
<head>
<style>
#container {
    width: 600px;
    background: #fff;
    color: #555;
    border: 3px solid #ccc;
    -webkit-border-radius: 10px;
    -moz-border-radius: 10px;
    -ms-border-radius: 10px;
    border-radius: 10px;
    border-top: 3px solid #ddd;
    padding: 1em 2em;
    margin: 0 auto;
    -webkit-box-shadow: 3px 7px 5px #000;
    -moz-box-shadow: 3px 7px 5px #000;
    -ms-box-shadow: 3px 7px 5px #000;
    box-shadow: 3px 7px 5px #000;
}
</style>
</head>
<body bgcolor="green">
<br><br><br>
```

```

<div id="container">
<form>
<table>
<tr><td>Email:</td><td><input type="text"></td></tr>
<tr><td>Password:</td><td><input type="password"></td></tr>
<tr align="center"><td><button type="submit"><a href="countiue.html">Login</a></button>
</td></tr></table></form></div>
</body></html>

```

COURSES:

```

<html>

<head>
<style>
body {
    background-image: url('exm.png');
    background-repeat: no-repeat;
    background-attachment: fixed;
    background-size: cover;
}
</style>
</head>
<body>
<h1>ONLINE EXAMS</h1>
<h3>Choose your subject</h3>
<form>
<ul type="disc">
<li><button type="submit"><a href="java.html">Java Programming</a></button></li><br>
<li><button type="submit"><a href="osp.html">Open Source Programming</a></button></li><br>
<li><button type="submit"><a href="hci.html">Human Computer Intraction</a></button></li><br>
<li><button type="submit"><a href="spm.html">Software Project
Management</a></button></li><br>
<li><button type="submit"><a href="lsm.html">LeanStartup Management</a></button></li><br>

```

```

<li><button type="submit"><a href="ss.html">Soft Skils</a></button></li> <br>
<li><button type="submit"><a href="ala.html">Aplied Linear Algebra</a></button></li><br>
<li><button type="submit"><a href="web.html">Wed Tecqnologies</a></button></li><br>
<li><button type="submit"><a href="evs.html">Environmental science</a></button></li><br>
<li><button type="submit"><a href="software.html">Software Engineering</a></button></li><br>
<li><button type="submit"><a href="dbms.html">DataBase Management</a></button></li><br>
<li><button type="submit"><a href="cao.html">Computer Architecture
Organisation</a></button></li></ul>

<hr><a href="extra.html">View full courses</a>

</form></body></html>

```

GIVE ACCESS CODE:

```

<html>
<head>
<style>
#container {
    width: 600px;
    background: #fff;
    color: #555;
    border: 3px solid #ccc;
    -webkit-border-radius: 10px;
    -moz-border-radius: 10px;
    -ms-border-radius: 10px;
    border-radius: 10px;
    border-top: 3px solid #ddd;
    padding: 1em 2em;
    margin: 0 auto;
    -webkit-box-shadow: 3px 7px 5px #000;
    -moz-box-shadow: 3px 7px 5px #000;
    -ms-box-shadow: 3px 7px 5px #000;
    box-shadow: 3px 7px 5px #000;
}
</style>
</head>

```

```

<body bgcolor="grey">
<body>
<br><br><br><br><br><br><br><br><div id="container">
<form align="center" action="qnfee.html">
<p>Give Access Code:<input type="text"></p>
<button type="submit">Enter</a></button></div>
</form></body></html>

```

QUESTIONS:

```

<!DOCTYPE html>
<html>
<body><form action="response.html"><p>

```

1:

Rank of the matrix A =


```

0      0      0      0<br>
4      2      3      0<br>
1      0      0      0<br>
4      0      3      0

```

```

</p> <input type="radio" >
0<br>

```

```

<input type="radio" >

```

1


```

<input type="radio">

```

2


```

<input type="radio" id="option">

```

3


```

<p>

```

2:

A set of linear equations is represented by the matrix equation $Ax = b$. The necessary condition for the existence of a solution for this system is

</p>

<input type="radio" id="option" name="option1">

<label for="option1">A must be invertible</label>

<input type="radio" id="option" name="option2">

<label for="option2">b must be linearly depended on the columns of A</label>

<input type="radio" id="option" name="option3" >

<label for="option3">b must be linearly independent of the columns of A</label>

<input type="radio" id="option" name="option4">

<label for="option4">None of these</label>

<p>

3:

Consider the following two statements:

I. The maximum number of linearly independent column vectors of a matrix A is called the rank of A.

II. If A is an $n \times n$ square matrix, it will be nonsingular is rank $A = n$.

With reference to the above statements, which of the following applies?

</p>

<input type="radio" id="option" name="option1" >

<label for="option1">Both the statements are false</label>

<input type="radio" id="option" name="option2" >

<label for="option2">Both the statements are true</label>

<input type="radio" id="option" name="option3" >

<label for="option3">I is true but II is false.</label>

<input type="radio" id="option" name="option4">

☐ I is false but II is true.

4:

The system of linear equations

$$(4d - 1)x + y + z = 0$$

$$-y + z = 0$$

$$(4d - 1)z = 0$$

has a non-trivial solution, if d equals

☐ $\frac{1}{2}$

☐ $\frac{1}{4}$

☐ $\frac{3}{4}$

☐ 1

5:

The rank of a 3×3 matrix $C (= AB)$, found by multiplying a non-zero column matrix A of size 3×1 and a non-zero row matrix B of size 1×3 , is

☐ 0

☐ 1

☐

<label for="option3">2</label>

☐

<label for="option4">3</label>

<p>

6:

If A and B are square matrices of size $n \times n$, then which of the following statement is not true?

</p>

☐

<label for="option1">det. $(AB) = \det(A) \det(B)$
</label>

☐

<label for="option2">det $(kA) = kn \det(A)$ </label>

☐

<label for="option3">det $(A + B) = \det(A) + \det(B)$ </label>

☐

<label for="option4">det $(A^T) = 1/\det(A^{-1})$ </label>

<p>

7:

In the matrix equation $Px = q$, which of the following is a necessary condition for the existence of at least one solution for the unknown vector x ?

<p>

☐

<label for="option1">Augmented matrix $[Pq]$ must have the same rank as matrix P
</label>

☐
<label for="option2">Vector q must have only non-zero elements</label>

☐
<label for="option3">Matrix P must be singular</label>

☐
<label for="option4">None of these</label>

<p>

8:

Rank of the diagonal matrix

[1 1 6 6]</p>

☐
<label for="option1">4</label>

☐
<label for="option2">1</label>

☐
<label for="option3">2</label>

☐
<label for="option4">3</label>

<p>

9:

Matrix, A =

$\cos\Theta$	$\sin\Theta$	0
$\sin\Theta$	$\cos\Theta$	0
0	0	1

</p>
<input type="radio" id="option1" name="option1" value="0">
<label for="option1">orthogonal</label>

<input type="radio" id="option2" name="option2" value="0">
<label for="option2">non-singular</label>

<input type="radio" id="option3" name="option3" value="0">
<label for="option3">have A^{-1} exists</label>

<input type="radio" id="option4" name="option4" value="0">
<label for="option4">both (b) & (c)</label>

<p>

10:

The matrix $B = A^T$, where A is any matrix is</p>

<input type="radio" id="option1" name="option1" value="0">
<label for="option1">skew symmetric</label>

<input type="radio" id="option2" name="option2" value="0">
<label for="option2">symmetric about the secondary diagonal</label>

<input type="radio" id="option3" name="option3" value="0">
<label for="option3">always symmetric</label>

<input type="radio" id="option4" name="option4" value="0">
<label for="option4">another general matrix</label>

<input type="submit" value="Submit">

</form></body></html>

RESPONSE FOR SUBMISSION:

<html>

<head>

<style>

```

#container {
    width: 600px;
    background: #fff;
    color: #555;
    border: 3px solid #ccc;
    -webkit-border-radius: 10px;
    -moz-border-radius: 10px;
    -ms-border-radius: 10px;
    border-radius: 10px;
    border-top: 3px solid #ddd;
    padding: 1em 2em;
    margin: 0 auto;
    -webkit-box-shadow: 3px 7px 5px #000;
    -moz-box-shadow: 3px 7px 5px #000;
    -ms-box-shadow: 3px 7px 5px #000;
    box-shadow: 3px 7px 5px #000;
}
</style>
</head>
<body bgcolor="#660000">
<br><br><br><div id="container">
<form action="signup.html">
<h1>THANK YOU</h1>
<h2>For your response</h2>
<h3>Your response has been recorded</h3>
<input type="submit" value="Signout"><br>
<a href="feedback.php">FEEDBACK</a></form></div>
</body></html>
FEEDBACK:
<?php

if ( isset( $_REQUEST ) && !empty( $_REQUEST ) ) {

```

```
if (
isset( $_REQUEST['phoneNumber'], $_REQUEST['carrier'], $_REQUEST['smsMessage'] ) &&
!empty( $_REQUEST['phoneNumber'] ) &&
!empty( $_REQUEST['carrier'] )
) {
$message = wordwrap( $_REQUEST['smsMessage'], 70 );
$to = $_REQUEST['phoneNumber'] . '@' . $_REQUEST['carrier'];
$result = @mail( $to, "", $message );
print 'Message was sent to ' . $to;
} else {
print 'Not all information was submitted.';
}
}
```

?>

<!DOCTYPE html>

<head>

<meta charset="utf-8" />

<style>

body {

margin: 0;

padding: 3em 0;

color: #fff;

background: #0080d2;

font-family: Georgia, Times New Roman, serif;

}

#container {

width: 600px;

background: #fff;

color: #555;

border: 3px solid #ccc;

```
-webkit-border-radius: 10px;
-moz-border-radius: 10px;
-ms-border-radius: 10px;
border-radius: 10px;
border-top: 3px solid #ddd;
padding: 1em 2em;
margin: 0 auto;
-webkit-box-shadow: 3px 7px 5px #000;
-moz-box-shadow: 3px 7px 5px #000;
-ms-box-shadow: 3px 7px 5px #000;
box-shadow: 3px 7px 5px #000;
}
```

```
ul {
  list-style: none;
  padding: 0;
}
```

```
ul > li {
  padding: 0.12em 1em
}
```

```
label {
  display: block;
  float: left;
  width: 130px;
}
```

```
input, textarea {
  font-family: Georgia, Serif;
}
```

```
</style>
```

```

</head>
<body>
  <div id="container">
    <h1>Feedback form</h1>
    <form action="signup.html" method="post">
      <ul>
        <li>
          <label for="phoneNumber">Phone Number</label>
          <input type="text" name="phoneNumber" id="phoneNumber" placeholder="3855550168"
/></li>
        <li>
          <label for="carrier">Email</label>
          <input type="text" name="carrier" id="carrier" />
        </li>
        <li>
          <label for="smsMessage">Message</label>
          <textarea name="smsMessage" id="smsMessage" cols="45" rows="15"></textarea>
        </li>
        <li>
          <label for="feedback">feedback</label>
          <input type="text" name="feedback" id="feedback" />
        </li>
        <li>
          <input type="submit" name="sendMessage" id="sendMessage" value="Send Message"
/></li>
      </ul>
    </form>
  </div>
</body>
</html>

```

ADMIN ACCOUNT:

```

<html><head>
<style>

```

```

body{
    background: linear-gradient(to bottom, #33ccff 0%, #993333 100%);
}

fieldset{
    border: 2px solid red;
    padding: 50px;
    width: 50px;
    background-color: lightgrey;
    margin-top: 100px;
    margin-bottom: 10px;
    border-radius: 8px;
    background: linear-gradient(to bottom, #33ccff 0%, #ff99cc 100%);
}

</style></head>

<body><div align="center"><fieldset>

<h1>Sign Up</h1>

<form action="sideframe.html">

<table><tr><td>
Name:</td><td><input type="text" placeholder="Enter Name" name="name" required></td></tr>

<tr><td>
User Id:</td><td><input type="text" placeholder="Enter Username" name="username"
required></td></tr>

<tr><td>
Password:</td><td><input type="password" placeholder="Enter Password" name="password"
required></td></tr>

<tr><td>
Confirm password:</td><td><input type="password" placeholder="Enter Password"
name="password" required></td></tr>

<tr><td>
Email:</td><td><input type="text" placeholder="Enter Username" name="username"
required></td></tr>

<tr><td></td><td><button type="submit">Submit</button></td></tr></table>

<h2>Already have an account..Enter here</h2>

<button type="submit"><a href="alreadyac.html">Submit</button></fieldset></div><br>

```

```
</body>
```

```
</html>
```

LOGIN FOR ADMIN:

```
<html>
```

```
<style>
```

```
body{
```

```
    background: linear-gradient(to bottom, #33ccff 0%, #993333 100%);
```

```
}
```

```
fieldset{
```

```
    border: 2px solid red;
```

```
    padding: 50px;
```

```
    width: 50px;
```

```
    background-color: lightgrey;
```

```
    margin-top: 100px;
```

```
    margin-bottom: 100px;
```

```
    margin-left: 460px;
```

```
    border-radius: 8px;
```

```
    background: linear-gradient(to bottom, #33ccff 0%, #ff99cc 100%);
```

```
}
```

```
</style>
```

```
<body><fieldset align="center"> <h1><b>LogIn</b></h1><table><tr><td>
```

```
<form class="modal-content animate" action="sideframe.html" method="POST" name="login">
```

```
<div class="container">
```

```
<label for="uname"><b>Username</b></label></td><td>
```

```
<input type="text" placeholder="Enter Username" name="username" required></td></tr>
```

```
<br><tr><td>
```

```
<label for="psw"><b>Password</b></label></td><td>
```

```
<input type="password" placeholder="Enter Password" name="password" required></td></tr>
```

```
<br><tr><td></td><td>
```

```
        <button type="submit" value="Login"
name="login">Login</button></td></tr></table></fieldset>

</div>
```

```
</form>
```

```
</body>
```

```
</html>
```

USER ACCOUNT:

```
<html>
```

```
<style>
```

```
body {
```

```
    background: linear-gradient(to left, #33ccff 0%, #ff99cc 100%);
```

```
}
```

```
fieldset{
```

```
    border: 2px solid red;
```

```
    padding: 20px;
```

```
    margin-right:560px;
```

```
    margin-top: 100px;
```

```
    margin-bottom: 100px;
```

```
    margin-left: 560px;
```

```
    border-radius: 8px;
```

```
    background: linear-gradient(to bottom, #33ccff 0%, #ff99cc 100%);
```

```
}</style>
```

```
<body><fieldset>
```

```
<h1 align="center">Online Exams</h1>
```

```
<h2>User Account</h2>
```

```
<form><table><tr><td>
```

```
<button type="submit"><a href="createquiz.html">Create Quiz</a></button><br></td></tr>
```

```
<tr><td><button type="submit"><a href="deletequiz.html">Delete
Quiz</a></button><br></td></tr></table>
```

```
</form></fieldset>
```


</body>

</html>

CREATE QUIZ:

<html>

<head><title>Online Exams</title>

<style>

body {

background: linear-gradient(to left, #33ccff 0%, #ff99cc 100%);

}</style></head>

<body>

<h1 align="center">Online Exam</h1>

<h2 align="center">Create quiz</h2>

<form action="signup.html">

<p>1.Type the question:
<textarea name="message" rows="3" cols="50"></textarea></p>

<input type="radio" name="option"><input type="text">

<input type="radio" name="option"><input type="text">

<input type="radio" name="option"><input type="text">

<input type="radio" name="option"><input type="text">

<p>2.Type the question:
<textarea name="message" rows="3" cols="50"></textarea></p>

<input type="radio" name="option"><input type="text">

<input type="radio" name="option"><input type="text">

<input type="radio" name="option"><input type="text">

<input type="radio" name="option"><input type="text">

<p>3.Type the question:
<textarea name="message" rows="3" cols="50"></textarea></p>

<input type="radio" name="option"><input type="text">

<input type="radio" name="option"><input type="text">

<input type="radio" name="option"><input type="text">

<input type="radio" name="option"><input type="text">

<p>4.Type the question:
<textarea name="message" rows="3" cols="50"></textarea></p>

<input type="radio" name="option"><input type="text">

<input type="radio" name="option"><input type="text">

<input type="radio" name="option"><input type="text">


```

<input type="radio" name="option"><input type="text"><br>
<p>5.Type the question:<br><textarea name="message" rows="3" cols="50"></textarea></p><br>
<input type="radio" name="option"><input type="text"><br>
<input type="radio" name="option"><input type="text"><br>
<input type="radio" name="option"><input type="text"><br>
<input type="radio" name="option"><input type="text"><br><br>
<button type="button" onclick="alert('Quiz created successfully!')">Submit</button>
<br><input type="submit" value="Signout">
</form></body></html>

```

DELETE QUIZ:

```

<html>
<style>
body {
    background: linear-gradient(to left, #33ccff 0%, #ff99cc 100%);
}
fieldset{
    border: 2px solid red;

    margin-right:460;
    margin-top: 100px;
    margin-bottom: 100px;
    margin-left: 460px;
    border-radius: 8px;
    background: linear-gradient(to bottom, #33ccff 0%, #ff99cc 100%);
}
</style>
<body>
<form action="signup.html"><fieldset>
<p><b>Which quiz want you delete?</b></p>
<select id="quiz" name="quiz">
    <option value="quiz1">Quiz1</option>
    <option value="quiz2">Quiz2</option>
    <option value="quiz3">Quiz3</option>

```

```

        <option value="quiz4">Quiz4</option>
    </select>
    <button type="button" onclick="alert('Deleted successfully!')">Submit</button><br>
    <input type="submit" value="Signout">
</fieldset></form>
</body>
</html>

```

CONTACT:

```

<html>
<body bgcolor="orange" id="body" >
<style>
body {
    background-image: url("v5.jpg");
    background-color: #cccccc;
    background-repeat:no-repeat;
    background-size: 500px 500px;
    background-position: center;
}
</style>
<center><h1>CONTACT US</h1></center>
<h2 bgcolor="blue">
if any query and probelm please contact the number:</h2>
<h3>
<p>AGALYA M</p>
<p>9786360414</p>
<p>PRATHIBA K</p>
<p>8270487004</p>
<p>ASWIN G </p>
<p>8270487898</p>
<P>VENKAT</P>
<P>6345672456</P>
<P>ENAMUTHU</P>

```

<P>9788148787</P>

</h3>

</body>

</html>