MEE4099 Capstone Project

Review 1 tentative presentation: first draft Project Title:

Magnetic Mirror Effect in Magnetron Plasma: Modeling of Plasma Parameters

Project ID: 21BTECH10051

Team Members:

18BEM0145 Sashi Kant Shah

18BME2104 Kaushal Timilsina

18BME2109 Hrishav Mishra

Internal Guide:

Professor Sitaram Dash

1. Introduction

1.1 Plasma

Non equilibrium state with long range dynamics

- Number density, n
 Number of particles per unit volume.
 Mass density ρ := mn
 m is the mass of particles of the species.
- 2. Ionization, α $\alpha := \frac{n_{charged}}{n_{charged} + n_{neutral}}$ $\alpha = 1$: all the particles are charged $\alpha = 0$: all the particles are neutral
- Temperature, T describes the average kinetic energy of the particles in the plasma

4. Mean free path, λ_{mfp} influenced by the temperature

$$\lambda_{mfp} := \mathsf{v}_{th} \tau$$

 v_{th} : thermal velocity of the particles

au: timescale of collisions.

5. Plasma beta parameter

$$\beta := \frac{8\pi nT}{B^2}$$

ratio of the thermal and magnetic energies of the plasma random thermal motions compete with the Lorentz force.

6. Debye Length, λ_D Competing

Coulumb interactions Random thermal speed between charged particles based on temperature

Debye sphere: imaginary sphere around a charged particle where oppositely charged particles are attracted screen the charge of the central particle to the outer plasma electrostatic influence of a particle is limited to the Debye sphere surrounding it

Quasi-neutral behavior:

electrostatically neutral on scales $> \lambda_D$.

Debye length, λ_D : radius of the Debye sphere.

Other parameters: Larmor radius, frequencies of waves, etc.

1.2 Laboratory Plasma

Properties of laboratory plasma

- High ionization fraction
- Sub atmospheric pressure required to sustain ionization
- Temperature range : 1000 30000 K

Surface engineering techniques that use plasma

- 1. Plasma Immersion Ion Implantation (PIII)
- 2. Plasma Enhanced Chemical Vapor Deposition (CVD)
- 3. Magnetron Sputtering (PVD)
- 4. Air Plasma Spray (Spray technique)
- 5. Plasma Transferred Arc (Hardfacing technique)

1.3 Physical Vapor Deposition

Thin film coatings are grown on the surface of a specimen Random walker particles get trapped in strained pockets Produce nucleation site

1. Sputtering techniques

Cold techniques

high energy beam removes material from a target removed material is coated on the substrate.

2. Evaporation techniques

Hot techniques

heating the material to to a high temperature particles in the vapor are coated on the substrate Semiconductors like Si/Ge , insulators like oxides and metals like Tungsten often coated

1.4 Magnetron sputtering

Sputtered ions form a magnetically confined plasma
Plasma controlled by magnetic fields
Transports ions to the surface of the substrate forming the coating.




Figure 1: Magnetron Sputtering system. credit: [1]

1.5 Magnetic Mirror

а

References

- Professor Sitaram Dash. (Fall Semester 2021). *MEE4005*Surface Engineering (lecture notes). SMEC, VIT Vellore.
- Matthew W. Kunz. (November 9, 2020). *Introduction to Plasma Astrophysics* (lecture notes). Princeton Plasma Physics Laboratory.
- Chen, F. F. (1984). *Introduction to plasma physics and controlled fusion* (Vol. 1, pp. 8-11). New York: Plenum press.
- Na, Yong-Su (2017). *Introduction to nuclear fusion* (Lecture 9 Mirror, lecture slide). Seoul National University Open Courseware.

- Föreläsning (2009). Charged particle motion in magnetic field (lecture slide). Luleä University of Technology.
- Myers, A., Colella, P., & Straalen, B. V. (2017). A 4th-Order Particle-in-Cell Method with Phase-Space Remapping for the Vlasov-Poisson Equation. SIAM Journal on Scientific Computing, 39(3), B467-B485.
- Anatoly Spitkovsky (2016). *Kinetic plasma simulations* (lecture slide). PiTP 2016 on Computational Plasma Astrophysics. Institute for Advanced Study.
- Qin, H., Zhang, S., Xiao, J., & Tang, W. M. (April, 2013). Why is Boris algorithm so good?. Princeton Plasma Physics Laboratory, PPPL-4872.