

Accessibility Report For "https://localhost:3333/#!/section/app-info"

Generated at: Wed Oct 04 2017 12:24:50 GMT-0400 (Eastern Daylight Time)

0 errors

9 warnings

38 notices

Notice: Check that the title element describes the document.

WCAG2AA.Principle2.Guideline2_4.2_4_2.H25.2

<title>DOL WHD Section 14c</title> (select with "html > head > title")

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

<a _ngcontent-c0="" class="brand" href="/"> <img _ngcontent-c0="" ...
(select with "#NG2_UPGRADE_1_0 > header > a")

Notice: Ensure that the img element's alt text serves the same purpose and presents the same information as the image.

WCAG2AA.Principle1.Guideline1_1.1_1_1.G94.Image

 (select with "#NG2_UPGRADE_1_0 >
header > a > img")

Notice: If this image cannot be fully described in a short text alternative, ensure a long text alternative is also available, such as in the body text or through a link.

WCAG2AA.Principle1.Guideline1_1.1_1_1.G73,G74

 (select with "#NG2_UPGRADE_1_0 >
header > a > img")

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

Dashboard (select with
"html > body > div > form-section > main-header-control > main-top-nav-
control > header > nav > ul > li:nth-child(1) > a")

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="#" ng-click="vm.userClick($event)">Account</a> (select with "html > body > div > form-section > main-header-control > main-top-nav-control > header > nav > ul > li:nth-child(2) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="#" ng-click="vm.saveClick($event)">Sign Out</a> (select with "html > body > div > form-section > main-header-control > main-top-nav-control > header > nav > ul > li:nth-child(3) > a")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="dol-nav-toggle" type="button" ng-click="vm.collapseMenu = !vm.collapseMenu">Form Menu</button> (select with "html > body > div > form-section > main-header-control > main-navigation-control > button")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a href="#" ng-click="$event.preventDefault()">Show Help for All Items</a> (select with "html > body > div > form-section > div > ng-transclude > section-app-info > div:nth-child(1) > div > ul > li > a")
```

Warning: This element's text is placed on a background image. Ensure the contrast ratio between the text and all covered parts of the image are at least 4.5:1.

WCAG2AA.Principle1.Guideline1_4.1_4_3.G18.BgImage

```
<button type="button" class="help-link">?</button> (select with "html > body > div > form-section > div > ng-transclude > section-app-info > div:nth-child(3) > div:nth-child(3) > div:nth-child(1) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" class="help-link">?</button> (select with "html > body > div > form-section > div > ng-transclude > section-app-info >
```

```
div:nth-child(3) > div:nth-child(3) > div:nth-child(1) > button")
```

Warning: This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 3:1.

WCAG2AA.Principle1.Guideline1_4.1_4_3.G145.Abs

```
<legend class="hide">Application type</legend> (select with "html > body > div > form-section > div > ng-transclude > section-app-info > div:nth-child(3) > div:nth-child(3) > fieldset > legend")
```

Warning: This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 3:1.

WCAG2AA.Principle1.Guideline1_4.1_4_3.G145.Abs

```
<legend class="hide">Has previous application</legend> (select with "html > body > div > form-section > div > ng-transclude > section-app-info > div:nth-child(3) > div:nth-child(4) > fieldset > legend")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="hasPreviousApplication_1" type="radio" name="hasPreviousApplication" ng-value="true" ng-model="formData.hasPreviousApplication" class="ng-pristine ng-untouched ng-valid ng-empty" value="true"> (select with "#hasPreviousApplication_1")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="hasPreviousApplication_0" type="radio" name="hasPreviousApplication" ng-value="false" ng-model="formData.hasPreviousApplication" class="ng-pristine ng-untouched ng-valid ng-empty" value="false"> (select with "#hasPreviousApplication_0")
```

Warning: This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 3:1.

WCAG2AA.Principle1.Guideline1_4.1_4_3.G145.Abs

```
<legend class="hide">Has previous certificate</legend> (select with "html > body > div > form-section > div > ng-transclude > section-app-info > div:nth-child(3) > div:nth-child(5) > fieldset > legend")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="hasPreviousCertificate_1" type="radio"
name="hasPreviousCertificate" ng-value="true" ng-
model="formData.hasPreviousCertificate" class="ng-pristine ng-untouched ng-
valid ng-empty" value="true"> (select with "#hasPreviousCertificate_1")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="hasPreviousCertificate_0" type="radio"
name="hasPreviousCertificate" ng-value="false" ng-
model="formData.hasPreviousCertificate" class="ng-pristine ng-untouched ng-
valid ng-empty" value="false"> (select with "#hasPreviousCertificate_0")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="previousCertificateNumber" name="previousCertificateNumber"
type="text" class="sidelabeled certificateno ng-pristine ng-untouched ng-
valid ng-empty" mask="99-99999-A-999" ng-
model="formData.previousCertificateNumber"> (select with
"#previousCertificateNumber")
```

Warning: This element's text is placed on a background image. Ensure the contrast ratio between the text and all covered parts of the image are at least 4.5:1.

WCAG2AA.Principle1.Guideline1_4.1_4_3.G18.BglImage

```
<button type="button" class="help-link">?</button> (select with "html >
body > div > form-section > div > ng-transclude > section-app-info >
div:nth-child(3) > div:nth-child(7) > div:nth-child(1) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button type="button" class="help-link">?</button> (select with "html >
body > div > form-section > div > ng-transclude > section-app-info >
div:nth-child(3) > div:nth-child(7) > div:nth-child(1) > button")
```

Warning: This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 3:1.

WCAG2AA.Principle1.Guideline1_4.1_4_3.G145.Abs

```
<legend class="hide">Establishment type ID</legend> (select with "html > body > div > form-section > div > ng-transclude > section-app-info > div:nth-child(3) > div:nth-child(7) > fieldset > legend")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="contactName" name="contactName" type="text" ng-model="formData.contactName" class="ng-pristine ng-untouched ng-valid ng-empty"> (select with "#contactName")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="contactPhone" name="contactPhone" type="tel" mask="999-999-9999" ng-model="formData.contactPhone" class="sidelabeled phoneno ng-pristine ng-untouched ng-valid ng-empty"> (select with "#contactPhone")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="contactFax" name="contactFax" type="tel" mask="999-999-9999" ng-model="formData.contactFax" class="sidelabeled phoneno ng-pristine ng-untouched ng-valid ng-empty"> (select with "#contactFax")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<input id="contactEmail" name="contactEmail" type="email" ng-model="formData.contactEmail" class="sidelabeled email ng-pristine ng-untouched ng-valid ng-empty ng-valid-email"> (select with "#contactEmail")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="back-button ng-binding" ng-show="vm.hasBack" ng-click="vm.onBackClick()">Back</button> (select with "html > body > div > form-section > form-footer-controls > div > div:nth-child(1) > button")
```

Notice: Check that a change of context does not occur when this input field receives focus.

WCAG2AA.Principle3.Guideline3_2.3_2_1.G107

```
<button class="next-button ng-binding" ng-click="vm.onNextClick()">Next</button> (select with "html > body > div > form-section > form-footer-controls > div > div:nth-child(1) > div > button")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" class="brand" href="/"> <img _ngcontent-c1="..."</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(1) > a")
```

Notice: Ensure that the img element's alt text serves the same purpose and presents the same information as the image.

WCAG2AA.Principle1.Guideline1_1.1_1_1.G94.Image

```
 (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(1) > a > img")
```

Notice: If this image cannot be fully described in a short text alternative, ensure a long text alternative is also available, such as in the body text or through a link.

WCAG2AA.Principle1.Guideline1_1.1_1_1.G73,G74

```
 (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(1) > a > img")
```

Warning: This content looks like it is simulating an ordered list using plain text. If so, marking up this content with an ol element would add proper structure information to the document.

WCAG2AA.Principle1.Guideline1_3.1_3_1.H48.2

```
<div _ngcontent-c1="" class="dol-footer--content"> <div _ngcontent-c1="" ...</div> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2)")
```

Warning: This content looks like it is simulating an ordered list using plain text. If so, marking up this content with an ol element would add proper structure information to the document.

WCAG2AA.Principle1.Guideline1_3.1_3_1.H48.2

```
<div _ngcontent-c1="" class="usa-grid-full"> <div _ngcontent-c1="...">
(select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div")
```

Warning: This content looks like it is simulating an ordered list using plain text. If so, marking up this content with an ol element would add proper structure information to the document.

WCAG2AA.Principle1.Guideline1_3.1_3_1.H48.2

```
<div _ngcontent-c1="" class="usa-width-one-fourth content-group"> 200
Constitution A...</div> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-
child(2) > div > div")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="https://www.dol.gov/">www.dol.gov</a> (select
with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > div > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#">Link 1</a> (select with "#NG2_UPGRADE_0_0 >
footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(2) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#">Link 2</a> (select with "#NG2_UPGRADE_0_0 >
footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(3) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#">Link 3</a> (select with "#NG2_UPGRADE_0_0 >
footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(4) > a")
```


Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#">Link 4</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(2) > li:nth-child(5) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#">Link 1</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(2) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#">Link 2</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(3) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#">Link 3</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(4) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#">Link 4</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(3) > li:nth-child(5) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#">Link 1</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(2) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81


```
<a _ngcontent-c1="" href="#">Link 2</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(3) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#">Link 3</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(4) > a")
```

Notice: Check that the link text combined with programmatically determined link context identifies the purpose of the link.

WCAG2AA.Principle2.Guideline2_4.2_4_4.H77,H78,H79,H80,H81

```
<a _ngcontent-c1="" href="#">Link 4</a> (select with "#NG2_UPGRADE_0_0 > footer > div:nth-child(2) > div > ul:nth-child(4) > li:nth-child(5) > a")
```