In [1]:
```
from sympy import Symbol, Derivative, symbols
m= Symbol('m')
c= Symbol('c')
function = '0.5*(y-m*x-c)**2'
partialderiv= Derivative(function, m)
dfm = partialderiv.doit()
partialderiv= Derivative(function, c)
dfc = partialderiv.doit()
xa = [0.2,0.4,0.6,0.8,1.0,1.2]
ya = [2.4,3.8,4.2,4.6,5.0,5.4]

print(f'first order derivatives of given function are de/dm = {dfm} ,de/dc = {dfc

#step 1 initialise values
m1 = -1.0
c1 = 1.0  #variable x, y
itr = 100  #epoches
learning_rate = 0.1  #learning rate
for i in range(0,itr):
    for j in range(0,len(xa)):
        #step 2 substitute x ,y in first order derivatives df/dx, df/dy
        m = symbols('m')
        c = symbols('c')
        x = symbols('x')
        y = symbols('y')
        dfmv = dfm.subs(m, m1)
        dfmv = dfmv.subs(c, c1)
        dfmv = dfmv.subs(x, xa[j])
        dfmv = dfmv.subs(y, ya[j])
        dfmv = round(dfmv,2)
        dfcv = dfc.subs(c, c1)
        dfcv = dfcv.subs(m, m1)
        dfcv = dfcv.subs(x, xa[j])
        dfcv = dfcv.subs(y, ya[j])
        dfcv = round(dfcv,2)
        #step3 find change in x , y
        dm = (-1.0)*learning_rate*dfmv
        dc = (-1.0)*learning_rate*dfcv
        #step4 update variable
        m1 = m1 + dm
        m1 = round(m1, 2)
        c1 = c1 + dc
        c1 = round(c1, 2)
    #step5 increment iterations
    #step6 break loop if iterations exceed no of epoches
#step7 print variable x1, y1
print(m1, c1)
print(f'minimum value obtained at m = {m1} ,c ={c1} for given function')
```

```
first order derivatives of given function are de/dm = -1.0*x*(-c - m*x + y) ,d
e/dc = 1.0*c + 1.0*m*x - 1.0*y
2.49 2.51
minimum value obtained at m = 2.49 ,c =2.51 for given function
```

In [2]:
```
import matplotlib.pyplot as plt
import numpy as np
x = np.linspace(-5,5,100)
y = m1*x+c1
plt.plot(x, y, '-r', label='y='+str(m1)+'x+'+str(c1))
plt.title('Graph of '+'y='+str(m1)+'x+'+str(c1))
plt.xlabel('x', color='#1C2833')
plt.ylabel('y', color='#1C2833')
plt.legend(loc='upper left')
plt.grid()
plt.show()
```



In [3]:
```
data_pred = []
for i in xa:
    data_pred.append(m1*i+c1)

from sklearn.metrics import mean_squared_error
mse = mean_squared_error(ya,data_pred)
print(f"mean square error : {mse}")
```

```
mean square error : 0.08560564676920572
```

In [ ]:
```

```