index.html

```
<!DOCTYPE html>
<!-- Code By Webdevtrick ( https://webdevtrick.com )-->
<html lang="en" >
<head>
 <meta charset="UTF-8">
 <title>Sign-Up/Signin Form</title>
 k href="https://fonts.googleapis.com/css?family=Manjari&display=swap" rel="stylesheet">
 k rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/normalize/5.0.0/normalize.min.css
 <link rel="stylesheet" href="style.css">
</head>
<body>
 <div class="form">
   cli class="tab active"><a href="#signup">Sign Up</a>
    cli class="tab"><a href="#Signin">Sign In</a>
   <div class="tab-content">
    <div id="signup">
     <h1>Sign Up for Free</h1>
     <form action="/" method="post">
     <div class="top-row">
       <div class="label-field">
        <label>
         First Name<span class="req">*</span>
        <input type="text" required autocomplete="off" />
       </div>
      <div class="label-field">
        <label>
         Last Name<span class="req">*</span>
        </label>
        <input type="text"required autocomplete="off"/>
      </div>
     </div>
     <div class="label-field">
       <label>
       Email Address<span class="req">*</span>
       <input type="email"required autocomplete="off"/>
     </div>
     <div class="label-field">
       Set A Password<span class="req">*</span>
       </label>
```

```
<input type="password"required autocomplete="off"/>
      </div>
      <button type="submit" class="button button-block"/>Get Started</button>
      </form>
    </div>
    <div id="Signin">
      <h1>Welcome Back!</h1>
      <form action="/" method="post">
       <div class="label-field">
       <label>
        Email Address<span class="req">*</span>
       <input type="email"required autocomplete="off"/>
      </div>
      <div class="label-field">
       <label>
        Password<span class="req">*</span>
       <input type="password"required autocomplete="off"/>
      </div>
      <a href="#">Forgot Password?</a>
      <button class="button button-block">Sign In</button>
      </form>
    </div>
   </div>
</div>
 <script src='http://cdnjs.cloudflare.com/ajax/libs/jquery/2.1.3/jquery.min.js'></script>
<script src="function.js"></script>
</body>
</html>
style.css
/* Code By Webdevtrick ( https://webdevtrick.com ) */
*, *:before, *:after {
box-sizing: border-box;
html {
```

```
overflow-y: scroll;
body {
 background: #f3f3f3;
 font-family: 'Manjari', sans-serif;
}
a {
 text-decoration: none;
 color: #1da1f2;
 transition: .5s ease;
a:hover {
 color: #0080ff;
.form {
 background: rgb(22,19,54, 0.9);
 padding: 40px;
 max-width: 600px;
 margin: 40px auto;
 border-radius: 4px;
 box-shadow: 0 4px 10px 4px rgba(19, 35, 47, 0.3);
.top-area {
 list-style: none;
 padding: 0;
 margin: 0 0 40px 0;
.top-area:after {
 content: "";
 display: table;
 clear: both;
.top-area li a {
 display: block;
 text-decoration: none;
 padding: 15px;
 background: rgba(160, 179, 176, 0.25);
 color: #a0b3b0;
 font-size: 20px;
 float: left;
 width: 50%;
 text-align: center;
 cursor: pointer;
 transition: .5s ease;
.top-area li a:hover {
 background: #0080ff;
 color: #ffffff;
.top-area .active a {
 background: #1da1f2;
 color: #ffffff;
}
.tab-content > div:last-child {
```

```
display: none;
h1 {
 text-align: center;
 color: #ffffff;
 font-weight: 300;
 margin: 0 0 40px;
label {
 position: absolute;
 -webkit-transform: translateY(6px);
      transform: translateY(6px);
 left: 13px;
 color: rgba(255, 255, 255, 0.5);
 transition: all 0.25s ease;
 -webkit-backface-visibility: hidden;
 pointer-events: none;
 font-size: 22px;
label .req {
 margin: 2px;
 color: #1da1f2;
label.active {
 -webkit-transform: translateY(50px);
      transform: translateY(50px);
 left: 2px;
 font-size: 14px;
label.active .req {
 opacity: 0;
label.highlight {
 color: #ffffff;
input, textarea {
 font-size: 22px;
 display: block;
 width: 100%;
 height: 100%;
 background: none;
 background-image: none;
 border: 1px solid #a0b3b0;
 color: #ffffff;
 border-radius: 0;
 transition: border-color .25s ease, box-shadow .25s ease;
input:focus, textarea:focus {
 outline: 0;
 border-color: #1da1f2;
textarea {
 border: 2px solid #a0b3b0;
 resize: vertical;
```

```
.label-field {
 position: relative;
 margin-bottom: 40px;
.top-row:after {
 content: "";
 display: table;
 clear: both;
.top-row > div \{
 float: left;
 width: 48%;
 margin-right: 4%;
.top-row > div:last-child {
 margin: 0;
.button {
 border: 0;
 outline: none;
 border-radius: 0;
 padding: 15px 0;
 font-size: 2rem;
 font-weight: 600;
 text-transform: uppercase;
 letter-spacing: .1em;
 background: #1da1f2;
 color: #ffffff;
 transition: all 0.5s ease;
 -webkit-appearance: none;
.button:hover, .button:focus {
 background: #0080ff;
.button-block {
 display: block;
 width: 100%;
.forgot {
 margin-top: -20px;
 text-align: right;
@media (max-width: 765px) {
  label {
   left: 0;
  } }
```

```
// Code By Webdevtrick ( https://webdevtrick.com )
$('.form').find('input, textarea').on('keyup blur focus', function (e) {
 var this = (this),
   label = $this.prev('label');
 if (e.type === 'keyup') {
if ($this.val() === ") {
      label.removeClass('active highlight');
      label.addClass('active highlight');
  } else if (e.type === 'blur') {
   if( $this.val() === " ) {
   label.removeClass('active highlight');
} else {
  label.removeClass('highlight');
  } else if (e.type === 'focus') {
   if( $this.val() === " ) {
   label.removeClass('highlight');
}
   else if( $this.val() !== " ) {
  label.addClass('highlight');
  }
});
$('.tab a').on('click', function (e) {
 e.preventDefault();
 $(this).parent().addClass('active');
 $(this).parent().siblings().removeClass('active');
 target = $(this).attr('href');
 $('.tab-content > div').not(target).hide();
 $(target).fadeIn(600);
});
```