WYLE TEST REPORT NO. T56285-01 APPENDIX A.9 SOURCE CODE REVIEW REPORT

This review covers the Unisyn voting system software. The review involved evaluation of its compliance with the Election Assistance Commission (EAC) 2005 Voluntary Voting System Guidelines (VVSG). This evaluation included, but was not limited to, the following considerations:

Readability How straightforward and apparent was the design? Understandability How complicated was the code to implement it?

Modularity How well was the code divided into logical, functional units?

Robustness How well does the code handle error conditions or unexpected inputs?

Security Does the code protect the integrity of voting data at all times?

Maintainability How easy would it be to extend, fix, or modify this code in the future?

Consistency Was the design of the code coherent throughout?

Documentation Does the code contain useful and frequent comments?

Usability Does the code inform the user about progress or errors?

Flow control Are control constructs and entry/exit points logical and controlled?

The technical reports detail specific instances where it was felt that the code fell short in some areas being reviewed, and lists directories, file names, line numbers, and notes to notify the maintainers of the standards violations.

1. Initial Observations

The submitted source code consisted of files organized by functionality into major subdirectories: BallotLayout, Common, ElectionManager, ElectionSever, OCSInstaller, RegKeyBuilder, SoftwareServer, Tabulator, TabulatorClient, TabulatorReports, TabulatorService, Validator, Scripter, OVO, and OVI. The project was written in Java. Some modules included SQL statements and there was one cpp file.

2. Summary Assessment Findings

In general, review of the source code modules comprising the submitted Unisyn voting system software found that most of the code was written and commented to EAC 2005 VVSG standards. The majority of anomalies discovered during the review process consisted of issues dealing with comments, which is discussed in more detail below. Other deviations from the standards include:

- Non-conforming variable names (either one character names, names not differing by more than one character, or non-descriptive names);
- Non-permissible source code constructs (e.g., multiple exits from loops);
- Source code lines that exceeded the maximum allowed length;
- Instances of over five levels of indented scope;
- Cases of no message upon exit;
- Exceptions thrown without a comment to describe where it is caught.
- Incomplete file reference in module header.
- Incorrect revision history in module header.
- Incorrect units called in module header.
- Non-uniform commenting style.

The following observations are intended to provide a summary of the most common commenting problems identified during the source code review.

i. Module Purpose

- a. The purpose is more cryptic than descriptive, lacking detail, and using generic terms that can be applied to source code other than the module it is attempting to describe;
- b. Poor language skills and/or spelling is used, which makes it very difficult to follow the intent of the comment.

ii. Variable Comments

- a. The most common problem with variable comments is the comment does not provide
 - a clear description of how the variable is being used in the code.
- b. Variables holding SQL statements are often too generic, lacking detail.

iii. Inline Comments


- a. The reviewed source code contains many inline comments, which is very good; however, at times it appeared that inline comments were inserted into the source code merely for the exercise of it and not to provide additional information or description;
- b. Many problems identified with inline comments had to do with the comments being too cryptic or lacking in detail;
- c. The comments were often lacking a clear description of what the source code is doing.

3. Code Review Process

The source code went through several iterations of standards violations being identified by Wyle and Unisyn attempting to bring the code up to standards. Code changes were made during the code review process that also had to be brought up to standards. All identified standards violations of the code, were corrected during this process.

4. Source Files

BallotLayout



+db
BallotDBColumns.java
DBBackupTask.java
DBConstants.java
DBKeys.java
DBRestoreTask.java
DBRows.java
DBTables.java
DBTranslations.java
+export
ElectionXMLUtil.java
ExportWorker.java
+generator
BallotGenerator.java
BallotStyleBuilder.java
Contest.java
FormatBallotStyle.java
InsertBallotStyle.java
+gui AddEditCandidatePanel.java
AddEditContestPanel.java
AddEditDistrictPanel.java
AddEditDistrictType.java
AddEditHeader.java
AddEditInstructionsPanel.java
AddEditMeasurePanel.java
AddEditPartyPanel.java
AddEditPrecinctPanel.java
BallotDesktop.java
BallotPreferences.java
ContestCellRenderer.java
DistrictPanel.java
DistrictPrecinctAssignmentPanel.java
DistrictTypePanel.java
EditTranslationsPanel.java
ElectionBallotPanel.java
ElectionContestPanel.java
ElectionDisplayContainer.java
ElectionHomePanel.java
ElectionIcon.java
ElectionReportsPanel.java
GroupAssignmentPanel.java
IntegerTextField.java
LanguageAssignmentPanel.java
PartyPanel.java
PrecinctDistrictAssignmentPanel.java
PrecinctPanel.java
PreferenceDisplay.java
SetupPanel.java

```
+---menu
      BallotMainMenu.java
      ElectionFrameMenu.java
      UnisynPermissionPanel.java
      UnisynSingleSelectionModel.java
      UpdateListener.java
+---report
| | +---ballotproof
        BallotProofData.java
         BallotProofTask.java
    +---ballots
        BallotStyleData.java
        CandidateBean.java
        ContestBean.java
        IDMarkBean.java
        JasperBallotParameters.java
        PreviewBallotWorker.java
        PrintBallotsUtil.java
    +---electionproof
        ElectionProofData.java
        Election Proof Report Task. java \\
         ElectionRecordBean.java
\---precinct
        PrecinctDistrictReportTask.java
 +---tools
      AlphaNumericValidator.java
      BallotParty.java
      BallotPartyList.java
      BallotUtil.java
      BarcodeUtil.java
      NumberFieldListener.java
      UnicodeUtil.java
 \---widget
      UnisynTabbedPane.java
    +---combo
         DistrictComboBox.java
         DistrictTypeComboBox.java
         ElectionTypeComboBox.java
         LanguageComboBox.java
         PartyComboBox.java
    \---dialog
         AddContestDialog.java
         AddElectionDialog.java
         AddGroupAssignmentsDialog.java
         Add Group Translation Dialog. java\\
         AddSplitDialog.java
         AddTranslationDialog.java
```

```
| DateChooser.java | ExportDialog.java | ReorderContestsDialog.java | ReorderPrecinctsDialog.java | +---props | db.src | \---unisyn | PrintUtil.java | \---worker | UnisynBaseWorker.java | WorkerException.java | WorkerStatus.java
```

Common

```
\---com
  \---unisyn
    +---beans
         BallotBean.java
         BallotStyleBean.java
         CandidateBean.java
         CandidateOrderBean.java
         ContestBean.java
         ContestOrderBean.java
         DistrictBean.java
         DistrictTypeBean.java
         ElectionBean.java
         Field.java
         FieldValidator.java
         LanguageBean.java
         PartyBean.java
         PrecinctBean.java
       --crypto
         Cryptor.java
         CryptorException.java
         CryptoUtil.java
         EncryptDecryptFactory.java
         Hex.java
         UnisynKey.java
    +---db
         DBUtil.java
         ElectionFileCom.java
         MySQLDBCom.java
         UnisynDBCom.java
         UnisynDBFactory.java
    +---exception
         ApplicationException.java
```

+gui
LogPanel.java
UnisynAbout.java
UnisynButton.java
UnisynCheckBox.java
UnisynComboBox.java
UnisynDesktop.java
UnisynDesktopPane.java
UnisynDisplay.java
UnisynDisplayContainer.java
UnisynIcon.java
UnisynIconManager.java
UnisynMsgDialog.java
UnisynPanel.java
UnisynPasswordDialog.java
UnisynProgressBar.java
UpdatePasswordDialog.java
+list
ParentChildCellRenderer.java
UnisynList.java
UnisynListModel.java
UnisynReorderListModel.java
+task
SwingWorker.java
UnisynTask.java
\users
AddEditUserPanel.java
UserConstants.java
UserPanel.java
+logger
88
AppLog.java
AppLog.java
AppLog.java AuditCodes.java
AppLog.java AuditCodes.java LogData.java
AppLog.java AuditCodes.java LogData.java LogFinder.java
AppLog.java AuditCodes.java LogData.java LogFinder.java LogReader.java
AppLog.java AuditCodes.java LogData.java LogFinder.java LogReader.java LogWeeder.java
AppLog.java AuditCodes.java LogData.java LogFinder.java LogReader.java LogWeeder.java
AppLog.java AuditCodes.java LogData.java LogFinder.java LogReader.java LogWeeder.java SimpleLogger.java
AppLog.java AuditCodes.java LogData.java LogFinder.java LogReader.java LogWeeder.java SimpleLogger.java
AppLog.java AuditCodes.java LogData.java LogFinder.java LogReader.java LogWeeder.java SimpleLogger.java +menu UnisynCheckBoxMenuItem.java
AppLog.java AuditCodes.java LogData.java LogFinder.java LogReader.java LogWeeder.java SimpleLogger.java +menu UnisynCheckBoxMenuItem.java UnisynFrameMenuBar.java
AppLog.java AuditCodes.java LogData.java LogFinder.java LogReader.java LogWeeder.java SimpleLogger.java +menu UnisynCheckBoxMenuItem.java UnisynFrameMenuBar.java
AppLog.java AuditCodes.java LogData.java LogFinder.java LogReader.java LogWeeder.java SimpleLogger.java +menu UnisynCheckBoxMenuItem.java UnisynFrameMenuBar.java UnisynMainMenu.java UnisynMenu.java
AppLog.java AuditCodes.java LogData.java LogFinder.java LogReader.java LogWeeder.java SimpleLogger.java +menu UnisynCheckBoxMenuItem.java UnisynMainMenu.java UnisynMenu.java UnisynMenu.java UnisynMenu.java UnisynMenu.java UnisynMenu.java UnisynMenu.java UnisynMenu.java
AppLog.java AuditCodes.java LogData.java LogFinder.java LogReader.java LogWeeder.java SimpleLogger.java +menu UnisynCheckBoxMenuItem.java UnisynMainMenu.java UnisynMenu.java UnisynMenu.java UnisynMenu.java UnisynMenu.java UnisynMenu.java HojsynMenu.java UnisynMenu.java HojsynMenuItem.java
AppLog.java AuditCodes.java LogData.java LogFinder.java LogReader.java LogWeeder.java SimpleLogger.java +menu UnisynCheckBoxMenuItem.java UnisynFrameMenuBar.java UnisynMainMenu.java UnisynMenuJava UnisynMenuJava UnisynMenuJava UnisynMenuJava HoisynMenuJava UnisynMenuItem.java HoisynMenuItem.java HoisynMenuItem
AppLog.java AuditCodes.java LogData.java LogFinder.java LogReader.java LogWeeder.java SimpleLogger.java +menu UnisynCheckBoxMenuItem.java UnisynMainMenu.java UnisynMenu.java UnisynMenu.java UnisynMenu.java UnisynMenu.java UnisynMenu.java HojsynMenu.java UnisynMenu.java HojsynMenuItem.java
AppLog.java AuditCodes.java LogData.java LogFinder.java LogReader.java LogWeeder.java SimpleLogger.java +menu UnisynCheckBoxMenuItem.java UnisynFrameMenuBar.java UnisynMainMenu.java UnisynMenuJava UnisynMenuJava UnisynMenuJava UnisynMenuJava HoisynMenuJava UnisynMenuItem.java HoisynMenuItem.java HoisynMenuItem
AppLog.java AuditCodes.java LogData.java LogFinder.java LogReader.java LogWeeder.java SimpleLogger.java +menu UnisynCheckBoxMenuItem.java UnisynFrameMenuBar.java UnisynMainMenu.java UnisynMenuJava UnisynMenuJava UnisynMenuJava UnisynMenuJava HoisynMenuJava UnisynMenuItem.java HoisynMenuItem.java HoisynMenuItem

```
JasperSaveReportTask.java
    PrintScreenTask.java
    UnisynViewer.java
\---standalone
      DBPasswordDialog.java
      Stand Alone Save Report Task. java \\
      StandAloneUnisynViewer.java
      UnisynStandAloneReport.java
      UpdatePasswordDialog.java
+---security
    UnisynPermission.java
    UnisynPermissionGroup.java
    UnisynPermissionPanel.java
    UnisynPermissions.java
    UnisynPermissionSet.java
    UnisynSingleSelectionModel.java
    UnisynUserSession.java
    UpdateListener.java
+---ss1
 +---client
      UnisynClientTrustManager.java
      UnisynSecureClientSocketFactory.java
  \---server
      SSLCertificateManager.java
      UnisynServerTrustManager.java
      UnisynSSLServer.java
+---systemtools
    CDDrive.java
    DriveUpdateHandler.java
    DriveUpdateListener.java
+---tools
    ZipFileEntryBean.java
    ZipFileReader.java
+---util
    BuildInfo.java
    ChecksumCRC32Mgr.java
    Constants.java
    ConvertUtil.java
    CopyUtil.java
    CustomComboBox.java
    DateUtil.java
    DisplayConstants.java
    DisplayFormat.java
    DisplayObject.java
    ElectionManifest.java
    EncResourceBundle.java
    EncryptedStatusFile.java
    FileFilter.java
    GenericBean.java
```

GenericComparator.java GenericCompEntry.java Hex.java IString.java JSizePasswordField.java JSizeTextArea.java JSizeTextField.java PreferenceNotSetException.java Preferences.java PropertyManager.java SpringUtilities.java Status.java StreamGobbler.java TagNames.java TransactionStatus.java UniqueApp.java UnisynConstants.java UnisynUtil.java UploadProperties.java ZipProcessor.java \---xml XMLElementInfo.java XMLFileDecryptor.java XMLFileDef.java

ElectionManager

\---com +---em | +---db DBColumns.java DBConstants.java DBName.java ElectionBackup.java | +---gui ApplicationPreferences.java BallotPreviewContainer.java CloseButtonPanel.java ContestOptionPanel.java ElectionDisplayContainer.java ElectionHomePanel.java ElectionIcon.java ElectionOptionsPanel.java ElectionPasswordDialog.java EMDesktop.java LanguageComboBox.java LogViewWindow.java OverwriteDialog.java PasswordFieldListener.java PreferenceDisplay.java ReportsPanel.java ScreenConstants.java SoundDisplayPanel.java | | TextButton.java

```
TextPermissionButton.java
      tpause.gif
      tplay.gif
     tplayh.gif
UserManagementPanel.java
      UserManagementPasswordDialog.java
      ViewNotLoadedFilesDialog.java
      ViewNotLoadedSoundFilesDialog.java
BackupTask.java
        BuildElectionFilesTask.java
        LoadElectionTask.java
        RestoreTask.java
        UploadFilesTask.java
        UploadSoundFilesTask.java
   \---tmgmt
        Directory.java
        FileManager.java
        LogParser.java
        TMDisplayContainer.java
        TMMaintenancePanel.java
 +---loader
      CheckElectionHandler.java
      ElectionXMLHandler.java
      ImportElectionHandler.java
      LoadElection.java
      LoaderUtil.java
      Validator.java
+---menu
      ElectionFrameMenu.java
      EMMainMenu.java
      ExportMenuItem.java
      OpenElectionMenu.java
+---reports
BallotPreviewTask.java
      BallotProofTask.java
     MaintenanceUsersReportTask.java
| | \---data
        BallotDataSource.java
        MaintenanceUsersDataSource.java
        SoundDataSource.java
 \---tools
     Codes.java
      ElectionMgr.java
      ElectionQueryMgr.java
    +---beans
        BallotImageBean.java
```

```
ContestUndervoteBean.java
         ElectionMessageBean.java
         ElectionProfileBean.java
         OEUserPasswordBean.java
         TranslationBean.java
         UserBean.java
    +---encrypt
         EncryptedElectionZipCreator.java
         PasswordAndOVOSFileEncryptor.java
    +---export
         AdminLogZipCreator.java
         BallotStyleDataFiles.java
         BallotZipCreator.java
         OutputFile.java
         SoundZipCreator.java
         ZipCreator.java
    \---util
         BallotType.java
         BlobUtil.java
         ContestXMLFile.java
         ContestXMLFiles.java
         DataVerification.java
         ElectionStateMgr.java
         ElectionXMLFile.java
         ElectionXMLTag.java
         ElectionXMLUtil.java
         ImageUtil.java
         ManifestPropertiesFile.java
         OutputXMLFile.java
         OVOCPropertiesFile.java
         OVOSPropertiesFile.java
         PasswordAndKeyGenerator.java
         PasswordPropertiesFile.java
         PlayThread.java
         PrecinctXMLFile.java
         PrecinctXMLFiles.java
         SoundPlayer.java
         SoundUtil.java
         SoundZipFactory.java
         TranslationUtil.java
\---props
    db.src
    text en.src
    uploadsystem.src
```

ElectionSever

```
\---com
 +---es
 | +---gui
 | | ActivityPanel.java
```

```
ElectionConfirmDialog.java
     ESDesktop.java
MenuCommand.java
     OVOCViewPanel.java
| | +---model
       ActiveMachineModel.java
       LogModel.java
       ModelFactory.java
| | \---task
       LoadElectionTask.java
 +---menu
     ESMainMenu.java
 +---parser
     ElectionBean.java
     ElectionBeanXMLHandler.java
     ElectionXMLParserFactory.java
+---tools
     AuditTrail.java
     ESCodes.java
     FileTool.java
| +---util
     Config.java
     ElectionCDBean.java
     ESLogMgr.java
     ESUtil.java
     LogFileUtil.java
      WebServer.java
\---props
    db.src
    permissions.src
```

OCSInstaller

```
\---com
+---images
| BallotLayout.gif
| ElectionManager.gif
| ElectionServer.gif
| SoftwareServer.gif
| TabulatorClient.gif
| TabulatorMonitor.gif
| TabulatorReports.gif
|
\---unisyn
\---installer
```

```
| ApplicationIcon.java
| InstallerDesktop.java
| InstallPanel.java
|----task
| InstallApplicationTask.java
| ListApplicationTask.java
|----util
| InstallUtil.java
| ReleaseProperties.java
| StreamGobbler.java
```

RegKeyBuilder

```
\---com
\---admin
BuildRegKey.java
BuildUtil.java
EncodeData.java
EncryptReports.java
```

SoftwareServer

```
\---com
 +---loader
 | +---db
      DBCom.java
      DBFactory.java
      ReleaseFileCom.java
 | +---gui
 DeleteLogDialog.java
 LogDeleteTask.java
      LogViewPanel.java
      MenuCommand.java
      ReleaseKeyDialog.java
 ActiveMachineModel.java
        LogModel.java
        ModelFactory.java
 | | \---task
        LoadSoftwareTask.java
  +---logger
      LogFinder.java
      LogWeeder.java
      SimpleLogger.java
 +---menu
```

```
LoaderMainMenu.java
 +---parser
      ReleaseBean.java
      ReleaseCDBean.java
      ReleaseZipFactory.java
      ScriptBean.java
      ScriptParser.java
+---tools
      AuditTrail.java
      FileTool.java
      LoaderCodes.java
| +---util
      Config.java
      LoaderLogMgr.java
      LoaderUtil.java
      LogFileUtil.java
      RequestMessage.java
| \---www
      Service.java
      WebServer.java
    \---ss1
        HttpsService.java
\---props
    db.src
    permissions.src
```

Tabulator

```
\---com
  +---images
       activity_blk.gif
       activity_grn.gif
       activity_off.gif
       activity_red.gif
       activity_ylw.gif
  +---props
       db.src
       text_en.src
       uploadsystem.src
  \---tabulation
     +---ballot
         BallotConverter.java
         ReadData.java
         ReaderVote.java
    +---beans
         Ballot.java
         BallotBean.java
```

```
CandidateBean.java
    CandidateRCVResult.java
    ContestBean.java
    ContestRCVResult.java
    RCVResultBean.java
    RCVSelectionBean.java
    RCVVoteBean.java
    SelectionBean.java
    VoteBean.java
    DBConstants.java
    DBKeys.java
    DBName.java
    DBTables.java
    ElectionBackup.java
+---gui
| ActivityLight.java
   ElectionIcon.java
   PreferenceDisplay.java
   RCVParameterPanel.java
    RCVTabPanel.java
    RunPanel.java
    ScreenConstants.java
    TabulationDesktop.java
    TabulationDisplayContainer.java
   TabUploadPanel.java
 +---combobox
      RunComboBox.java
      RunTypeComboBox.java
      VoteScopeComboBox.java
      VoteTypeComboBox.java
 +---dialog
      AddManualEntryDialog.java
      AddSessionDialog.java
      ContestSelectionDialog.java
      ManualElimDialog.java
      OverwriteDialog.java
      ParamDialog.java
      RCVTallyContestSelectionDialog.java
+---manual
      AdjustmentDisplayObject.java
      AdjustmentPanel.java
      CandidateDisplayPanel.java
      CandidateManualEntryPanel.java
      ManualEntryAdjustment.java
      ManualEntryPanel.java
 \---util
      TabulationPreferences.java
+---load
```

```
Backup Election Result Task. java \\
    DeleteElectionTask.java
| LoadElectionFromArchiveTask.java
| LoadElectionTask.java
    LoadPrecinctVoterCountTask.java
 +---util
      ElectionLoader.java
      ElectionMgr.java
      ElectionQueryMgr.java
      ScreenConstants.java
      TabulatorCodes.java
  \---xml
      Election Input XML Handler. java\\
      ElectionInputXMLParser.java
      ElectionInputXMLValidator.java
      ElectionXMLTag.java
      ElectionXMLUtil.java
+---menu
    TabulationMainMenu.java
+---rcvtab
    GroupVoteBean.java
    RCVTabTask.java
    RCVTally.java
    VoteCounter.java
    VoteFileHandler.java
+---reports
    CrosstabDataEntryBean.java
    CrosstabMainEntryBean.java
    RCVData.java
    RCVReportTask.java
\---util
    Constants.java
    FileUtil.java
    RunDisplayObject.java
    TabulatorStatus.java
    Toolbox.java
```

TabulatorClient

```
\---com
+---images
| activity_blk.gif
| activity_grn.gif
| activity_off.gif
| activity_red.gif
| activity_ylw.gif
|
+---props
| db.src
| permissions.src
```

```
text_en.src
    uploadsystem.src
\---tc
  +---fileutil
       FileManager.java
       TabulatorStatus.java
       TransportedFile.java
       Transported File Set. java \\
       TransportMedia.java
       UploadStatus.java
  +---gui
  | | ActivityLight.java
      ActivityPanel.java
      ScreenConstants.java
      Standards.java
      TabStatusPanel.java
      TCDesktop.java
      TextField.java
      UPLoadColor.java
      UploadedMachineList.java
      VoteUploadScreen.java
    \---task
         LoadElectionTask.java
  +---menu
       TCMainMenu.java
  \---util
       DateUtility.java
       Validate.java
```

TabulatorReports

```
\---com
  +---props
      db.src
      text_en.src
  \---tabulation
    +---db
         DBConstants.java
         DBKeys.java
         DBName.java
    +---gui
    | | ElectionIcon.java
         PreferenceDisplay.java
         RunPanel.java
         ScreenConstants.java
         TabReportsDesktop.java
        TabReportsPanel.java
         TabulationDisplayContainer.java
```

```
+---combobox
      RunComboBox.java
 +---dialog
      ContestSelectionDialog.java
      OverUnderContestDialog.java
      SSOVContestSelectionDialog.java
 \---util
      TabulationPreferences.java
+---menu
    TabulationMainMenu.java
+---reports
| | Constants.java
    CrosstabDataEntryBean.java
    CrosstabMainEntryBean.java
    KeyValue.java
    TabReportUtil.java
+---overunder
      OverUnderData.java
      OverUnderReportTask.java
 +---sov
      SOVData.java
      SOVReportTask.java
+---ssov
      SSOVData.java
      SSOVReportTask.java
 +---summary
      ElectionSummaryData.java
      ElectionSummaryReportTask.java
 +---tabresult
      TabResultData.java
      TabResultReportTask.java
  \---voterturnout
      VoterTurnoutData.java
      VoterTurnoutReportTask.java
\---util
    Constants.java
    ElectionLookup.java
    ParentCache.java
    PrecinctCache.java
    RunDisplayObject.java
```

TabulatorService

```
\---com
+---props
```

```
db.src
    uploadsystem.src
\---unisyn
  \---tabserver
    | BaseDBServlet.java
      IsAliveServlet.java
       IsUpdatedServlet.java
       Registration Servlet. java \\
       UploadServlet.java
    +---db
         DBKeys.java
         DBName.java
     +---parser
         TallyFileDBParser.java
    \---util
         Constants.java
         TabServiceUtil.java
         TabVoteFile.java
```

OVI

```
\---com
 \---unisyn
    +---cast
    | | CastDriver.java
     \---card
          BallotSlipCastDriver.java
          PrintBallotSlip.java
          PrintBallotWorker.java
    +---common
    | | CommandConstants.java
       NumberConstants.java
       SystemConstants.java
    +---audio
         LoopPlayer.java
         MP3Player.java
          SoundConstants.java
    +---datawriter
     +---counter
    ProtectCounter.java
    PropertyReader.java
    | | +---loader
           Check Election Menu Item. java\\
    CheckElectionResultPanel.java
    CheckElectionWorker.java
```

AuditTrail.java ILogXML.java ILogXMLFactory.java LogData.java LogMenuItem.java LogParseListener.java LogReader.java LogXML.java LogXML.java LogXML.java LogXMLFactory.java LogXMLFile.java SimpleLogger.java
+encryption ApplicationEncryptDecryptFactory.java Cryptor.java CryptoUtil.java ElectionEncryptDecryptFactory.java Hex.java UnisynFileReader.java UnisynKey.java ApplicationException.java CryptorException.java
ValidationException.java
+interfaces Displayable.java Navigatable.java Protected.java Selectable.java

```
UnisynKeys.java
 +---listener
     RXTXSerialPortListener.java
+---nav
     DefaultKeyNavigator.java
UnisynKeyListener.java
     UnisynKeyNavigator.java
+---print
 | \---jpos
        FixListener.java
        PrintUtil.java
       TSP700II.java
UnisynPOSPrinter.java
        UnisynPOSPrinterImpl.java
+---util
| | BuildFile.java
     CheckStatus.java
     ChecksumCRC32Mgr.java
     ComBean.java
Constants.java
EncryptedStatusFile.java
| | FontUtil.java
| | INIFile.java
Status.java
SystemCodes.java
     TextManager.java
     Toolbox.java
UnicodeUtil.java
| \---zip
        ZipFileEntryBean.java
        ZipFileExtractor.java
        ZipFileReader.java
        ZipProcessor.java
+---widgit
     Bookend.java
     ClockLabel.java
     CustomToggleButton.java
     DisplayTextPanel.java
     FormatCodes.java
     MultilineZoomLabel.java
     RoundedHeader.java
     SelectedLabel.java
     ThreeDButton.java
     UnisynSet.java
     ZoomButton.java
     ZoomLabel.java
+---worker
     UnisynBaseWorker.java
```

```
WorkerStatus.java
 +---xml
      ParserFactory.java
 \---xmlfile
      XMLSplitFile.java
+---election
| | ElectionConstants.java
    IntegrityCheckWorker.java
+---data
      CandidateBean.java
      ContestBean.java
      ElectionBean.java
      ElectionTitleBean.java
      LanguageBean.java
      PartyBean.java
      PartyDescriptionBean.java
      PrecinctBean.java
      SessionBean.java
  \---reader
      BallotCardXMLHandler.java
      ContestBeanXMLHandler.java
      ElectionBeanXMLHandler.java
      ElectionXMLParserFactory.java
      PrecinctBeanXMLHandler.java
\---ovi
    ApplicationConstants.java
    ColorConstants.java
    OVI.java
  +---data
      BallotCard.java
      CandidateData.java
      ContestData.java
      PartyData.java
      SessionData.java
  +---gui
  | | HardwareCheck.java
      OVIConstants.java
      OVIMain.java
  +---admin
        ChangeCloseTimeMenuItem.java
        ChangeCloseTimePanel.java
        checkbox_disabled.gif
        CloseMenuItem.java
        CloseMenuReport.java
        ConfirmSpecialSession.java
  disabled_selected.gif
  DisplayAdminMenu.java
```

InfoMenuItem.java ManualPrecinctInput.java		
ResetTrainingMenuItem.java selected.gif		
SpecialSessionItem.java		
unselected.gif		
 +diagnostics		
DiagnosticsAdminAudio.java		
DiagnosticsAudio.java		
DiagnosticsAudioList.java DiagnosticsAudioListElection.java		
Diagnostics Color Display.java		
DiagnosticsHeadphones.java		
DiagnosticsKeyboard.java		
DiagnosticsMenuItem.java		
DiagnosticsPrinter.java		
DiagnosticsSelectLanguage.java		
DiagnosticsSipPuff.java DiagnosticsTouchscreen.java		
Diagnostics Fouchscreen.java		
+maintenance		
MaintenanceMenuItem.java		
PrintTestDeckWorker.java		
TestDeckMenuItem.java TestDeckPanel.java		
TestDecki anci.java		
\user		
ConfirmCancelBallot.java		
ConfirmContinueSession.java ConfirmOpenVoting.java		
DisplayBallot.java		
DisplayInstructions.java		
DisplayMessage.java		
DisplayProgress.java		
DisplaySummary.java		
SelectBallot.java		
SelectLanguage.java		
SelectParty.java STSelectParty.java		
WriteInKeyboard.java		
i		
+nav		
BallotKeyNavigator.java KeyboardNavigator.java		
SingleKeyNavigator.java		
SummaryKeyNavigator.java		
+reports		
ReportFactory.java Reports.java		
ReportViewer.java		
+util		
CanPositionComparator.java		
ContestBeanOrderComparator.java		

```
ContestOrderComparator.java
           MaintLogin.java
           MediaRecovery.java
           RankContestValidator.java
       +---widget
           ContestDisplay.java
           ContestSummaryDisplay.java
           LanguageSelectButton.java
           MeasureTextPanel.java
           PartySelectButton.java
           SelectableCandidateDisplay.java
      \---worker
           DefaultCloseWorker.java
           DefaultOpenWorker.java
           PopulateBallotWorker.java
ovo
\---JNI
    scandllinterface.cpp
+---Common
 \---com
    \---unisyn
      +---ballot
           BallotConverter.java
           ReadData.java
           ReaderVote.java
      +---beans
           AuditTrailBean.java
           Ballot.java
           BallotBean.java
           CandidateBean.java
           CardDef.java
           CastBean.java
           ComBean.java
           ContestBean.java
           ContestBeanGroup.java
           ElectionBean.java
           ElectionSessionBean.java
           ElectionTitleBean.java
           IBeanXML.java
           LanguageBean.java
           LocationPosition.java
           LocationValue.java
           NewElectionBean.java
           ParameterDef.java
           PartyBean.java
           PartyContainer.java
           PartyDescriptionBean.java
           PersonVoteContainer.java
           PrecinctBean.java
           PrecinctBeanGroup.java
```

```
PrecinctVoteCount.java
           SelectionBean.java
           StartupStatus.java
           SystemStatus.java
           TabCandidateBean.java
           TabContestBean.java
           TabPrecinctBean.java
           TabPrecinctBeanGroup.java
           TabulationBean.java
           TabulationHeaderBean.java
           VoteBean.java
           ZipFileEntryBean.java
      +---crypto
           Cryptor.java
           CryptoUtil.java
           Hex.java
           UnisynKey.java
      +---exception
           ApplicationException.java
           CryptorException.java
           ElectionException.java
           PostMortemException.java
           ValidationException.java
           VoteWriterException.java
      +---util
           BuildFile.java
           CheckStatus.java
           ChecksumCRC32Mgr.java
           Constants.java
           ElectionEncryptDecryptFactory.java
           EncResourceBundle.java
           IDebug.java
           ILogXML.java
           ILogXMLFactory.java
           LogData.java
           SimpleLogger.java
           Status.java
           SystemCodes.java
           Toolbox.java
           Txt2ImgFactory.java
           UnisynFileReader.java
           ZipFileReader.java
           ZipProcessor.java
      \---xmlfile
           XMLSplitFile.java
+---Help Files
| | help-files.bat
| \---com
    \---unisyn
      \---oc
```

```
\---application
          \---help
               adminfunctions_en.html
               adminfunctions_en.properties
               closevoting_en.html
               closevoting_en.properties
               diagnostics_en.html
               diagnostics_en.properties
               mainscreen_en.html
               mainscreen_en.properties
               password_en.html
               password_en.properties
               shutdown en.html
               shutdown_en.properties
               startup_en.html
               startup_en.properties
               summary_en.html
               summary_en.properties
+---OC
 \---com
    +---props
        text_en.src
    \---unisyn
      +---client
        \---reader
             AbstractReaderClient.java
             ReaderClient.java
             VoterScreenMsgs.java
      +---oc
      +---application
      AccuracyTestButton.java
            AccuracyTestScreen.java
            AddPrecincts.java
      AddPrecinctScreen.java
            AdminLog.java
      AdminMenuBase.java
            AdminMenuButton.java
            AdminMenuScreen.java
            ChangeCloseTime.java
            CheckLoadElection.java
            CleanFiles.java
            CleanFilesScreen.java
            ClientStartup.java
            ClockLabel.java
            CloseVoting.java
            CloseVotingButton.java
            Diagnostics.java
            DisplayTest.java
            ErrorScreen.java
            FixPrinter.java
            Global.java
            LoadElection.java
```

	LoadElectionButton.java
	LoadElectionDialog.java
	MachineInfoButton.java
	MachineInfoScreen.java
	MaintenanceButton.java
	MaintenanceMenu.java
	MaintenancePswdScreen.java
	OCStrings.java
	OC_INI.java
	PasswordScreen.java
	PasswordValidate.java
	PrecinctCardScreen.java
	PrecinctEntryScreen.java
	PrintAuditTrail.java
	PrintTest.java
	ProgressScreen.java
	ReaderOptions.java ReaderTest.java
	ResponseHandler.java
	RunSession.java
	ScreenStateListener.java SelectSessionDialog.java
	Shutdown.java ShutdownBaseScreen.java
	ShutdownBaseScreen.java
	StartupPanel.java
	StartupFranci.java StartupScreen.java
	TimerDialog.java
	TouchTest.java TrainingOptions.java
	TrainingOptions.java
1 1	ViewTally.java
	ViewTany.java VoterScreen.java
	Voicisciccii.java
	\summary
	ContestSummaryDisplay.java
	DisplaySummary.java
	MultipageDisplay.java
	WrappedColumnPanel.java
	+printer
i i	PCL.java
ii	PrinterConstants.java
	PrintReaderErrors.java
ii	PrintReceipt.java
i i	PrintTally.java
ii	PrintVote.java
i i	
i i	+reader
i i	Driver.java
i i	DriverStatusMonitor.java
i i	IDataStream.java
i i	LogFile.java
i i	ObservableObject.java
j	ReaderConstants.java
	ReaderDriver.java

	ReaderStatusMonitor.java
	ndisaannar
\-	pdiscanner PDIScanner.java
	ScanDLLInterface.java
	ScanDELinterrace.java
J1	
	ApplicationButton.java
	ApplicationScreen.java
	BigBevelBorder.java
	ButtonPanel.java
	button_admin.gif
	button_admin_disabled.gif
	button_admin_down.gif
	checkbox_disabled.gif
	ColorUtil.java
	DataField.java DataLabel.java
	DataStream.java
	disabled_selected.gif
	Editor.java
	EditorField.java
	EmptyButton.java
ii	ExitButton.java
i i	FontUtil.java
i i	GridPanel.java
i i	HelpButton.java
j j	IButton.java
	IDataInputByteArray.java
	IDataInputStream.java
	IDataOutputByteArray.java
	IDataOutputStream.java
	IDialog.java
	IKey.java
	InfoDialog.java
	IPanel.java
	IRadioButton.java
	IScrollPane.java IString.java
	KeyboardPanel.java
	Keypad.java
i i	KeypadPanel.java
i i	KeyPanel.java
i i	LabeledField.java
i i	NumberKeypad.java
j j	OKDialog.java
	OSService.java
	Parameter.java
	ProgressBar.java
	Screen.java
	selected.gif
	SendButton.java
	ServiceName.java
	SPanel.java
	Standards.java StatusPanel.java
1 1	Statusi anci.java

```
TallyUtil.java
             TextIcon.java
             TextPanel.java
             TextScreen.java
             ThreeDButton.java
             unselected.gif
             YesNoDialog.java
             ZoomButton.java
      \---printer
         | IPrinter.java
          PrintManager.java
        \---citizen
             CitizenPOSPrinter.java
             CitizenPrinterPCL.java
\---OS
  \---com
    \---unisyn
      \---os
             OSElectionBean.java
         +---crypto
             OSCryptor.java
         +---logreader
             LogParseListener.java
             LogReader.java
             LogXML.java
             LogXMLFactory.java
             LogXMLFile.java
         +---service
         | | AuthorizePrecinct.java
         | | BallotBeanXMLHandler.java
         | | BallotFactory.java
         | | CallHandler.java
        | | CloseVotingProcess.java
          | ContestBeanXMLHandler.java
         | | Counters.java
        | | ElectionBeanXMLHandler.java
        | | ElectionInfoFactory.java
        | | ElectionXMLParserFactory.java
        | OCLogin.java
          | OCService.java
         | OCTallyUtil.java
         PrecinctBeanXMLHandler.java
            PrecinctService.java
             SoundZipFactory.java
             UnmountUSB.java
          \---electionmanager
               ElectionLoader.java
               ElectionLoaderFactory.java
```

```
ElectionManager.java
      IElectionLoader.java
+---tab
    CandidatePartyCount.java
    ParseVotesFile.java
    PrecinctCandidate.java
    PrecinctContest.java
    PrecinctPartyCount.java
    PrecinctTally.java
    ReadTallyFile.java
    TabConstants.java
    TabHelper.java
    TabPrecincts.java
    Tabulation.java
    Tally.java
+---util
 | AuditTrail.java
| | CanPositionComparator.java
| | ContestOrderComparator.java
| | HttpDownloadManager.java
 | OSConstants.java
   TagNames.java
    TransactionID.java
    UnisynSecureClientSocketFactory.java
    ZipFileExtractor.java
  \---state
      ControlCenter.java
      StatusGroup.java
\---votewriter
    VoteParseListener.java
    VoteWriter.java
    VoteXML.java
    VoteXMLFile.java
    VoteXMLFileListener.java
    XMLParseListener.java
```

TOOLS

```
+---Scripter
| +---Build
| | build.cmd
| | build_dir.properties
| scripter_build.xml
| |
| +---Deploy
| paths.xml
| run.cmd
| |
| \---Source
| \---com
| \---unisyn
```

```
\---scripter
            +---ap
                Scripter.java
            +---crypto
                ChecksumCRC32Mgr.java
                CryptoUtil.java
                Status.java
           \---fileutil
                DLLFile.java
                DownloadFile.java
                PasswordFile.java
                PathEntryName.java
                PathnameFile.java
                ReleaseFile.java
                ScriptFile.java
                SourceFile.java
\---Validator
  +---Build
      build.cmd
      build_dir.properties
      library.bat
       validator_build.xml
  +---Deploy
  | run
  | \----lib
  \---Source
    \---com
       +---props
           text_en.src
       \---unisyn
         \---validator
                DisplayPanel.java
                FileHandler.java
                HttpDownloadManager.java
                OfflineDisplayPanel.java
                OnlineDisplayPanel.java
                PasswordScreen.java
                ShutdownButton.java
                ShutdownScreen.java
                UnisynSecureClientSocketFactory.java
                Validator.java
                ValidatorScreen.java
                VStrings.java
            +---crypto
                CryptorException.java
                CryptoUtil.java
                UnisynKey.java
```

```
+---fileutil
    DLLFile.java
    DownloadFile.java
    LogFile.java
    ScriptFile.java
    TemporaryFile.java
\---util
    BuildFile.java
    ButtonPanel.java
    Constants.java
    DataField.java
    DataLabel.java
    DataStream.java
    Editor.java
    EditorField.java
    EmptyButton.java
    EncResourceBundle.java
    GridPanel.java
    IPanel.java
    IScrollPane.java
    IString.java
    KeyboardPanel.java
    Keypad.java
    KeyPanel.java
    LabeledField.java
    MachineUtil.java
    NumberKeypad.java
    Screen.java
    SendButton.java
    Standards.java
    Status.java
    SystemCodes.java
    ThreeDButton.java
    VColor.java
```