Tables testing

Nick Graetz

2

Table 1: Change in life expectancy and contextual covariates, 1990-2015

	Large Central Metro									Larg	e Metro Su	ıburb		
_	ex	Transfers	MDs	Obesity	College	In-mig	Manuf	ex	Transfers	MDs	Obesity	College	In-mig	Manuf
Male														
Appalachia	2.6	3.2	2.2	4.9	15.3	0.0	-4.1	3.0	5.4	0.4	4.8	11.0	-0.5	-7.8
East North Central	4.2	5.3	1.4	4.1	13.3	0.0	-7.2	3.5	5.7	0.8	5.2	11.4	-0.3	-7.4
East South Central	2.5	5.0	1.4	4.9	14.6	0.1	-5.3	3.2	5.5	0.7	6.4	12.4	-0.2	-8.8
Middle Atlantic	7.4	3.8	1.3	3.1	17.4	0.3	-8.6	4.3	5.0	0.8	4.2	12.5	0.1	-7.9
Mountain	4.3	4.4	0.3	5.6	8.7	-0.5	-5.4	4.4	7.0	0.4	4.6	10.1	0.0	-6.1
New England	4.3	4.7	2.5	5.9	14.2	0.5	-9.3	3.6	2.8	1.0	5.4	14.7	0.3	-9.1
Pacific	6.5	4.0	0.7	1.6	10.5	0.4	-8.1	4.6	4.8	0.7	3.6	8.7	-0.1	-4.8
South Atlantic	5.7	4.6	0.8	3.1	14.4	0.1	-4.8	3.5	6.3	0.6	4.2	10.8	-0.1	-6.0
West North Central	4.8	4.3	0.7	3.3	17.1	0.5	-5.9	3.7	5.6	1.2	4.0	12.3	-0.1	-7.2
West South Central	5.1	3.7	0.6	3.7	5.6	0.3	-5.1	4.3	4.0	0.6	3.5	9.4	0.2	-5.8
Female														
Appalachia	1.9	3.2	2.2	5.0	15.4	0.0	-4.0	0.9	5.2	0.4	4.8	11.1	-0.4	-7.8
East North Central	2.4	5.3	1.4	4.1	13.3	0.0	-7.2	2.2	5.6	0.8	5.1	11.5	-0.3	-7.4
East South Central	1.0	4.9	1.4	4.9	14.6	0.1	-5.3	0.7	5.5	0.7	6.5	12.4	-0.1	-8.8
Middle Atlantic	4.7	3.8	1.3	3.1	17.5	0.3	-8.6	3.4	5.0	0.8	4.2	12.5	0.0	-7.9
Mountain	2.1	4.4	0.3	5.6	8.6	-0.5	-5.5	3.0	7.0	0.5	4.6	10.1	0.0	-6.1
New England	2.3	4.7	2.5	5.9	14.1	0.5	-9.3	2.5	2.8	1.0	5.4	14.6	0.3	-9.1
Pacific	4.1	4.0	0.7	1.7	10.3	0.3	-8.1	3.0	4.8	0.7	3.6	8.7	-0.1	-4.8
South Atlantic	3.3	4.5	0.7	3.2	14.3	0.2	-4.8	2.2	6.3	0.6	4.3	10.9	-0.2	-6.0
West North Central	2.1	4.2	0.6	3.2	17.2	0.5	-5.9	2.0	5.6	1.2	4.0	12.3	-0.1	-7.2
West South Central	2.3	3.7	0.6	3.7	5.6	0.3	-5.1	2.1	4.0	0.6	3.5	9.4	0.2	-5.7

٠

Table 2: Change in life expectancy and contextual covariates, 1990-2015

	Small Metro								Nonmetro						
_	ex	Transfers	MDs	Obesity	College	In-mig	Manuf	ex	Transfers	MDs	Obesity	College	In-mig	Manuf	
Male															
Appalachia	2.6	3.2	2.2	4.9	15.3	0.0	-4.1	3.0	5.4	0.4	4.8	11.0	-0.5	-7.8	
East North Central	4.2	5.3	1.4	4.1	13.3	0.0	-7.2	3.5	5.7	0.8	5.2	11.4	-0.3	-7.4	
East South Central	2.5	5.0	1.4	4.9	14.6	0.1	-5.3	3.2	5.5	0.7	6.4	12.4	-0.2	-8.8	
Middle Atlantic	7.4	3.8	1.3	3.1	17.4	0.3	-8.6	4.3	5.0	0.8	4.2	12.5	0.1	-7.9	
Mountain	4.3	4.4	0.3	5.6	8.7	-0.5	-5.4	4.4	7.0	0.4	4.6	10.1	0.0	-6.1	
New England	4.3	4.7	2.5	5.9	14.2	0.5	-9.3	3.6	2.8	1.0	5.4	14.7	0.3	-9.1	
Pacific	6.5	4.0	0.7	1.6	10.5	0.4	-8.1	4.6	4.8	0.7	3.6	8.7	-0.1	-4.8	
South Atlantic	5.7	4.6	0.8	3.1	14.4	0.1	-4.8	3.5	6.3	0.6	4.2	10.8	-0.1	-6.0	
West North Central	4.8	4.3	0.7	3.3	17.1	0.5	-5.9	3.7	5.6	1.2	4.0	12.3	-0.1	-7.2	
West South Central	5.1	3.7	0.6	3.7	5.6	0.3	-5.1	4.3	4.0	0.6	3.5	9.4	0.2	-5.8	
Female															
Appalachia	1.9	3.2	2.2	5.0	15.4	0.0	-4.0	0.9	5.2	0.4	4.8	11.1	-0.4	-7.8	
East North Central	2.4	5.3	1.4	4.1	13.3	0.0	-7.2	2.2	5.6	0.8	5.1	11.5	-0.3	-7.4	
East South Central	1.0	4.9	1.4	4.9	14.6	0.1	-5.3	0.7	5.5	0.7	6.5	12.4	-0.1	-8.8	
Middle Atlantic	4.7	3.8	1.3	3.1	17.5	0.3	-8.6	3.4	5.0	0.8	4.2	12.5	0.0	-7.9	
Mountain	2.1	4.4	0.3	5.6	8.6	-0.5	-5.5	3.0	7.0	0.5	4.6	10.1	0.0	-6.1	
New England	2.3	4.7	2.5	5.9	14.1	0.5	-9.3	2.5	2.8	1.0	5.4	14.6	0.3	-9.1	
Pacific	4.1	4.0	0.7	1.7	10.3	0.3	-8.1	3.0	4.8	0.7	3.6	8.7	-0.1	-4.8	
South Atlantic	3.3	4.5	0.7	3.2	14.3	0.2	-4.8	2.2	6.3	0.6	4.3	10.9	-0.2	-6.0	
West North Central	2.1	4.2	0.6	3.2	17.2	0.5	-5.9	2.0	5.6	1.2	4.0	12.3	-0.1	-7.2	
West South Central	2.3	3.7	0.6	3.7	5.6	0.3	-5.1	2.1	4.0	0.6	3.5	9.4	0.2	-5.7	

Table 3: Change in life expectancy and contextual covariates, 1990-2015

			Lar	ge Central Me	etro					Lai	ge Metro Sub	urb		
	ex	Transfers	MDs	Obesity	College	In-mig	Manuf	ex	Transfers	MDs	Obesity	College	In-mig	Manuf
Male														
Appalachia	2.3 (71.9-74.2)	8.5 (15.8-24.4)	0.6 (1.8-2.4)	5.5 (25.8-31.3)	8.1 (16.6-24.7)	-0.2 (0.2-0)	-9.7 (23.6-13.9)	2 (71.2-73.2)	10.4 (19.1-29.5)	0.1 (0.9-1)	6.5 (26.1-32.7)	5.8 (10.6-16.4)	-0.4 (0.3-0)	-10.3 (27.3-17)
East North Central	2.7 (73.4-76.1)	7.2 (13.1-20.3)	0.8 (1.9-2.7)	5.4 (25.7-31.1)	8.3 (19.6-27.9)	-0.2 (-0.1–0.3)	-6 (23.2-17.1)	2.6 (72.8-75.5)	8.1 (15.7-23.8)	0.1 (0.8-0.9)	6.8 (25.4-32.2)	5.9 (11.3-17.3)	-0.5 (0.4–0.1)	-6.5 (28.8-22.3
East South Central	2.1 (72-74.1)	8.7 (13.6-22.2)	0.6 (2-2.6)	4.1 (27.9-32)	8.2 (20.7-28.9)	-0.1 (0-0.1)	-5.7 (17.8-12.1)	1.7 (70.5-72.2)	10.7 (19.1-29.9)	0.1 (0.7-0.8)	6.5 (28.6-35.1)	5.3 (11.6-16.9)	-0.3 (0.3–0.1)	-10 (28.4-18.4)
Middle Atlantic	3.2 (73.7-76.9)	7.2 (12.6-19.8)	0.6 (2-2.5)	5.3 (23.9-29.2)	9.1 (19.5-28.6)	-0.2 (0-0.2)	-7.6 (19.2-11.6)	4.1 (72.8-77)	9 (16.7-25.6)	0 (1-1)	5.8 (22.4-28.2)	7.2 (14.2-21.4)	-0.3 (0-0.3)	-7.1 (17.5-10.4)
Mountain	3.1 (73.9-77)	6.7 (12.5-19.2)	0.4 (1.8-2.2)	5.3 (19.4-24.7)	8.2 (23.4-31.6)	-0.6 (0.8-0.2)	-4.3 (12.3-8)	3 (73.5-76.4)	8.6 (15.9-24.5)	0.3 (0.9-1.2)	4.5 (20.8-25.3)	7.5 (18-25.5)	-0.8 (0.9-0.2)	-3.4 (9.9-6.5)
New England	3.1 (74-77.2)	5.4 (12.1-17.5)	1.1 (2.6-3.7)	5.3 (20.4-25.6)	12.1 (24.9-37)	0.2 (-0.4–0.2)	-10.1 (20.6-10.6)	3.3 (73.5-76.8)	8.7 (13.1-21.8)	0.5 $(1.6-2.1)$	5.7 (21.7-27.4)	9.2 (21.2-30.5)	0 (0-0)	-8.8 (19.7-10.8)
Pacific	3.4 (73.2-76.6)	7.1 (13.8-20.9)	0.4 (1.6-2)	4.2 (22.8-26.9)	6 (20.5-26.4)	-0.4 (0.4-0)	-4.6 (13.4-8.8)	3.1 (72.6-75.8)	9.7 (17.3-27)	0.1 $(1.1-1.3)$	4.2 (23.3-27.5)	6.9 (15.8-22.7)	-0.6 (0.9-0.3)	-7.2 (15.7-8.4)
South Atlantic	3.3 (73-76.3)	9.5 (13.1-22.6)	0.5 (2-2.6)	4.2 (24.5-28.7)	8.6 (20.8-29.4)	-0.2 (0.6-0.4)	-7.6 (16.1-8.5)	2.9 (70.8-73.7)	11.7 (16.9-28.6)	0.1 (1-1.1)	5.6 (27.4-33)	6 (13.9-19.9)	-0.6 (0.7-0.1)	-12.9 (25.6-12.7)
West North Central	3.3 (73.8-77.1)	4.4 (12.2-16.6)	0.7 (2.3-3.1)	5.3 (24.5-29.8)	10.1 (21.9-32)	-0.3 (0.1–0.2)	-3.7 (15.1-11.3)	2.4 (73.7-76.1)	6.4 (17.2-23.6)	0.1 (0.8-0.9)	6.5 (25.8-32.3)	6.9 (12.7-19.6)	-0.5 (0.3–0.2)	-3.6 (18.9-15.3)
West South Central Female	2.2 (72-74.3)	6.2 (14.2-20.4)	0.5 (1.6-2.2)	6.6 (25.7-32.3)	5.8 (19.1-24.9)	-0.2 (0-0.1)	-5.2 (15-9.8)	1.6 (71.3-72.9)	7.9 (19.7-27.5)	-0.1 (0.8-0.7)	6.1 (26.6-32.7)	4.7 (13-17.7)	-0.3 (0.3-0)	-5.9 (17.3-11.4)
Appalachia	0.3 (79-79.3)	8.5 (15.9-24.4)	0.6 (1.8-2.4)	5.5 (25.8-31.3)	8.2 (16.5-24.7)	-0.2 (0.2-0)	-9.6 (23.6-13.9)	-0.4 (78.6-78.2)	10.3 (19.2-29.5)	0.1 (0.9-1)	6.5 (26.2-32.7)	5.8 (10.6-16.4)	-0.2 (0.2-0)	-10.2 (27.3-17)
East North Central	1.2 (79.5-80.8)	7.2 (13.1-20.3)	0.8 (1.9-2.7)	5.4 (25.7-31.1)	8.4 (19.5-27.9)	-0.2 (-0.1–0.3)	-6 (23.1-17.1)	0.7 (79.6-80.3)	8.1 (15.7-23.8)	0.1 (0.8-0.9)	6.8 (25.4-32.2)	6 (11.3-17.3)	-0.4 (0.3–0.1)	-6.5 (28.7-22.2)
East South Central	0.3 (79.1-79.4)	8.6 (13.6-22.2)	0.6 (2-2.6)	4.1 (27.9-32)	8.1 (20.9-29)	-0.1 (0.1–0.1)	-5.7 (17.8-12.1)	-0.9 (78.7-77.8)	10.6 (19.2-29.8)	0.1 (0.7-0.8)	6.4 (28.6-35)	5.4 (11.6-17)	-0.1 (0.1-0)	-10.1 (28.5-18.4)
Middle Atlantic	2 (79.8-81.8)	7.2 (12.6-19.8)	0.6 (2-2.5)	5.3 (23.9-29.2)	9.1 (19.5-28.6)	-0.2 (0-0.2)	-7.6 (19.2-11.6)	1.8 (79-80.8)	9 (16.7-25.7)	0 (1-1)	5.8 (22.4-28.2)	7.2 (14.2-21.4)	-0.3 (0-0.3)	-7.2 (17.6-10.4)
Mountain New	1.5 (80-81.4) 2 (80.1-82.1)	6.7 (12.5-19.2) 5.4 (12.1-17.5)	0.4 (1.8-2.2) 1.1 (2.6-3.7)	5.3 (19.3-24.7) 5.2 (20.3-25.6)	8.2 (23.4-31.6) 12.1 (24.9-37.1)	-0.6 (0.8-0.2) 0.1 (-0.4-0.3)	-4.3 (12.3-8) -10.1 (20.6-10.5)	1.7 (79.5-81.2) 1.2 (80-81.2)	8.6 (16-24.6) 8.6 (13.1-21.8)	0.3 (0.9-1.2) 0.5 (1.6-2.1)	4.5 (20.7-25.3) 5.7 (21.7-27.3)	7.6 (17.9-25.5) 9.3 (21.2-30.5)	-0.6 (0.8-0.2) 0 (0-0)	-3.3 (9.9-6.6) -8.8 (19.7-10.8)
England Pacific	2 (79.4-81.4)	7.1 (13.9-20.9)	0.4 (1.7-2.1)	4.1 (22.8-26.9)	6 (20.5-26.4)	-0.4 (0.4-0)	-4.6 (13.4-8.8)	2.1 (78.6-80.7)	9.6 (17.4-27)	0.1 (1.1-1.3)	4.1 (23.4-27.5)	7.1 (15.6-22.7)	-0.5 (1-0.5)	-7.3 (15.7-8.4)
South Atlantic	1.8 (79.7-81.4)	9.5 (13.2-22.6)	0.5 (2.1-2.6)	4.2 (24.5-28.7)	8.7 (20.8-29.5)	-0.2 (0.7-0.5)	-7.7 (16.2-8.5)	0.4 (78.5-78.9)	11.7 (17-28.6)	0.1 (1-1.1)	5.5 (27.5-33)	6.1 (13.9-20)	-0.4 (0.6-0.2)	-13.1 (25.9-12.8)
West North	1.1 (80.5-81.6)	4.4 (12.2-16.6)	0.7 (2.4-3.1)	5.3 (24.5-29.8)	10.2 (21.9-32)	-0.2 (0-0.2)	-3.8 (15.1-11.4)	0.3 (80.5-80.8)	6.4 (17.2-23.6)	0.1 (0.8-0.9)	6.5 (25.8-32.3)	6.9 (12.7-19.6)	-0.4 (0.2–0.2)	-3.6 (18.9-15.4)
Central West South Central	0.5 (78.9-79.4)	6.1 (14.2-20.3)	0.5 (1.7-2.2)	6.6 (25.7-32.3)	5.9 (19.1-25)	-0.1 (0-0.1)	-5.2 (15-9.9)	-0.8 (78.8-77.9)	7.8 (19.7-27.5)	0 (0.8-0.7)	6.1 (26.6-32.8)	4.8 (12.9-17.7)	-0.2 (0.2-0)	-5.8 (17.3-11.5

				Small Metro			Nonmetro							
	ex	Transfers	MDs	Obesity	College	In-mig	Manuf	ex	Transfers	MDs	Obesity	College	In-mig	Manuf
Male														
Appalachia	2.3 (71.9-74.2)	8.5 (15.8-24.4)	0.6 (1.8-2.4)	5.5 (25.8-31.3)	8.1 (16.6-24.7)	-0.2 (0.2-0)	-9.7 (23.6-13.9)	2 (71.2-73.2)	10.4 (19.1-29.5)	0.1 (0.9-1)	6.5 (26.1-32.7)	5.8 (10.6-16.4)	-0.4 (0.3-0)	-10.3 (27.3-17)
East North Central	2.7 (73.4-76.1)	7.2 (13.1-20.3)	0.8 (1.9-2.7)	5.4 (25.7-31.1)	8.3 (19.6-27.9)	-0.2 (-0.1–0.3)	-6 (23.2-17.1)	2.6 (72.8-75.5)	8.1 (15.7-23.8)	0.1 (0.8-0.9)	6.8 (25.4-32.2)	5.9 (11.3-17.3)	-0.5 (0.4–0.1)	-6.5 (28.8-22.3)
East South	2.1 (72-74.1)	8.7 (13.6-22.2)	0.6 (2-2.6)	4.1 (27.9-32)	8.2 (20.7-28.9)	-0.1 (0-0.1)	-5.7 (17.8-12.1)	1.7 (70.5-72.2)	10.7 (19.1-29.9)	0.1 (0.7-0.8)	6.5 (28.6-35.1)	5.3 (11.6-16.9)	-0.3 (0.3–0.1)	-10 (28.4-18.4)
Central Middle Atlantic	3.2 (73.7-76.9)	7.2 (12.6-19.8)	0.6 (2-2.5)	5.3 (23.9-29.2)	9.1 (19.5-28.6)	-0.2 (0-0.2)	-7.6 (19.2-11.6)	4.1 (72.8-77)	9 (16.7-25.6)	0 (1-1)	5.8 (22.4-28.2)	7.2 (14.2-21.4)	-0.3 (0-0.3)	-7.1 (17.5-10.4)
Mountain	3.1 (73.9-77) 3.1	6.7 (12.5-19.2) 5.4	0.4 (1.8-2.2) 1.1	5.3 (19.4-24.7) 5.3	8.2 (23.4-31.6) 12.1	-0.6 (0.8-0.2) 0.2	-4.3 (12.3-8) -10.1	3 (73.5-76.4) 3.3	8.6 (15.9-24.5) 8.7	0.3 (0.9-1.2) 0.5	4.5 (20.8-25.3) 5.7	7.5 (18-25.5) 9.2	-0.8 (0.9-0.2)	-3.4 (9.9-6.5) -8.8
New England	(74-77.2)	(12.1-17.5)	(2.6-3.7)	(20.4-25.6)	(24.9-37)	(-0.4-0.2)	(20.6-10.6)	(73.5-76.8)	(13.1-21.8)	(1.6-2.1)	(21.7-27.4)	(21.2-30.5)	(0-0)	(19.7-10.8)
Pacific	3.4 (73.2-76.6) 3.3	7.1 (13.8-20.9) 9.5	0.4 (1.6-2) 0.5	4.2 (22.8-26.9) 4.2	6 (20.5-26.4) 8.6	-0.4 (0.4-0) -0.2	-4.6 (13.4-8.8) -7.6	3.1 (72.6-75.8) 2.9	9.7 (17.3-27) 11.7	0.1 (1.1-1.3) 0.1	4.2 (23.3-27.5) 5.6	6.9 (15.8-22.7) 6	-0.6 (0.9-0.3) -0.6	-7.2 (15.7-8.4) -12.9
South Atlantic	(73-76.3)	(13.1-22.6)	(2-2.6)	(24.5 - 28.7)	(20.8-29.4)	(0.6-0.4)	(16.1-8.5)	(70.8-73.7)	(16.9 - 28.6)	(1-1.1)	(27.4-33)	(13.9-19.9)	(0.7-0.1)	(25.6-12.7)
West North Central	3.3 (73.8-77.1)	4.4 (12.2-16.6)	0.7 (2.3-3.1)	5.3 (24.5-29.8)	10.1 (21.9-32)	-0.3 (0.1–0.2)	-3.7 (15.1-11.3)	2.4 (73.7-76.1)	6.4 (17.2-23.6)	0.1 (0.8-0.9)	6.5 (25.8-32.3)	6.9 (12.7-19.6)	-0.5 (0.3–0.2)	-3.6 (18.9-15.3)
West South Central Female	2.2 (72-74.3)	6.2 (14.2-20.4)	0.5 (1.6-2.2)	6.6 (25.7-32.3)	5.8 (19.1-24.9)	-0.2 (0-0.1)	-5.2 (15-9.8)	1.6 (71.3-72.9)	7.9 (19.7-27.5)	-0.1 (0.8-0.7)	6.1 (26.6-32.7)	4.7 (13-17.7)	-0.3 (0.3-0)	-5.9 (17.3-11.4)
Appalachia	0.3 (79-79.3)	8.5 (15.9-24.4)	0.6 (1.8-2.4)	5.5 (25.8-31.3)	8.2 (16.5-24.7)	-0.2 (0.2-0)	-9.6 (23.6-13.9)	-0.4 (78.6-78.2)	10.3 (19.2-29.5)	0.1 (0.9-1)	6.5 (26.2-32.7)	5.8 (10.6-16.4)	-0.2 (0.2-0)	-10.2 (27.3-17)
East North Central	1.2 (79.5-80.8)	7.2 (13.1-20.3)	0.8 (1.9-2.7)	5.4 (25.7-31.1)	8.4 (19.5-27.9)	-0.2 (-0.1–0.3)	-6 (23.1-17.1)	0.7 (79.6-80.3)	8.1 (15.7-23.8)	0.1 (0.8-0.9)	6.8 (25.4-32.2)	6 (11.3-17.3)	-0.4 (0.3–0.1)	-6.5 (28.7-22.2)
East South	0.3 (79.1-79.4)	8.6 (13.6-22.2)	0.6 (2-2.6)	4.1 (27.9-32)	8.1 (20.9-29)	-0.1 (0.1–0.1)	-5.7 (17.8-12.1)	-0.9 (78.7-77.8)	10.6 (19.2-29.8)	0.1 (0.7-0.8)	6.4 (28.6-35)	5.4 (11.6-17)	-0.1 (0.1-0)	-10.1 (28.5-18.4)
Central Middle Atlantic	2 (79.8-81.8)	7.2 (12.6-19.8)	0.6 (2-2.5)	5.3 (23.9-29.2)	9.1 (19.5-28.6)	-0.2 (0-0.2)	-7.6 (19.2-11.6)	1.8 (79-80.8)	9 (16.7-25.7)	0 (1-1)	5.8 (22.4-28.2)	7.2 (14.2-21.4)	-0.3 (0-0.3)	-7.2 (17.6-10.4)
Mountain	1.5 (80-81.4) 2	6.7 (12.5-19.2) 5.4	0.4 (1.8-2.2) 1.1	5.3 (19.3-24.7) 5.2	8.2 (23.4-31.6) 12.1	-0.6 (0.8-0.2) 0.1	-4.3 (12.3-8) -10.1	1.7 (79.5-81.2) 1.2	8.6 (16-24.6) 8.6	0.3 (0.9-1.2) 0.5	4.5 (20.7-25.3) 5.7	7.6 (17.9-25.5) 9.3	-0.6 (0.8-0.2)	-3.3 (9.9-6.6) -8.8
New England	(80.1-82.1)	(12.1-17.5)	(2.6-3.7)	(20.3-25.6)	(24.9 - 37.1)	(-0.4-0.3)	(20.6-10.5)	(80-81.2)	(13.1-21.8)	(1.6-2.1)	(21.7-27.3)	(21.2 - 30.5)	(0-0)	(19.7-10.8)
Pacific	2 (79.4-81.4)	7.1 (13.9-20.9)	0.4 $(1.7-2.1)$	4.1 (22.8-26.9)	6 (20.5-26.4)	-0.4 (0.4-0)	-4.6 (13.4-8.8)	2.1 (78.6-80.7)	9.6 (17.4-27)	0.1 $(1.1-1.3)$	4.1 (23.4-27.5)	7.1 (15.6-22.7)	-0.5 (1-0.5)	-7.3 (15.7-8.4)
South Atlantic	1.8 (79.7-81.4)	9.5 (13.2-22.6)	0.5 $(2.1-2.6)$	4.2 (24.5-28.7)	8.7 (20.8-29.5)	-0.2 (0.7-0.5)	-7.7 (16.2-8.5)	0.4 (78.5-78.9)	11.7 (17-28.6)	0.1 $(1-1.1)$	5.5 (27.5-33)	6.1 (13.9-20)	-0.4 (0.6-0.2)	-13.1 (25.9-12.8)
West North	1.1 (80.5-81.6)	4.4 (12.2-16.6)	0.7 (2.4-3.1)	5.3 (24.5-29.8)	10.2 (21.9-32)	-0.2 (0-0.2)	-3.8 (15.1-11.4)	0.3 (80.5-80.8)	6.4 (17.2-23.6)	0.1 (0.8-0.9)	6.5 (25.8-32.3)	6.9 (12.7-19.6)	-0.4 (0.2–0.2)	-3.6 (18.9-15.4)
West South Central	0.5 (78.9-79.4)	6.1 (14.2-20.3)	0.5 (1.7-2.2)	6.6 (25.7-32.3)	5.9 (19.1-25)	-0.1 (0-0.1)	-5.2 (15-9.9)	-0.8 (78.8-77.9)	7.8 (19.7-27.5)	0 (0.8-0.7)	6.1 (26.6-32.8)	4.8 (12.9-17.7)	-0.2 (0.2-0)	-5.8 (17.3-11.5)