

Performance

Metrics



First Contentful Paint	0.8 s	Time to Interactive	2.4 s
▲ Speed Index	4.3 s	Total Blocking Time	0 ms
▲ Largest Contentful Paint	3.0 s	Cumulative Layout Shift	0

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

[View Original Trace](#)



Opportunities — These suggestions can help your page load faster. They don't [directly affect](#) the Performance score.

Opportunity












Estimated Savings

▲ Properly size images

3.4 s ^

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn more.](#)

 Show 3rd-party resources (0)

URL	Resource Size	Potential Savings
 ...blog-post-thumbnail/SCL_Wall_Paper_Wide.jpg (sushiksha.konkanischolarship.com)	3,321.2 KiB	3,309.9 KiB
 ...blog-post-thumbnail/Sushiksha_Logo.jpg (sushiksha.konkanischolarship.com)	849.6 KiB	840.6 KiB
 ...img/wkc_logo.png (sushiksha.konkanischolarship.com)	87.5 KiB	59.5 KiB
 ...testimonial/testimoni...jpg (sushiksha.konkanischolarship.com)	54.4 KiB	13.5 KiB
 ...testimonial/testimonials-5.jpg (sushiksha.konkanischolarship.com)	49.2 KiB	12.3 KiB
 ...testimonial/testimonials-4.jpg (sushiksha.konkanischolarship.com)	47.4 KiB	11.8 KiB
 ...img/about.jpg (sushiksha.konkanischolarship.com)	49.3 KiB	10.9 KiB
 ...testimonial/shravya.jpg (sushiksha.konkanischolarship.com)	11.5 KiB	9.6 KiB
 ...testimonial/testimonials-3.png (sushiksha.konkanischolarship.com)	30.3 KiB	7.5 KiB
 ...testimonial/testimonials-8.jpg (sushiksha.konkanischolarship.com)	28.5 KiB	7.1 KiB
 ...blog-post.../OIP_2.jpg (sushiksha.konkanischolarship.com)	55.5 KiB	4.7 KiB

▲ Eliminate render-blocking resources

0.82 s ^

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn more.](#)

 Show 3rd-party resources (1)

URL	Transfer Size	Potential Savings
/css?family=... (fonts.googleapis.com)	2.3 KiB	230 ms
...css/bootstrap.min.css (sushiksha.konkanischolarship.com)	23.6 KiB	190 ms
...icofont/icofont.min.css (sushiksha.konkanischolarship.com)	25.3 KiB	270 ms
...css/boxicons.min.css (sushiksha.konkanischolarship.com)	22.3 KiB	270 ms
...remixicon/remixicon.css (sushiksha.konkanischolarship.com)	14.6 KiB	230 ms
...venobox/venobox.css (sushiksha.konkanischolarship.com)	3.3 KiB	150 ms
...assets/owl.carousel.min.css (sushiksha.konkanischolarship.com)	1.4 KiB	150 ms
...animate.css/animate.min.css (sushiksha.konkanischolarship.com)	10.6 KiB	110 ms
...aos/aos.css (sushiksha.konkanischolarship.com)	2.5 KiB	70 ms
...toaster/toaster.css (sushiksha.konkanischolarship.com)	6.4 KiB	70 ms
...css/style.css (sushiksha.konkanischolarship.com)	14.2 KiB	110 ms
...css/tinymce.css (sushiksha.konkanischolarship.com)	0.8 KiB	70 ms

Remove unused CSS

0.2 s ^

Remove dead rules from stylesheets and defer the loading of CSS not used for above-the-fold content to reduce unnecessary bytes consumed by network activity. [Learn more.](#)

 Show 3rd-party resources (0)

URL	Transfer Size	Potential Savings
-----	---------------	-------------------

URL	Transfer Size	Potential Savings
...icofont/icofont.min.css (sushiksha.konkanischolarship.com)	25.3 KiB	25.2 KiB
...css/bootstrap.min.css (sushiksha.konkanischolarship.com)	23.6 KiB	22.8 KiB
...css/boxicons.min.css (sushiksha.konkanischolarship.com)	22.3 KiB	22.1 KiB
...remixicon/remixicon.css (sushiksha.konkanischolarship.com)	14.6 KiB	14.6 KiB
...css/style.css (sushiksha.konkanischolarship.com)	14.2 KiB	11.4 KiB
...animate.css/animate.min.css (sushiksha.konkanischolarship.com)	10.6 KiB	10.6 KiB

Use HTTP/2

0.14 s ^

HTTP/2 offers many benefits over HTTP/1.1, including binary headers, multiplexing, and server push. [Learn more.](#)

Show 3rd-party resources (0)

URL	Protocol
https://sushiksha.konkanischolarship.com	http/1.1
...css/bootstrap.min.css (sushiksha.konkanischolarship.com)	http/1.1
...icofont/icofont.min.css (sushiksha.konkanischolarship.com)	http/1.1
...css/boxicons.min.css (sushiksha.konkanischolarship.com)	http/1.1
...remixicon/remixicon.css (sushiksha.konkanischolarship.com)	http/1.1
...venobox/venobox.css (sushiksha.konkanischolarship.com)	http/1.1
...assets/owl.carousel.min.css (sushiksha.konkanischolarship.com)	http/1.1
...animate.css/animate.min.css (sushiksha.konkanischolarship.com)	http/1.1
...aos/aos.css (sushiksha.konkanischolarship.com)	http/1.1
...toaster/toaster.css (sushiksha.konkanischolarship.com)	http/1.1
...css/style.css (sushiksha.konkanischolarship.com)	http/1.1

URL	Protocol
...css/tinymce.css (sushiksha.konkanischolarship.com)	http/1.1
...img/about.jpg (sushiksha.konkanischolarship.com)	http/1.1
...blog-post.../OIP_2.jpg (sushiksha.konkanischolarship.com)	http/1.1
...blog-post-thumbnail/Sushiksha_Logo.jpg (sushiksha.konkanischolarship.com)	http/1.1
...blog-post-thumbnail/SCL_Wall_Paper_Wide.jpg (sushiksha.konkanischolarship.com)	http/1.1
...testimonial/royal_832rAk6.jpg (sushiksha.konkanischolarship.com)	http/1.1
...testimonial/testimonials-3.png (sushiksha.konkanischolarship.com)	http/1.1
...testimonial/testimonials-4.jpg (sushiksha.konkanischolarship.com)	http/1.1
...testimonial/testimonials-5.jpg (sushiksha.konkanischolarship.com)	http/1.1
...testimonial/testimonials-6.png (sushiksha.konkanischolarship.com)	http/1.1
...testimonial/testimonials-7.jpg (sushiksha.konkanischolarship.com)	http/1.1
...testimonial/testimonials-8.jpg (sushiksha.konkanischolarship.com)	http/1.1
...testimonial/testimoni...jpg (sushiksha.konkanischolarship.com)	http/1.1
...testimonial/testimoni...jpg (sushiksha.konkanischolarship.com)	http/1.1
...testimonial/shravya.jpg (sushiksha.konkanischolarship.com)	http/1.1
...testimonial/testimonials-10.jpeg (sushiksha.konkanischolarship.com)	http/1.1
...img/wkc_logo.png (sushiksha.konkanischolarship.com)	http/1.1
...jquery/jquery.min.js (sushiksha.konkanischolarship.com)	http/1.1
...js/bootstrap.bundle.min.js (sushiksha.konkanischolarship.com)	http/1.1
...jquery.easing/jquery.easing.min.js (sushiksha.konkanischolarship.com)	http/1.1
...php-email-form/validate.js (sushiksha.konkanischolarship.com)	http/1.1
...waypoints/jquery.waypoints.min.js (sushiksha.konkanischolarship.com)	http/1.1

URL	Protocol
...counterup/counterup.min.js (sushiksha.konkanischolarship.com)	http/1.1
...venobox/venobox.min.js (sushiksha.konkanischolarship.com)	http/1.1
...owl.carousel/owl.carousel.min.js (sushiksha.konkanischolarship.com)	http/1.1
...aos/aos.js (sushiksha.konkanischolarship.com)	http/1.1
...toaster/toaster.js (sushiksha.konkanischolarship.com)	http/1.1
...js/main.js (sushiksha.konkanischolarship.com)	http/1.1
...js/highlight.pack.js (sushiksha.konkanischolarship.com)	http/1.1
...img/hero-bg.jpg (sushiksha.konkanischolarship.com)	http/1.1
...fonts/icomfont.woff2 (sushiksha.konkanischolarship.com)	http/1.1
...fonts/boxicons.woff2 (sushiksha.konkanischolarship.com)	http/1.1

Diagnostics — More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

▲ Serve static assets with an efficient cache policy — 44 resources found ^

A long cache lifetime can speed up repeat visits to your page. [Learn more](#).

Show 3rd-party resources (2)

URL	Cache TTL	Transfer Size
...blog-post-thumbnail/SCL_Wall_Paper_Wide.jpg (sushiksha.konkanischolarship.com)	None	3,321 KiB
...blog-post-thumbnail/Sushiksha_Logo.jpg (sushiksha.konkanischolarship.com)	None	850 KiB
...img/hero-bg.jpg (sushiksha.konkanischolarship.com)	None	779 KiB
...fonts/icomfont.woff2 (sushiksha.konkanischolarship.com)	None	635 KiB
...fonts/boxicons.woff2 (sushiksha.konkanischolarship.com)	None	112 KiB

URL	Cache TTL	Transfer Size
...img/wkc_logo.png (sushiksha.konkanischolarship.com)	None	88 KiB
...blog-post.../OIP_2.jpg (sushiksha.konkanischolarship.com)	None	56 KiB
...testimonial/testimoni...jpg (sushiksha.konkanischolarship.com)	None	55 KiB
...img/about.jpg (sushiksha.konkanischolarship.com)	None	49 KiB
...testimonial/testimonials-5.jpg (sushiksha.konkanischolarship.com)	None	49 KiB
...testimonial/testimonials-4.jpg (sushiksha.konkanischolarship.com)	None	47 KiB
...js/bootstrap.bundle.min.js (sushiksha.konkanischolarship.com)	None	43 KiB
...jquery/jquery.min.js (sushiksha.konkanischolarship.com)	None	37 KiB
...js/highlight.pack.js (sushiksha.konkanischolarship.com)	None	37 KiB
...testimonial/testimonials-3.png (sushiksha.konkanischolarship.com)	None	31 KiB
...testimonial/testimonials-8.jpg (sushiksha.konkanischolarship.com)	None	29 KiB
...icofont/icofont.min.css (sushiksha.konkanischolarship.com)	None	25 KiB
...css/bootstrap.min.css (sushiksha.konkanischolarship.com)	None	24 KiB
...owl.carousel/owl.carousel.min.js (sushiksha.konkanischolarship.com)	None	23 KiB
...css/boxicons.min.css (sushiksha.konkanischolarship.com)	None	22 KiB
...testimonial/testimonials-7.jpg (sushiksha.konkanischolarship.com)	None	15 KiB
...remixicon/remixicon.css (sushiksha.konkanischolarship.com)	None	15 KiB
...css/style.css (sushiksha.konkanischolarship.com)	None	14 KiB
...testimonial/testimonials-6.png (sushiksha.konkanischolarship.com)	None	14 KiB
...testimonial/shravya.jpg (sushiksha.konkanischolarship.com)	None	11 KiB
...animate.css/animate.min.css (sushiksha.konkanischolarship.com)	None	11 KiB
...venobox/venobox.min.js (sushiksha.konkanischolarship.com)	None	10 KiB

URL	Cache TTL	Transfer Size
...aos/aos.js (sushiksha.konkanischolarship.com)	None	10 KiB
...testimonial/testimonials-10.jpeg (sushiksha.konkanischolarship.com)	None	7 KiB
...toaster/toaster.css (sushiksha.konkanischolarship.com)	None	6 KiB
...waypoints/jquery.waypoints.min.js (sushiksha.konkanischolarship.com)	None	6 KiB
...toaster/toaster.js (sushiksha.konkanischolarship.com)	None	5 KiB
...testimonial/royal_832rAk6.jpg (sushiksha.konkanischolarship.com)	None	4 KiB
...testimonial/testimoni...jpg (sushiksha.konkanischolarship.com)	None	4 KiB
...venobox/venobox.css (sushiksha.konkanischolarship.com)	None	3 KiB
...js/main.js (sushiksha.konkanischolarship.com)	None	3 KiB
...php-email-form/validate.js (sushiksha.konkanischolarship.com)	None	3 KiB
...aos/aos.css (sushiksha.konkanischolarship.com)	None	3 KiB
...counterup/counterup.min.js (sushiksha.konkanischolarship.com)	None	2 KiB
...jquery.easing/jquery.easing.min.js (sushiksha.konkanischolarship.com)	None	2 KiB
...assets/owl.carousel.min.css (sushiksha.konkanischolarship.com)	None	1 KiB
...css/tinymce.css (sushiksha.konkanischolarship.com)	None	1 KiB
/js/5fabf3b...js (buttons-config.sharethis.com)	1 m	1 KiB
/js/sharethis.js (platform-api.sharethis.com)	10 m	47 KiB

▲ Ensure text remains visible during webfont load ^

Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading. [Learn more.](#)

Show 3rd-party resources (7)

URL	Potential Savings
-----	-------------------

URL	Potential Savings
...v15/pxiByp8kv....woff2 (fonts.gstatic.com)	150 ms
...v15/pxiByp8kv....woff2 (fonts.gstatic.com)	90 ms
...v18/mem8YaGs1....woff2 (fonts.gstatic.com)	280 ms
...v15/pxiByp8kv....woff2 (fonts.gstatic.com)	270 ms
...v18/1Ptug8zYS....woff2 (fonts.gstatic.com)	260 ms
...v18/mem5YaGs1....woff2 (fonts.gstatic.com)	170 ms
...fonts/icofont.woff2 (sushiksha.konkanischolarship.com)	1,370 ms
...fonts/boxicons.woff2 (sushiksha.konkanischolarship.com)	740 ms
...v18/mem6YaGs1....woff2 (fonts.gstatic.com)	70 ms

▲ Does not use passive listeners to improve scrolling performance ^

Consider marking your touch and wheel event listeners as `passive` to improve your page's scroll performance. [Learn more](#).


Show 3rd-party resources (0)





URL	Location
...jquery/jquery.min.js (sushiksha.konkanischolarship.com)	line: 1

▲ Image elements do not have explicit [width](#) and [height](#) ^

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn more](#)

Show 3rd-party resources (0)

URL	Failing Elements
 ...img/about.jpg (sushiksha.konkanischolarship.com)	img.img-fluid

URL	Failing Elements
 ...blog-post.../OIP_2.jpg (sushiksha.konkanischolarship.com)	img.img-fluid
 ...blog-post-thumbnail/Sushiksha_Logo.jpg (sushiksha.konkanischolarship.com)	img.img-fluid
 ...blog-post-thumbnail/SCL_Wall_Paper_Wide.jpg (sushiksha.konkanischolarship.com)	img.img-fluid
 ...img/wkc_logo.png (sushiksha.konkanischolarship.com)	img

▲ Avoid enormous network payloads — Total size was 6,623 KiB ^

Large network payloads cost users real money and are highly correlated with long load times. [Learn more.](#)

Show 3rd-party resources (0)

URL	Transfer Size
...blog-post-thumbnail/SCL_Wall_Paper_Wide.jpg (sushiksha.konkanischolarship.com)	3,321.2 KiB
...blog-post-thumbnail/Sushiksha_Logo.jpg (sushiksha.konkanischolarship.com)	849.6 KiB
...img/hero-bg.jpg (sushiksha.konkanischolarship.com)	779.1 KiB
...fonts/icofont.woff2 (sushiksha.konkanischolarship.com)	634.8 KiB
...fonts/boxicons.woff2 (sushiksha.konkanischolarship.com)	111.9 KiB
...img/wkc_logo.png (sushiksha.konkanischolarship.com)	87.5 KiB
...blog-post.../OIP_2.jpg (sushiksha.konkanischolarship.com)	55.7 KiB
...testimonial/testimoni...jpg (sushiksha.konkanischolarship.com)	54.7 KiB
...img/about.jpg (sushiksha.konkanischolarship.com)	49.3 KiB
...testimonial/testimonials-5.jpg (sushiksha.konkanischolarship.com)	49.2 KiB

▲ Avoid chaining critical requests — 30 chains found ^

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

[Learn more.](#)

Maximum critical path latency: **3,550 ms**

Initial Navigation

<https://sushiksha.konkanischolarship.com>

[/css?family=...](#) (fonts.googleapis.com)

...v15/pxiByp8kv....woff2 (fonts.gstatic.com) - **150 ms, 11.02 KiB**

...v15/pxiByp8kv....woff2 (fonts.gstatic.com) - **90 ms, 9.71 KiB**

...v18/mem8YaGs1....woff2 (fonts.gstatic.com) - **280 ms, 9.03 KiB**

...v15/pxiByp8kv....woff2 (fonts.gstatic.com) - **270 ms, 13.03 KiB**

...v18/1Ptug8zYS....woff2 (fonts.gstatic.com) - **260 ms, 42.85 KiB**

...v18/mem5YaGs1....woff2 (fonts.gstatic.com) - **170 ms, 10.83 KiB**

...v18/mem6YaGs1....woff2 (fonts.gstatic.com) - **70 ms, 9.53 KiB**

...css/bootstrap.min.css (sushiksha.konkanischolarship.com) - **330 ms, 23.62 KiB**

...icofont/icofont.min.css (sushiksha.konkanischolarship.com)

...fonts/icofont.woff2 (sushiksha.konkanischolarship.com) - **1,370 ms, 634.81 KiB**

...css/boxicons.min.css (sushiksha.konkanischolarship.com)

...fonts/boxicons.woff2 (sushiksha.konkanischolarship.com) - **740 ms, 111.92 KiB**

...remixicon/remixicon.css (sushiksha.konkanischolarship.com) - **650 ms, 14.6 KiB**

...venobox/venobox.css (sushiksha.konkanischolarship.com) - **820 ms, 3.35 KiB**

...assets/owl.carousel.min.css (sushiksha.konkanischolarship.com) - **960 ms, 1.37 KiB**

...animate.css/animate.min.css (sushiksha.konkanischolarship.com) - **960 ms, 10.63 KiB**

...aos/aos.css (sushiksha.konkanischolarship.com) - **960 ms, 2.51 KiB**

...toaster/toaster.css (sushiksha.konkanischolarship.com) - **970 ms, 6.39 KiB**

...css/style.css (sushiksha.konkanischolarship.com) - **970 ms, 14.18 KiB**

...css/tinymce.css (sushiksha.konkanischolarship.com) - **1,140 ms, 0.78 KiB**

...jquery/jquery.min.js (sushiksha.konkanischolarship.com) - **1,570 ms, 36.99 KiB**

...js/bootstrap.bundle.min.js (sushiksha.konkanischolarship.com) - **320 ms, 42.77 KiB**

...jquery.easing/jquery.easing.min.js (sushiksha.konkanischolarship.com) - **330 ms, 1.94 KiB**

...php-email-form/validate.js (sushiksha.konkanischolarship.com) - **330 ms, 2.87 KiB**

...waypoints/jquery.waypoints.min.js (sushiksha.konkanischolarship.com) - **320 ms, 5.72 KiB**

...counterup/counterup.min.js (sushiksha.konkanischolarship.com) - **320 ms, 2.32 KiB**

...venobox/venobox.min.js (sushiksha.konkanischolarship.com) - **320 ms, 10.39 KiB**

...owl.carousel/owl.carousel.min.js (sushiksha.konkanischolarship.com) - **320 ms, 22.63 KiB**

...aos/aos.js (sushiksha.konkanischolarship.com) - **330 ms, 9.52 KiB**

...toaster/toaster.js (sushiksha.konkanischolarship.com) - **320 ms, 4.53 KiB**

...js/main.js (sushiksha.konkanischolarship.com) - **320 ms, 3.21 KiB**

...js/highlight.pack.js (sushiksha.konkanischolarship.com) - **320 ms, 36.71 KiB**

Keep request counts low and transfer sizes small — 55 requests • 6,623 KiB ^

To set budgets for the quantity and size of page resources, add a budget.json file. [Learn more.](#)

Resource Type	Requests	Transfer Size
Total	55	6,622.8 KiB
Image	17	5,407.9 KiB
Font	9	852.7 KiB
Script	14	227 KiB
Stylesheet	12	127.4 KiB
Document	2	7.5 KiB
Other	1	0.3 KiB
Media	0	0 KiB
Third-party	12	157.4 KiB

Largest Contentful Paint element — 1 element found ^

This is the largest contentful element painted within the viewport. [Learn More](#)

Element

section#hero.d-flex.justify-content-center.align-items-center

Avoid large layout shifts — 5 elements found ^

These DOM elements contribute most to the CLS of the page.

Element	CLS Contribution
nav.nav-menu.d-none.d-lg-block	0
h1	0
h1	0
li	0
a	0

Avoid long main-thread tasks — 1 long task found ^

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn more](#)

Show 3rd party resources (0)

URL	Start Time	Duration
...js/main.js (sushiksha.konkanischolarship.com)	3,460 ms	58 ms

Passed audits (21) ^

Defer offscreen images ^

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn more.](#)

Minify CSS — Potential savings of 4 KiB ^

Minifying CSS files can reduce network payload sizes. [Learn more.](#)

Show 3rd-party resources (0)

URL	Transfer Size	Potential Savings
...css/style.css (sushiksha.konkanischolarship.com)	14.2 KiB	3.8 KiB

Minify JavaScript ^

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn more.](#)

Remove unused JavaScript — Potential savings of 61 KiB ^

Remove unused JavaScript to reduce bytes consumed by network activity. [Learn more.](#)

Show 3rd-party resources (1)

URL	Transfer Size	Potential Savings
...js/bootstrap.bundle.min.js (sushiksha.konkanischolarship.com)	42.8 KiB	35.3 KiB
/js/sharethis.js (platform-api.sharethis.com)	46.5 KiB	25.9 KiB

Efficiently encode images ^

Optimized images load faster and consume less cellular data. [Learn more.](#)

Serve images in next-gen formats ^

Image formats like JPEG 2000, JPEG XR, and WebP often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more.](#)

Enable text compression ^

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more.](#)

Preconnect to required origins ^

Consider adding `preconnect` or `dns-prefetch` resource hints to establish early connections to important third-party origins. [Learn more.](#)

Initial server response time was short — Root document took 330 ms ^

Keep the server response time for the main document short because all other requests depend on it. [Learn more.](#)

Avoid multiple page redirects ^

Redirects introduce additional delays before the page can be loaded. [Learn more.](#)

Preload key requests ^

Consider using `` to prioritize fetching resources that are currently requested later in page load. [Learn more.](#)

Use video formats for animated content ^

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more](#)

Remove duplicate modules in JavaScript bundles ^

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity.

Avoid serving legacy JavaScript to modern browsers ^

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. [Learn More](#)

Avoids an excessive DOM size — 428 elements ^

A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn more.](#)

Statistic	Element	Value
Total DOM Elements		428
Maximum DOM Depth	<i class="icofont-user">	13
Maximum Child Elements	<body data-aos-easing="ease" data-aos-duration="1000" data-aos-delay="0">	23

User Timing marks and measures ^

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more](#).

JavaScript execution time — 0.1 s ^

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn more](#).

Show 3rd-party resources (0)

URL	Total CPU Time	Script Evaluation	Script Parse
https://sushiksha.konkanischolarship.com	292 ms	2 ms	1 ms
Unattributable	289 ms	1 ms	0 ms
...jquery/jquery.min.js (sushiksha.konkanischolarship.com)	142 ms	58 ms	1 ms
...js/main.js (sushiksha.konkanischolarship.com)	118 ms	72 ms	0 ms

Minimizes main-thread work — 0.9 s ^

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn more](#)

Category	Time Spent
Other	402 ms
Style & Layout	193 ms

Category	Time Spent
Script Evaluation	180 ms
Rendering	109 ms
Parse HTML & CSS	47 ms
Script Parsing & Compilation	13 ms
Garbage Collection	5 ms

Minimize third-party usage — [Third-party code blocked the main thread for 0 ms](#) ^

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn more.](#)

Third-Party	Transfer Size	Main-Thread Blocking Time
Google Fonts	108 KiB	0 ms
ShareThis	48 KiB	0 ms
Adroll	1 KiB	0 ms

Avoids `document.write()` ^

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn more.](#)

Avoid non-composited animations ^

Animations which are not composited can be janky and contribute to CLS. [Learn more](#)



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Only a subset of accessibility issues can be automatically detected so manual testing is also encouraged.

Names and labels — These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

▲ Buttons do not have an accessible name ^

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn more](#).

Failing Elements

button.owl-dot

button.owl-dot

button.owl-dot

button.owl-dot.active

button.owl-dot

button.owl-dot

▲ Links do not have a discernible name ^

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn more](#).

Failing Elements

a.twitter

a.facebook

a.instagram

Failing Elements

a.google-plus

a.linkedin

a.back-to-top

Contrast — These are opportunities to improve the legibility of your content.

▲ Background and foreground colors do not have a sufficient contrast ratio. ^

Low-contrast text is difficult or impossible for many users to read. [Learn more](#).

Failing Elements

a.get-started-btn

h2

p

strong

a

a

a

a

a

Additional items to manually check (10) — These items address areas which an automated testing tool cannot cover. Learn ^
more in our guide on [conducting an accessibility review](#).

The page has a logical tab order ^

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more.](#)

Interactive controls are keyboard focusable ^

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn more.](#)

Interactive elements indicate their purpose and state ^

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn more.](#)

The user's focus is directed to new content added to the page ^

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn more.](#)

User focus is not accidentally trapped in a region ^

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn more.](#)

Custom controls have associated labels ^

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more.](#)

Custom controls have ARIA roles ^

Custom interactive controls have appropriate ARIA roles. [Learn more.](#)

Visual order on the page follows DOM order ^

DOM order matches the visual order, improving navigation for assistive technology. [Learn more.](#)

Offscreen content is hidden from assistive technology ^

Offscreen content is hidden with display: none or aria-hidden=true. [Learn more.](#)

HTML5 landmark elements are used to improve navigation ^

Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more.](#)

Passed audits (15) ^

`[aria-hidden="true"]` is not present on the document `<body>` ^

Assistive technologies, like screen readers, work inconsistently when ``aria-hidden="true"``` is set on the document ``<body>``.
[Learn more.](#)

`[role]`s have all required `[aria-*]` attributes ^

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more.](#)

Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children. ^

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more.](#)

`[role]`s are contained by their required parent element ^

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions.
[Learn more.](#)

`[role]` values are valid ^

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more.](#)

The page contains a heading, skip link, or landmark region ^

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more.](#)

Document has a `<title>` element ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more.](#)

`<frame>` or `<iframe>` elements have a title ^

Screen reader users rely on frame titles to describe the contents of frames. [Learn more.](#)

Heading elements appear in a sequentially-descending order ^

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more.](#)

`<html>` element has a `[lang]` attribute ^

If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more](#).

`<html>` element has a valid value for its `[lang]` attribute ^

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn more](#).

Image elements have `[alt]` attributes ^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more](#).

Lists contain only `` elements and script supporting elements (`<script>` and `<template>`). ^

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more](#).

List items (``) are contained within `` or `` parent elements ^

Screen readers require list items (``) to be contained within a parent `` or `` to be announced properly. [Learn more](#).

`[user-scalable="no"]` is not used in the `<meta name="viewport">` element and the `[maximum-scale]` attribute is not less than 5. ^

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more](#).

Not applicable (23) ^

`[accesskey]` values are unique ^

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more](#).

`[aria-*]` attributes match their roles ^

Each ARIA `role` supports a specific subset of `aria-*` attributes. Mismatching these invalidates the `aria-*` attributes. [Learn more](#).

[\[aria-hidden="true"\]](#) elements do not contain focusable descendents ^

Focusable descendents within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn more.](#)

ARIA input fields have accessible names ^

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more.](#)

ARIA toggle fields have accessible names ^

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more.](#)

[\[aria-*\]](#) attributes have valid values ^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more.](#)

[\[aria-*\]](#) attributes are valid and not misspelled ^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more.](#)

`<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements. ^

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn more.](#)

Definition list items are wrapped in `<dl>` elements ^

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. [Learn more.](#)

[\[id\]](#) attributes on active, focusable elements are unique ^

All focusable elements must have a unique `id` to ensure that they're visible to assistive technologies. [Learn more.](#)

ARIA IDs are unique ^

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn more.](#)

No form fields have multiple labels ^

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn more](#).

`<input type="image">` elements have `[alt]` text ^

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn more](#).

Form elements have associated labels ^

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more](#).

Presentational `<table>` elements avoid using `<th>`, `<caption>` or the `[summary]` attribute. ^

A table being used for layout purposes should not include data elements, such as the `th` or `caption` elements or the `summary` attribute, because this can create a confusing experience for screen reader users. [Learn more](#).

The document does not use `<meta http-equiv="refresh">` ^

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more](#).

`<object>` elements have `[alt]` text ^

Screen readers cannot translate non-text content. Adding alt text to `<object>` elements helps screen readers convey meaning to users. [Learn more](#).

No element has a `[tabindex]` value greater than 0 ^

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more](#).

Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table. ^

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more](#).

`<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe. ^

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more](#).

`[lang]` attributes have a valid value ^

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn more](#).

`<video>` elements contain a `<track>` element with `[kind="captions"]` ^

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more](#).

`<video>` elements contain a `<track>` element with `[kind="description"]` ^

Audio descriptions provide relevant information for videos that dialogue cannot, such as facial expressions and scenes. [Learn more](#).



Best Practices

Trust and Safety

▲ Links to cross-origin destinations are unsafe ^

Add ``rel="noopener"`` or ``rel="noreferrer"`` to any external links to improve performance and prevent security vulnerabilities. [Learn more](#).

Failing Anchors

a

a

Failing Anchors

a.twitter

a.facebook

a.instagram

a.linkedin

Passed audits (14)

Uses HTTPS

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more.](#)

Avoids requesting the geolocation permission on page load

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more.](#)

Avoids requesting the notification permission on page load

Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more.](#)

Avoids front-end JavaScript libraries with known security vulnerabilities

Some third-party scripts may contain known security vulnerabilities that are easily identified and exploited by attackers. [Learn more.](#)

Allows users to paste into password fields

Preventing password pasting undermines good security policy. [Learn more.](#)

Displays images with correct aspect ratio

Image display dimensions should match natural aspect ratio. [Learn more.](#)

Serves images with appropriate resolution ^

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn more.](#)

Page has the HTML doctype ^

Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more.](#)

Properly defines charset ^

A character encoding declaration is required. It can be done with a <meta> tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more.](#)

Avoids `unload` event listeners ^

The `unload` event does not fire reliably and listening for it can prevent browser optimizations like the Back-Forward Cache. Consider using the `pagehide` or `visibilitychange` events instead. [Learn More](#)

Avoids Application Cache ^

Application Cache is deprecated. [Learn more.](#)

Detected JavaScript libraries ^

All front-end JavaScript libraries detected on the page. [Learn more.](#)

Name	Version
Bootstrap	4.5.0
jQuery	3.5.1

Avoids deprecated APIs ^

Deprecated APIs will eventually be removed from the browser. [Learn more.](#)

No browser errors logged to the console ^

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more](#)



SEO

These checks ensure that your page is optimized for search engine results ranking. There are additional factors Lighthouse does not check that may affect your search ranking. [Learn more](#).

Content Best Practices — Format your HTML in a way that enables crawlers to better understand your app's content.

▲ Document does not have a meta description ^

Meta descriptions may be included in search results to concisely summarize page content. [Learn more](#).

▲ Links do not have descriptive text — 4 links found ^

Descriptive link text helps search engines understand your content. [Learn more](#).

Show 3rd-party resources (0)

Link destination

[/about/](#) (sushiksha.konkanischolarship.com)

[...post/11](#) (sushiksha.konkanischolarship.com)

[...post/13](#) (sushiksha.konkanischolarship.com)

[...post/14](#) (sushiksha.konkanischolarship.com)

Link Text

Learn More

Read More

Read More

Read More

Crawling and Indexing — To appear in search results, crawlers need access to your app.

▲ Links are not crawlable ^

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn More](#)

Uncrawlable Link

a

a

a

▲ robots.txt is not valid — 147 errors found ^

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more.](#)

Line #	Content	Error
1	<!DOCTYPE html>	Syntax not understood
2	<html lang="en">	Syntax not understood
8	<head>	Syntax not understood
9	<meta charset="utf-8">	Syntax not understood

Line #	Content	Error
10	<meta content="width=device-width, initial-scale=1.0" name="viewport">	Syntax not understood
12	<title>Sushiksha - A Initiative by WKC</title>	Syntax not understood
18	<meta property="og:title" content="Sushiksha">	Unknown directive
21	<meta content="Sushiksha, Sophists, World Konkani Centre, WKC, VKSSF, Vishwa Konkani" name="keywords">	Syntax not understood
23	<meta name="author" content="Praneeth">	Syntax not understood
26	<meta property="og:description" content="Sushiksha is an initiative by VKSSF Alumni Association to create a platform for VKSSF Scholars to realize their potential by enabling personal and professional relationships with VAA members who have succeeded in the path of their chosen career. They will act as role models and provide guidance to the Students (Mentees).">	Unknown directive
30	<meta property="og:image" content="/static/assets/img/sushikshalogo.png">	Unknown directive
33	<meta property="og:url" content="/">	Unknown directive

Line #	Content	Error
35	<meta name="twitter:card" content="Sushiksha an initiative by VKSSF Alumni">	Unkn own dire ctiv e
40	<meta property="og:site_name" content="Sushiksha.">	Unkn own dire ctiv e
41	<meta name="twitter:image:alt" content="Sushiksha logo">	Unkn own dire ctiv e
44	<link href="/static/assets/img/feviicon.png" rel="icon">	Synt ax not unde rsto od
45	<link href="/static/assets/img/apple-touch.png" rel="apple-touch-icon">	Synt ax not unde rsto od
46	<link href="https://fonts.googleapis.com/css?family=Open+Sans:300,300i,400,400i,600,600i,700,700i Raleway:300,300i,400,400i,500,500i,600,600i,700,700i Poppins:300,300i,400,400i,500,500i,600,600i,700,700i" rel="stylesheet">	Unkn own dire ctiv e
47	<link href="/static/assets/vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">	Synt ax not unde rsto od
48	<link href="/static/assets/vendor/icomfont/icomfont.min.css" rel="stylesheet">	Synt ax not unde rsto od

Line #	Content	Error
49	<code><link href="/static/assets/vendor/boxicons/css/boxicons.min.css" rel="stylesheet"></code>	Syntax not understood
50	<code><link href="/static/assets/vendor/remixicon/remixicon.css" rel="stylesheet"></code>	Syntax not understood
51	<code><link href="/static/assets/vendor/venobox/venobox.css" rel="stylesheet"></code>	Syntax not understood
52	<code><link href="/static/assets/vendor/owl.carousel/assets/owl.carousel.min.css" rel="stylesheet"></code>	Syntax not understood
53	<code><link href="/static/assets/vendor/animate.css/animate.min.css" rel="stylesheet"></code>	Syntax not understood
54	<code><link href="/static/assets/vendor/aos/aos.css" rel="stylesheet"></code>	Syntax not understood
55	<code><link href="/static/assets/vendor/toaster/toaster.css" rel="stylesheet"></code>	Syntax not understood

Line #	Content	Error
56	<code><link href="/static/assets/css/style.css" rel="stylesheet"></code>	Syntax not understood
57	<code><link href="/static/assets/css/tinymce.css" rel="stylesheet"></code>	Syntax not understood
58	<code><script type='text/javascript' src='https://platform-api.sharethis.com/js/sharethis.js#property=5fabf3b1413ed100120cd977&product=sop' async='async'> </script></code>	Unknown directive
60	<code></head></code>	Syntax not understood
65	<code><body></code>	Syntax not understood
68	<code><header id="header" class="fixed-top"></code>	Syntax not understood
69	<code><div class="container d-flex align-items-center"></code>	Syntax not understood

Line #	Content	Error
71	<code><h1 class="logo mr-auto">Sushiksha</h1></code>	Syntax not understood
74	<code><nav class="nav-menu d-none d-lg-block"></code>	Syntax not understood
75	<code></code>	Syntax not understood
76	<code>Home</code>	Syntax not understood
77	<code>About</code>	Syntax not understood
80	<code>Blog</code>	Syntax not understood
83	<code>Contact</code>	Syntax not understood

Line #	Content	Error
89		Synt ax not unde rsto od
90	</nav><!-- .nav-menu -->	Synt ax not unde rsto od
92	Login	Synt ax not unde rsto od
95	</div>	Synt ax not unde rsto od
96	</header>	Synt ax not unde rsto od
101	<main id="main">	Synt ax not unde rsto od
102	<!-- ===== Breadcrumbs ===== -->	Synt ax not unde rsto od

Line #	Content	Error
103	<code><div class="breadcrumbs" data-aos="fade-in"></code>	Syntax not understood
104	<code><div class="container"></code>	Syntax not understood
105	<code><h2>404</h2></code>	Syntax not understood
106	<code><h3>Page Not Found</h3></code>	Syntax not understood
107	<code><p class="mb-3 mt-1">It looks like you found a glitch in the matrix...</p></code>	Syntax not understood
109	<code><hr></code>	Syntax not understood
111	<code><a href="/"&larr; Back to Home page</code>	Syntax not understood

Line #	Content	Error
113	<code></div></code>	Syntax not understood
114	<code></div><!-- End Breadcrumbs --></code>	Syntax not understood
116	<code></main></code>	Syntax not understood
121	<code><!-- ===== Footer ===== --></code>	Syntax not understood
122	<code><footer id="footer"></code>	Syntax not understood
124	<code><div class="footer-top"></code>	Syntax not understood
125	<code><div class="container"></code>	Syntax not understood

Line #	Content	Error
126	<div class="row">	Syntax not understood
128	<div class="col-lg-3 col-md-6 footer-contact">	Syntax not understood
129	<h3>Sushiksha</h3>	Syntax not understood
130	<p>	Syntax not understood
131	Lobo Prabhu Nagar - Konkani Gaon 	Syntax not understood
132	Mangalore, Karnataka 575016 	Syntax not understood
133	India 	Syntax not understood

Line #	Content	Error
134	<code>Email: sushikshawkc@gmail.com
</code>	Unkn own dire ctiv e
135	<code></p></code>	Synt ax not unde rsto od
136	<code></div></code>	Synt ax not unde rsto od
138	<code><div class="col-lg-2 col-md-6 footer-links"></code>	Synt ax not unde rsto od
139	<code><h4>Useful Links</h4></code>	Synt ax not unde rsto od
140	<code></code>	Synt ax not unde rsto od
141	<code><i class="bx bx-chevron-right"></i> Home</code>	Synt ax not unde rsto od

Line #	Content	Error
142	<code><i class="bx bx-chevron-right"></i> About us</code>	Syntax not understood
144	<code><i class="bx bx-chevron-right"></i> Contact</code>	Syntax not understood
145	<code></code>	Syntax not understood
146	<code></div></code>	Syntax not understood
148	<code><div class="col-lg-3 col-md-6 footer-links"></code>	Syntax not understood
149	<code><h4>Our Websites</h4></code>	Syntax not understood
150	<code></code>	Syntax not understood

Line #	Content	Error
151	<code><i class="bx bx-chevron-right"></i> VKSSF Alumni</code>	Unknown directive
152	<code><i class="bx bx-chevron-right"></i> WKC</code>	Unknown directive
153	<code></code>	Syntax not understood
154	<code></div></code>	Syntax not understood
156	<code><div class="col-lg-4 col-md-6 footer-newsletter"></code>	Syntax not understood
157	<code><h4>An Initiative by</h4></code>	Syntax not understood
158	<code></code>	Syntax not understood
160	<code></div></code>	Syntax not understood

Line #	Content	Error
162	</div>	Syntax not understood
163	</div>	Syntax not understood
164	</div>	Syntax not understood
166	<div class="container d-md-flex py-4">	Syntax not understood
168	<div class="mr-md-auto text-center text-md-left">	Syntax not understood
169	<div class="copyright">	Syntax not understood
170	© Copyright Sushiksha. All Rights Reserved	Syntax not understood

Line #	Content	Error
171	</div>	Syntax not understood
175	</div>	Syntax not understood
176	<div class="social-links text-center text-md-right pt-3 pt-md-0">	Syntax not understood
177	<i class="bx bxl-twitter"></i>	Unknown directive
178	<i class="bx bxl-facebook"></i>	Unknown directive
179	<i class="bx bxl-instagram"></i>	Unknown directive
180	<i class="bx bxl-skype"></i>	Unknown directive
181	<i class="bx bxl-linkedin"></i>	Unknown directive

Line #	Content	Error
182	<code></div></code>	Syntax not understood
183	<code></div></code>	Syntax not understood
184	<code></footer><!-- End Footer --></code>	Syntax not understood
186	<code><i class="bx bx-up-arrow-alt"></i></code>	Syntax not understood
187	<code><div id="preloader"></div></code>	Syntax not understood
189	<code><script src="/static/assets/vendor/jquery/jquery.min.js"></script></code>	Syntax not understood
190	<code><script src="/static/assets/vendor/bootstrap/js/bootstrap.bundle.min.js"></script></code>	Syntax not understood

Line #	Content	Error
191	<code><script src="/static/assets/vendor/jquery.easing/jquery.easing.min.js"></script></code>	Syntax not understood
192	<code><script src="/static/assets/vendor/php-email-form/validate.js"></script></code>	Syntax not understood
193	<code><script src="/static/assets/vendor/waypoints/jquery.waypoints.min.js"></script></code>	Syntax not understood
194	<code><script src="/static/assets/vendor/counterup/counterup.min.js"></script></code>	Syntax not understood
195	<code><script src="/static/assets/vendor/venobox/venobox.min.js"></script></code>	Syntax not understood
196	<code><script src="/static/assets/vendor/owl.carousel/owl.carousel.min.js"></script></code>	Syntax not understood
197	<code><script src="/static/assets/vendor/aos/aos.js"></script></code>	Syntax not understood

Line #	Content	Error
198	<code><script src="/static/assets/vendor/toaster/toaster.js"></script></code>	Syntax not understood
199	<code><script src="/static/assets/js/main.js"></script></code>	Syntax not understood
200	<code><script src="/static/assets/js/highlight.pack.js"></script></code>	Syntax not understood
201	<code><script>hljs.initHighlightingOnLoad();</script></code>	Syntax not understood
207	<code><script type="text/javascript"></code>	Syntax not understood
208	<code>\$(document).ready(function() {</code>	Syntax not understood
209	<code>toastr.options = {</code>	Syntax not understood

Line #	Content	Error
210	"closeButton": true,	Unkn own dire ctiv e
211	"debug": false,	Unkn own dire ctiv e
212	"newestOnTop": true,	Unkn own dire ctiv e
213	"progressBar": true,	Unkn own dire ctiv e
214	"positionClass": "toast-top-right",	Unkn own dire ctiv e
215	"preventDuplicates": false,	Unkn own dire ctiv e
216	"onclick": null,	Unkn own dire ctiv e
217	"showDuration": "300",	Unkn own dire ctiv e
218	"hideDuration": "1000",	Unkn own dire ctiv e

Line #	Content	Error
219	"timeOut": "6000",	Unkn own dire ctiv e
220	"extendedTimeOut": "1000",	Unkn own dire ctiv e
221	"showEasing": "swing",	Unkn own dire ctiv e
222	"hideEasing": "linear",	Unkn own dire ctiv e
223	"showMethod": "fadeIn",	Unkn own dire ctiv e
224	"hideMethod": "fadeOut"	Unkn own dire ctiv e
225	}	Synt ax not unde rsto od
228	});	Synt ax not unde rsto od

Line #	Content	Error
229	</script>	Syntax not understood
231	</body>	Syntax not understood
232	</html>	Syntax not understood

Additional items to manually check (1) — Run these additional validators on your site to check additional SEO best practices. ^

Structured data is valid ^

Run the [Structured Data Testing Tool](#) and the [Structured Data Linter](#) to validate structured data. [Learn more.](#)

Passed audits (7) ^

Has a `<meta name="viewport">` tag with `width` or `initial-scale` ^

Add a `<meta name="viewport">` tag to optimize your app for mobile screens. [Learn more.](#)

Document has a `<title>` element ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more.](#)

Page has successful HTTP status code ^

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more](#).

Page isn't blocked from indexing ^

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more](#).

Image elements have `[alt]` attributes ^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more](#).

Document has a valid `hreflang` ^

hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more](#).

Document avoids plugins ^

Search engines can't index plugin content, and many devices restrict plugins or don't support them. [Learn more](#).

Not applicable (3) ^

Document has a valid `rel=canonical` ^

Canonical links suggest which URL to show in search results. [Learn more](#).

Document uses legible font sizes ^

Font sizes less than 12px are too small to be legible and require mobile visitors to "pinch to zoom" in order to read. Strive to have >60% of page text ≥ 12 px. [Learn more](#).

Tap targets are sized appropriately ^

Interactive elements like buttons and links should be large enough (48x48px), and have enough space around them, to be easy enough to tap without overlapping onto other elements. [Learn more](#).

Runtime Settings

URL	https://sushiksha.konkanischolarship.com/
Fetch Time	Nov 12, 2020, 12:11 AM GMT-3
Device	Emulated Desktop
Network throttling	40 ms TCP RTT, 10,240 Kbps throughput (Simulated)
CPU throttling	1x slowdown (Simulated)
Channel	devtools
User agent (host)	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/86.0.4240.193 Safari/537.36
User agent (network)	Mozilla/5.0 (Macintosh; Intel Mac OS X 10_14_6) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/84.0.4143.7 Safari/537.36 Chrome-Lighthouse
CPU/Memory Power	1592

Generated by **Lighthouse** 6.2.0 | [File an issue](#)