

H

Roll No.

TCS-402

**B. TECH. (FOURTH SEMESTER)
MID SEMESTER EXAMINATION,
April/May, 2022**

**FINITE AUTOMATA AND FORMAL
LANGUAGE**

Time : 1½ Hours

Maximum Marks : 50

Note : (i) Answer all the questions by choosing any *one* of the sub-questions.

(ii) Each question carries 10 marks.

1. (a) (i) Construct a DFA recognizing the following language (or strings) : $\{a^n b^m | n \text{ is divisible by 3 and } m \text{ is divisible by 2 or } n - m \geq 1\}$.

10 Marks (CO1)

- (ii) Find a DFA machine that accepts the language which has either odd

P. T. O.

(2)

TCS-402

number of 0's or even number of 1's
but not both together over alphabet
 $\Sigma = \{0,1\}$.

OR

- (b) Construct a minimum state automaton equivalent to the finite automaton given in the following table :

State	Input $[\Sigma] \rightarrow$	
	a	b
$\rightarrow q_0$	q_0	q_3
q_1	q_2	q_5
q_2	q_3	q_4
q_3	q_0	q_5
q_4	q_0	q_6
q_5	q_1	q_4
(q_6)	q_1	q_3

10 Marks (CO1)

2. (a) Write short notes on the following :

10 Marks (CO1)

- (i) Kleene Closures
- (ii) Generalized Transition Graph
- (iii) Applications and Limitations of FA

OR

- (b) Discuss the finite state machine with the help of an appropriate example.

10 Marks (CO1)

3. (a) Explain CHOMSKY classification of languages with example. 10 Marks (CO1)

OR

- (b) Design DFA for a Language of string 0 and 1 that :

10 Marks (CO1)

(i) ending with 10

(ii) ending with 11

(iii) ending with 1

4. (a) State Arden's theorem. Consider a DFA machine, $M = (\{q_1, q_2, q_3\}, \{0, 1\}, \delta, q_1, \{q_1\})$, where the transition function is defined as following :

$$\delta(q_1, 0) = q_1, \quad \delta(q_1, 1) = q_2,$$

$$\delta(q_2, 0) = q_3, \quad \delta(q_2, 1) = q_2,$$

$$\delta(q_3, 0) = q_1, \quad \delta(q_3, 1) = q_2$$

Find a regular expression 'r' such that

$$L(r) = L(M).$$

10 Marks (CO2)

P. T. O.

OR

- (b) Write the statement of Pumping Lemma for regular languages. Show that $L = \{ a^n : n \geq 2, \text{ is a prime number} \}$ is not a regular language over $\Sigma = \{a\}$.

10 Marks (CO2)

5. (a) Consider the Mealy machine described by the transition table given in table. Construct a Moore machine which is equivalent to the Mealy machine. 10 Marks (CO2)

P. State	Input a = 0		Input a = 1
	State	Output	State
q1	q3	0	q2
q2	q1	1	q4
q3	q2	1	q1
q4	q4	1	q3

OR

- (b) Draw the NFA for the regular expression $(a|b)^* a b b$ with ϵ move. Convert this NFA to DFA using ϵ closure method.

10 Marks (CO2)