



CERTIFICATE OF APPROVAL

No CAF 5033

This is to certify that, in accordance with
TS00 General Requirements for Certification of Fire Protection Products
The undermentioned products of

**Designated CERTIFIRE Approved Door and Blank Manufacturers
as Converted by**

BALMORAL JOINERY LIMITED

**Hexham Road, Swalwell, Newcastle Upon Tyne. NE16 3AD
Tel: 0191 4886545**

Have been assessed against the requirements of the Technical Schedule(s)
denoted below and are approved for use subject to the conditions
appended hereto:

SCOPE OF APPROVAL

Approved for processing of
blanks manufactured by
CERTIFIRE approved companies
as specified in this certificate:
Blank conversion, apertures;
glazing of apertures and door
frames

TECHNICAL SCHEDULE

TS10 Fire Resisting Door
Assemblies with non- Metallic
Leaves

Signed and sealed for and on behalf of Warringtonfire Testing and Certification Limited

**Paul Duggan
Certification Manager**



Issued: 27th March 2018
Revised: 07th January 2020
Valid to: 26th March 2023





CERTIFICATE No CAF 5033 BALMORAL JOINERY LIMITED

BLANK CONVERSION, GLAZED APERTURES and DOOR FRAMES (Pacific Rim Wood Limited)

1. This approval relates to the sizing and lipping and cutting of apertures, with or without glazing, in blanks supplied by Pacific Rim Wood Limited and to the manufacture of door frames. Subject to the undermentioned conditions, the doors will meet the requirements as detailed in the relevant certificates.
2. This certification is provided to the client for their own purposes and we cannot opine on whether it will be accepted by Building Control authorities or any other third parties for any purpose.
3. The certified blanks for which the sizing and lipping of blanks, cutting of apertures, subsequent glazing thereof and provision of frames is approved are as following:

PRW Ltd Certificate Number	Timber Door Product	Sizing and lipping	Aperture Cutting	Glazing of Apertures	Manufacture of Frames
CF5260	FD30 Flamebreak blank	✓	✓	✓	✓
CF5261	FD60 Flamebreak blank	✓	✓	✓	✓

Note: The scope of approval and field of application for the doors is contained in the above referenced certificates.

4. Lippings, apertures, glazing and frames shall be in accordance with Pacific Rim Wood Limited construction specifications and data sheets for the above referenced products.
5. Please refer to the relevant / current CERTIFIRE data sheet for suitable frame material options.
6. Processing is conducted in accordance with Pacific Rim Wood Limited procedures.
7. The process is approved on the basis of on-going certification of a suitable quality management system.
8. Inspection and surveillance of factory production control
9. The approval relates to on-going production.
10. Approved products carry a label identified with the processor's name and contact number, the CERTIFIRE name, or name and mark, together with the CERTIFIRE certificate number and a unique serial number.

Signed
E/261

Issued: 27th March 2018
Revised: 07th January 2020
Valid to: 26th March 2023

Page 2 of 2