



---

## **CERTIFICATE OF APPROVAL**

### **No CAF 5058**

---

This is to certify that, in accordance with  
TS00 General Requirements for Certification of Fire Protection Products  
The undermentioned products of

**Designated CERTIFIRE Approved Door and Blank Manufacturers  
as Converted by**

**AMSPEC**

**3 Kilshaw Street  
Pemberton  
Wigan  
WN5 8EA  
Phone 01942 641 342**

Have been assessed against the requirements of the Technical Schedule(s)  
denoted below and are approved for use subject to the conditions  
appended hereto:

---

#### **SCOPE OF APPROVAL**

**Approved for processing\* of  
blanks manufactured by  
CERTIFIRE approved companies  
as specified in this certificate:  
Blank conversion, apertures;  
glazing of apertures and door  
frames**

#### **TECHNICAL SCHEDULE**

**TS10 Fire Resisting Door  
Assemblies with non- Metallic  
Leaves**

**Signed and sealed for and on behalf of Warringtonfire Testing and Certification Limited**

**\* Not all processes are suitable for all door constructions.**

**Paul Duggan  
Certification Manager**



Issued: 12<sup>th</sup> January 2021  
Audit Test Frequency: 5 years  
Valid to: 11<sup>th</sup> January 2026





## CERTIFICATE No CAF 5058 AMSPEC

### BLANK CONVERSION, GLAZED APERTURES and DOOR FRAMES (Falcon Panel Products Limited)

1. This approval relates to the sizing and lipping and cutting of apertures, with or without glazing, in blanks supplied by Falcon Panel Products Limited and to the manufacture of door frames. Subject to the undermentioned conditions, the doors will meet the requirements as detailed in the relevant certificates.
2. This certification is provided to the client for their own purposes and we cannot opine on whether it will be accepted by Building Control authorities or any other third parties for any purpose.
3. The certified blanks for which the sizing and lipping of blanks, cutting of apertures, subsequent glazing thereof and provision of frames is approved are as following:

Certificate Number	Timber Door Product	Sizing & lipping	Aperture Cutting	Glazing of Apertures	Manufacture of Frames	Door Assemblies	
						Doorsets	Doors & Frames
CF807	FD30 Strebord blank	✓	✓	✓	✓	✓	✓
CF808	FD60 Strebord blank	✓	✓	✓	✓	✓	✓
CF5614	FD30 Stredor blank	✓	✓	✓	✓	✓	✓

**Note:** The scope of approval and field of application for the doors is contained in the above referenced certificates.

4. Lippings, apertures, glazing and frames shall be in accordance with Falcon Panel Products Limited construction specifications and data sheets for the above referenced products.
5. Please refer to the relevant / current CERTIFIRE data sheet for suitable frame material options.
6. Processing is conducted in accordance with Falcon Panel Products Limited procedures.
7. The process is approved on the basis of on-going certification of quality management system to ISO 9001:2015.
8. Inspection and surveillance of factory production control
9. The approval relates to on-going production.
10. Approved products carry a label identified with the processor's name and contact number, the CERTIFIRE name, or name and mark, together with the CERTIFIRE certificate number and a unique serial number.

Signed  
E/402

Page 2 of 2

Issued: 12<sup>th</sup> January 2021  
Valid to: 11<sup>th</sup> January 2026