



---

## CERTIFICATE OF APPROVAL

### No CAF 5039

---

This is to certify that, in accordance with  
TS00 General Requirements for Certification of Fire Protection Products  
The undermentioned products of

**Designated CERTIFIRE Approved Door and Blank Manufacturers  
as Converted by**

**STOBARTS LIMITED**

**Moss Bay House, Peart Road, Derwent Howe Industrial Estate,  
Workington CA14 3YT  
Phone 01900 518600**

Have been assessed against the requirements of the Technical Schedule(s)  
denoted below and are approved for use subject to the conditions  
appended hereto:

---

#### SCOPE OF APPROVAL

Approved for processing blanks  
manufactured by CERTIFIRE  
approved companies as specified  
in this certificate: Blank  
conversion, apertures; glazing of  
apertures and door frames

#### TECHNICAL SCHEDULE

TS10 Fire Resisting Door  
Assemblies with non- Metallic  
Leaves

**Signed and sealed for and on behalf of Exova (UK) Limited trading as  
Warrington Certification**

**Paul Duggan  
Certification Manager**

Issued: 14<sup>th</sup> December 2018  
Next audit test due: 14/12/2023  
Frequency: Every 5 years  
Valid to: 13<sup>th</sup> December 2023



Page 1 of 2





## CERTIFICATE No CAF 5039 STOBARTS LIMITED

### BLANK CONVERSION, GLAZED APERTURES and DOOR FRAMES (Phillips Joinery Limited)

1. This approval relates to the sizing and lipping and cutting of apertures, with or without glazing, in blanks supplied by Phillips Joinery Limited and to the manufacture of door frames. Subject to the undermentioned conditions, the doors will meet the requirements as detailed in the relevant certificates.
2. This certification is provided to the client for their own purposes and we cannot opine on whether it will be accepted by Building Control authorities or any other third parties for any purpose.
3. The certified blanks for which the sizing and lipping of blanks, cutting of apertures, subsequent glazing thereof and provision of frames is approved are as following:

Phillips Joinery Ltd Certificate Number	Timber Door Product	Sizing and lipping	Aperture Cutting	Glazing of Apertures	Manufacture of Frames
CF492	FD30 Flamebreak blank	✓	✓	✓	✓
CF575	FD60 Flamebreak blank	✓	✓	✓	✓

**Note:** The scope of approval and field of application for the doors is contained in the above referenced certificates.

4. Lippings, apertures, glazing and frames shall be in accordance with Phillips Joinery Limited construction specifications and data sheets for the above referenced products.
5. Please refer to the relevant / current CERTIFIRE data sheet for suitable frame material options.
6. Processing is conducted in accordance with Phillips Joinery Limited procedures.
7. The process is approved on the basis of on-going certification of quality management system to ISO 9001: 2008.
8. Inspection and surveillance of factory production control
9. The approval relates to on-going production.
10. Approved products carry a label identified with the processor's name and contact number, the CERTIFIRE name, or name and mark, together with the CERTIFIRE certificate number and a unique serial number.

Signed  
E/287

Issued: 14<sup>th</sup> December 2018  
Valid to: 13<sup>th</sup> December 2023