Q-2. Name = Aslath Trapliyal

    on Course = BCA 5th A.

    Roll no = 1921125

    Subject = web development

                                  Trapliyal

Q-2. activity - main.xml.

< ? xml version = "1.0" encoding = " uff.8 1 android support

 . constraint cons to: layout X mlns: android:

= http // schemas android.con tapk/osc/andrid".

xmlns: app = " http: // schenas.android (com/apk/ascate

android: layout - width = " match padpet "

android : layout - height = " match - pard tools - context: "ex

java pad. com. activity life cycle - Main activity ">

< Text view

    android. layout - width = " wrap content "

    android: layout - height = " wrap _ contant "

    android : text = " first activity :

app. layout - constraint Bottom to Bottom of = " parent "

app : layout - constraint lef - left of = " parent

< tan android. support. constraint constraint layout)

Q-2- Main Activity Java.

    import android. app. Activity;

    import android. os. Bundle;

    import andred. util. log.

    public class main Activity extends activity

                         Trapliyal

```java
override
protected void on creat (Bundle save Instance st
{
    supper. on creat (saved. ustau state);
    set content view (A. layout. activity main).
    log.d ("lifcycle", " on creat invoked");

}
@override.
protected void on start ()
{
    sypper. on. start ();
    log.d ("lifcycle", " on start invoked");

}
@override
    protected) void on Rnsume()
    super. on Ream();
    log.d (" lifecycle ", " on Resume invoked");
}
@override
protected void on cause () {
    super. on Rausee ();
    log. d ("lifecycle ", " on Pause invoked"),
}
@override
    protect void on Rnstart {
    { supr. on kntart ();
    log d (" lifecycle ", " on Rntar invoked");
}
```

Praplijal

}

@ override
   protected void on Pustory ()
   { super . onDhistory ();
     log ·id ("Lijecycle", "on Dnstory invoked);
}

Thapliyal

Activity_life_Circle

First Activity

First on Resume