

Mohd. Wasif

921097/34

B.C.A - Vth

Q1

Q1 - Activity main 1

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<RelativeLayout
```

```
xmlns:android="http://schemas.android.com/apk/res/android"
```

```
xmlns:app="http://schemas.android.com/apk/res-auto"
```

```
xmlns:tools="http://schemas.android.com/tools"
```

```
android:layout_width="match_parent"
```

```
android:layout_height="match_parent"
```

```
tools:context=".Main Activity">
```

```
<Button
```

```
android:id="@+id/b1"
```

```
android:layout_width="wrap_content"
```

```
android:layout_height="wrap_content"
```

```
android:gravity="center"
```

```
android:layout_centerHorizontal="true"
```

```
android:layout_centerVertical="true".
```

```
android:text="Next Activity"/>
```

```
</RelativeLayout>
```

Main Activity 1

```
package com.example.explicit_intent;
```

```
import androidx.appcompat.app.AppCompatActivity
```

Wasif


```
import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
```

```
public class MainActivity extends AppCompatActivity {
    Button btn1;
```

```
@Override
```

```
protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_main);
    btn1 = findViewById(R.id.b1);
    btn1.setOnClickListener(new View.OnClickListener() {
        @Override
```

```
public void onClick(View view) {
    Intent in = new
```

```
Intent(getApplicationContext(), Activity2.class);
    startActivity(in);
    }
    });
```

```
}
```

```
}
```

```
Activity main 2
```

```
<?xml version="1.0" encoding="utf-8"?>
<RelativeLayout
```


Mohd. Wasif
1921097/34
B.C.A - Vth

Mobile Application development
~~Page end~~

Q1

Soln - Activity main 1

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<RelativeLayout
```

```
xmlns:android="http://schemas.android.com/apk/res/android"
```

```
xmlns:app="http://schemas.android.com/apk/res-auto"
```

```
xmlns:tools="http://schemas.android.com/tools"
```

```
android:layout_width="match_parent"
```

```
android:layout_height="match_parent"
```

```
tools:context=".MainActivity">
```

```
<Button
```

```
android:id="@+id/b1"
```

```
android:layout_width="wrap_content"
```

```
android:layout_height="wrap_content"
```

```
android:gravity="center"
```

```
android:layout_centerHorizontal="true"
```

```
android:layout_centerVertical="true".
```

```
android:text="Next Activity"/>
```

```
</RelativeLayout>
```

Main Activity 1

```
package com.example.explicit_intent;
```

```
import androidx.appcompat.app.AppCompatActivity;
```

Wasif

Xml code -

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<LinearLayout xmlns:android="http://schemas.android.com/apk/res  
/android"
```

```
xmlns:app="http://schemas.android.com/tools"
```

```
android:layout_width="match_parent"
```

```
android:orientation="vertical"
```

```
android:layout_height="match_parent"
```

```
tools:context=".MainActivity">
```

```
<EditText
```

```
android:id="@+id/box"
```

```
android:layout_width="match_parent"
```

```
android:layout_height="wrap_content"
```

```
android:layout_marginTop="50dp"
```

```
android:gravity="center"
```

```
android:importantForAutofill="no"
```

```
android:inputType="textUri"
```

```
android:minHeight="48dp"
```

```
android:hint="@string/url"/>
```

```
<Button
```

```
android:id="@+id/btn"
```

```
android:layout_width="match_parent"
```

```
android:layout_height="wrap_content"
```

```
android:layout_marginLeft="100dp"
```

```
android:layout_marginRight="100dp"
```

```
android:text="@string/btn"
```

```
android:textAlignment="center"/>
```


</LinearLayout>

Java Code —

```
Package com.example.implicitintent;  
import androidx.appcompat.app.AppCompatActivity;
```

```
import android.content.Intent;
```

```
import android.net.Uri;
```

```
import android.os.Bundle;
```

```
import android.view.View;
```

```
import android.widget.Button;
```

```
import android.widget.EditText;
```

```
public class MainActivity extends AppCompatActivity {
```

```
    EditText box;
```

```
    Button btn;
```

```
    @Override
```

```
    protected void onCreate(Bundle savedInstanceState) {  
        super.onCreate(savedInstanceState);
```

```
        setContentView(R.layout.activity_main);
```

```
        box = findViewById(R.id.box);
```

```
        btn = findViewById(R.id.btn);
```

```
        btn.setOnClickListener(new View.OnClickListener() {  
            @Override
```

Wasiif


```
public void onClick (view view) {  
    string url = box.getText().toString();  
    Uri Uri = Uri.parse (url);  
    Intent intent = new Intent (Intent.ACTION_  
        VIEW, uri);  
    startActivity (intent);  
}
```

```
});
```

```
}
```

```
}
```

Qasif



11:00



implicit intent

Enter a url

VISIT

