HW4 电计1901 关瑞林 2017850 72

No.
Date

(a) ID3

total = 14. + : 9 - : 5

S(9+,5-) P(C1) = 9/14 P(C2) = 5/14

Entropy(S) = $-\sum_i P(W_i)\log_2 P(W_i)$

= $-(\frac{9}{14}\times\log_2\frac{9}{14}+\frac{5}{14}\times\log_2\frac{5}{14}) \approx 0.94$

(I) root:

① outlook: sunny: 5 2+ 3- overcast: 4+; Rain: 5 3+ 2-

E(S) = $-(2/5\times\log_2 2/5 + 3/5\log_2 3/5) = 0.971$

E(O) = $-(1\times\log 1) = 0$

E(R) = $-(3/5\times\log_2 3/5 + 2/5\times\log_2 2/5) = 0.971$

G(S, outlook) = $E(S) - \frac{5}{14}E(\text{sunny}) - \frac{4}{14}E(\text{overcase}) -$

$5/14\times E(\text{Rain}) = 0.94 - \frac{5}{14}\times 0.971 = 0.246$

② temp: hot: 4 2+ 2- mild: 6 4+ 2- cool: 4 3+ 1-

E(h) = $-(\frac{2}{4}\log_2\frac{2}{4}+\frac{2}{4}\log_2\frac{2}{4}) = 1$

E(m) = $-(\frac{4}{6}\log_2\frac{4}{6}+\frac{2}{6}\times\log_2\frac{2}{6}) = 0.918$

E(c) = $-(\frac{3}{4}\times\log_2\frac{3}{4}+\frac{1}{4}\log_2\frac{1}{4}) = 0.811$

G(S, temp) = $0.94 - \frac{4}{14}\times 1 - \frac{6}{14}\times 0.918 - \frac{4}{14}\times 0.81$

= 0.029

③ Humidity: H: 7 3+ 4- N: 7 6+ 1-

E(H) = $-(3/7\log 3/7 + 4/7\log 4/7) = 0.985$

E(N) = $-(6/7\log 6/7 + 1/7\log 1/7) = 0.592$

G(S, H) = $0.94 - 7/14\times 0.985 - 7/14\times 0.592 = 0.151$

Date

④ Wind: W: 8 6+ 2- S: 6 3+ 3-

$E(W) = -(6/8 \log 6/8 + 2/8 \log 2/8) = 0.811$

$E(S) = -(3/6 \log 3/6 + 3/6 \log 3/6) = 1$

$G(S,W) = 0.94 - 8/14 \times 0.811 - 6/14 \times 1 = 0.048$

!!

$G(S,O)$ is the biggest, outlook is root



(II) Next Node in sunny

$E(sunny) = 0.971$

① Temp: H: 2-, M: 2 1+ 1-, C: 1+

$E(H) = 0$, $E(C) = 0$, $E(M) = 1$

$G(S, temp) = 0.971 - 2/5 \times 1 = 0.571$

② Humidity: H: 3-, N: 2+

$E(H) = 0$, $E(N) = 0$

$G(S,H) = 0.971 - 0 = 0.971$

③ Wind: W: 3 1+ 2-, S: 2 1+ 1-

$E(W) = -(1/3 \log_2 1/3 + 2/3 \log_2 2/3) = 0.918$, $E(S) = 1$

$G(S,W) = 0.971 - 3/5 \times 0.918 - 2/5 \times 1 = 0.0202$

∵ G_1(sunny, Humidity) is the largest,

∴



(III), next node in Rain

$E(Rain) = 0.971$

① temp: M: 3^{2+}_{1-} C: 2^{1+}_{1-}

$E(mild) = -(\frac{2}{3}\log_2\frac{2}{3} + \frac{1}{3}\log_2\frac{1}{3}) = 0.918$, $E(C) = 1$

$G_1 = 0.971 - \frac{2}{5} - \frac{3}{5} \times 0.918 = 0.0202$

② Humidity: H 2^{1+}_{1-} N: 3^{2+}_{1-}

$E(H) = 1$, $E(N) = 0.918$

$G_1 = 0.971 - \frac{2}{5} - \frac{3}{5} \times 0.918 = 0.0202$

③ wind: W: 3+, S: 2-

$E(W) = 0$, $E(S) = 0$, $G_1 = 0.971$, (biggest)

∴



(b) CART.

No.
Date

(I) root, D is the sample

A. outlook sunny 为 $\frac{2+}{3-}$ overcast: 4+ Rain: 5 $\frac{3+}{2-}$

① {Sunny} | {overcast, Rain}

A_1 (2+,3-) A_2 (7+,2-)

$Gini(A_1) = 1-(\frac{2}{5})^2-(\frac{3}{5})^2 = \frac{12}{25}$

$Gini(A_2) = 1-(\frac{7}{9})^2-(\frac{2}{9})^2 = \frac{28}{81}$

$Gini(D,\{A_1,A_2\}) = \frac{5}{14}\times Gini(A_1) + \frac{9}{14}\times Gini(A_2)$

$= \frac{5}{14}\times\frac{12}{25} + \frac{9}{14}\times\frac{28}{81} = 0.394$

② {overcast} | {Sunny, Rain}, A_3(4+) | A_4(5+5-)

$G(A_3) = 0$, $G(A_4) = 1-0.5^2-0.5^2 = 0.5$

$G(D,\{A_3,A_4\}) = \frac{1}{2}\times\frac{10}{14} = 0.357$

③ {Rain} | {sunny, overcast}, A_5 | A_6

$G(A_5) = 1-(\frac{3}{5})^2-(\frac{2}{5})^2 = 12/25$

$G(A_6) = 1-(\frac{6}{9})^2-(\frac{3}{9})^2 = \frac{4}{9}$

$G(D,\{A_5,A_6\}) = 5/14\times\frac{12}{25} + \frac{9}{14}\times\frac{4}{9} = \frac{16}{35} = 0.457$

B. temp: H=4 $(\frac{2+}{2-})$ M=6 $\frac{4+}{2-}$ L: 4 $\frac{3+}{1-}$

① $Gini(D,\{Hot\}|\{mild, cool\}) = \frac{4}{14}\times(1-\frac{1}{2}^2-\frac{1}{2}^2) + \frac{10}{14}\times$
$(1-\frac{7}{10}^2-\frac{3}{10}^2) = \frac{4}{14}\times\frac{1}{2} + \frac{10}{14}\times\frac{21}{50} = 0.443$

② $Gini(D,\{mild\}|\{Hot, cool\}) = (1-(\frac{2}{6})^2-(\frac{4}{6})^2)\times\frac{6}{14} + \frac{8}{14}\times(1-$
$(\frac{5}{8})^2-(\frac{3}{8})^2) = \frac{6}{14}\times\frac{4}{9} + \frac{8}{14}\times\frac{15}{32} = \frac{11}{24} = 0.458$

③ $Gini(D,\{cool\}|\{Hot, mild\}) = \frac{4}{14}\times(1-(\frac{1}{4})^2-(\frac{3}{4})^2) + \frac{10}{14}\times(1-(\frac{4}{10})^2-(\frac{6}{10})^2)$

$= \frac{4}{14}\times\frac{3}{8} + \frac{10}{14}\times\frac{12}{25} = \frac{9}{20} = 0.45$

No.
Date

C. Humidity: H: 7(3+ 4-) N: 7(6+ 1-)

$Gini(D,\{Gini(H), Gini(N)\}) = \frac{1}{2}\times(1-(\frac{3}{7})^2-(\frac{4}{7})^2)+\frac{1}{2}\times(1-(\frac{6}{7})^2-(\frac{1}{7})^2) = \frac{24+12}{49\times 2} = \frac{18}{49} = 0.367$

D. Wind: W: 8 6+ 2- S: 6 3+ 3-

$Gini(D,\{Gini(W), Gini(S)\}) = \frac{8}{14}(1-(\frac{6}{8})^2-(\frac{2}{8})^2)+\frac{6}{14}(1-(\frac{3}{6})^2-(\frac{3}{6})^2)$

$= 8/14\times 3/8 + 6/14\times 1/2 = 0.2429$

∴ Gini(D; {overcast}|{Sunny, Rain}) has the smallest

Gini : 0.357



4+ D = D{1,2,4,5,6,8,9,10,13,14}

(II) second node

(A) temp: Hot: 2-, Mid: 5 3+ 2-, Cool: 3 2+ 1-

① $Gini(D,\{G(H)|G(mild,Coo)\}) = \frac{2}{10}\times 0 + \frac{8}{10}\times\frac{15}{32} = 0.375$

② $Gini(D,\{G(M)|G(C,H)\}) = \frac{5}{10}\times(\frac{12}{25}) + \frac{5}{10}\times\frac{12}{25} = 0.48$

③ $Gini(D,\{G(C)|G(M,H)\}) = \frac{3}{10}\times\frac{4}{9} + \frac{7}{10}\times\frac{24}{49} = 0.476$

(B) Wind W: 6 4+ 2- S: 4 1+ 3-

$G(D,\{W,S\}) = \frac{6}{10}\times\frac{16}{36} + \frac{4}{10}\times\frac{6}{16} = 0.417$

(C) Humidity H: 5 1+ 4- N: 5 4+ 1-

$G(D,\{H,N\}) = \frac{1}{2}\frac{8}{25} + \frac{1}{2}\frac{8}{25} = \frac{8}{25} = 0.32$

(D) Out Look sunny 5 2+ 3- Rain 5 3+ 2-

$G(D,\{S,R\}) = \frac{1}{2}\frac{12}{25}\times 2 = 0.48$

No.
Date

the smallest is Gini(D, {High, Normal}) = 0.32



(III) the left, D = D2

(A) outlook: Sunny: 3-, Rain: 2 1+ 1-

Gini(D, {S, R}) = 3/5 × 0 + 2/5 × 1/2 = 0.2

(B) temp: H: 2- mild: 3 1+ 2-

Gini(D, {H, m}) = 2/5 × 0 + 3/5 × (1 - (1/3)^2 - (2/3)^2) = 4/15 = 0.267

(C) Wind: W: 3 1+ 2- S: 2-

Gini{D, {W, S}) = 3/5 × 4/9 + 0 = 0.267

∵ Gini{D, {S, R}) = 0.2 is the smallest

∴ left is outlook, right is wind



AND, because the last two node have only 1+ sample and 1- sample, which creat 4 nodes.



(a) ① CART use minimization of squared error, ID3 use log, when calculate, CART is faster than ID3

② CART tree is a binary tree, ID3 is not. The branching factor of ID3 equas to the number of decision category

③ CART has a deeper tree than ID3, so when decision, ID3 is faster.

④ ID3 use information gain to describe choosing, so choose the biggest one which can make the remaining samples have more purity

CART use Gini index to describe decision, the goal is to minimize the probability of misclassification. That's why we choose the smallest one.

HW4 附加题页

K聚类如何选初始点?

① 随机选取，多次平均。重复采一般也是最原始的选择方法

② K-means ++. 选尽可能远的K个点。对于第 n ($1<n\leq k$) 个点，选离前 n-1 个点的中心最远的点

③ ISODATA: 当某一类点过少，去除之。当某一类点过多、分散较大，分裂为两个聚类