Wone : Suld Sharma be Roll- 1921187 course - BCA Sob - Andraid "Sec-B Sen- V < ? xml version = "1.0 encocling = "utf-8"?> < Linear Layout xmlns: ordraid = "hotp: /schemos. andraid.com/able 1 res / orderoid " Xmlx: opp =" http:// schemas.android.com/apk/ses-auto" xmlne: took = " http://schanos.ondapid.com/tools" "transpid: layout_ width = "motch_ parent" andraid: loyout-hight = "match-parent" andraid: Orientation = "MainActivity 2"> < Text lieu ◆ "travery- notion" = Akbien-turged : biarbono andersid: Layout - height = " West content" " op 001 : layer - margin Top = "200 do" andraid : gravity = "conter" ondraid: text =" This is activity too" /> < 1 Linear Layout > pockage com. example. implicit explicit; import androids. appeampet app. App complict. Activity; intent. toetras. biarbus tradmi invester biarbus tradmi ¿ elbard. 20. biarbre. tragm; ¿mein. wein. biarboro tradmi import android. Widget. Button; import andraid. Widget. Edittext; public class. Main Activity extends Appromptet Activity & Edit Text text. Sutton nottend Button btn2;

Graphic Era Hill University Nome: busoj sharm course - BCA Semp -V Roll no - 1921187 Sec - A 19041194 < 9 xml version = "1.0" encoding = "welf - 8" ?> < Linear Layout xmlns: android = http://schemus. android.com/abk/rel larbroid " Xmlns: orpp = "http://schemos.android.com/apk/res-outo" xmlns: tool = "http://schamol.andraid.com/tool" android: layout width = "match-parent" took: conteact = " Main Activity"> < Edit Text "text" id "@ + id | text" android: layout-width = "match-parent" android: layout-height = "wrap-content" andraid: layout-margin Top = "100dp" andraid: hint = "enter wel" android: gravity = "center" 1> L & Button orderaid: id = "@+id/btn1" andraid: layout_width = "match-parent" andraid: layout-height = "wrap - content" andraid: text = "Submit"/> 2 Button " sid bit 6" bi: biacons andraid. layout - width = " match-parent" oudraid: layout. height = "west - constant" android. layout-margin Top= "100 db" android: text = "go to activity two" /> 2/Linear Layout>

Surai

```
protected upid oncreate (Bundle Saved Instances tota)
Super on create (sound Instance State);
 Set contentiers (R. Loyout activity main);
  text = find view By to (R. id - text)
  6+n1 = findliew ById (Rid. 6+n1)",
  6th 2 - find view By Ed (R. id. 6th 2);
 obta 1. Let on elick Listener ( neue View. On elick Listener () {
  (a) Durvide.
       Public void on dick (view View) {
      String url = text. get Text (), to String ();
     usi = Priparde (usl);
     wer = tretri. . tretri
 Intent (Intent. ACTION VIEW; Usi);
       stoethetivity (intent);
     Str 2: settle click disture (new View. On click istenery)
         Disease @
         Public void on click (vine Viene) &
            even=tretri. tretric
   Intent (Main Activity: this, con example implicit.
    explicit. Main Activity 2- closs);
            Stort Mitwity (intent);
```

