	Nelsa Bhandar	1
	BLA 5B Date.	
	rage No.	
	1921(06	
		11
2	Duckage	1
	com. Example activity lifeagele.	
	import	P
	android appeomp at app. Applompat Activity	
	17 19 STA STATE OF THE STATE OF	
	import android of Mundle;	
	import android, will log;	
	CARRED Character	
	public class Mannativity entered Applicant	
1 do	Applompact Activity & entereds Applompact	
	milic static final String status =	
	MaurActivity class get somple Name ().	
	Override goote protected void on create (Buedle Saved Pustance Rule) ?	ĺ
	protected void on wate Buendle	P
	Saved Perstance Rale) 5	ľ
	NAC STATE OF THE PARTY OF THE P	
	Super on Greate (saved Terstance State).	
Bellie B		
	Set toutent View (R. Layout activity main),	
	Set tartest View (R. Layout activity main), log: (Status, "In Milliod On Create");	
	@ arride	
1026	Super onstart():	
14 116	Super onstart();	
	Suger onstært!	
	4/0	

	Nelia Bhandari
	BCA 5 B Date.
134	1921106 Page No
	wail status "In Method On Chart").
	Wg.i' (Status, "En Nuthod Oustart");
	@ Override
	protected void enferme () {
	log i (Status " In Nelland, Our Romana")
	Log i (Status, " lu Neithod Our Ressume");
Mail	@ Overside
	protected void onPause (){
	Super on Pause ();
	Log of I states " In Nell of Our Dance").
	Log i (Staters, " En Nellisch On Pause");
	Q Overside
	super ou Stop ()? Sugar ou Stop (); log ? (Status, "Inputhod On Stop"); 3
1	Super Des Chop ().
	log ? (Status " In M. Hard Mr. Cho").
	3
	a Overside
	protected void outestroy()? signer. on Destroy(). Log: [Status; En Mustrod Our Destroy).
	Log ? (Status " En Milland Cer Destarou").
	30
	3
	< ? xind version = "1.0"
	encordina = "It - 2 "?>
	<pre> <!-- xind version = "1.0" encoding = "itty -8"? --> </pre> <pre></pre>
	the production of the second s

	Data
	Date. ————————————————————————————————————
13	
	Ymlas: android: "http://schemas
	I'mlas: android: "http://schemas android. com /apple / res/android".
	package: " com easing calling myapplic
4	aedon"
	Lapplication as donid: allow Rode on "for"
	Eapplication android: allow Backerp="true" android: Paus = "Onipmap/ic_buncher"
	android: lable = "Q, stringlopp_name" android: roundscon = " @ onipmaplic laund -sound"
4	android: round?con =" & onipmaplic laund
	-spend "
	android: Supports RAL = "frue"
	The state of the s
	Condroid: theme = " a style (Them. My App
	Condroid: theme = " a style (Them. My App Color ") >
	(mainfest).
100	Allender Augusta de la companya della companya della companya de la companya della companya dell

Scanned with CamScanner