Name-Prache Dhasmana University Roll No. - 1921116 Course - BCA 'SB' Student 113-19042160 I To show explicit intent activity_main.xml <? xml version = "1.0" encoding = "utf-8"?> < Relative Layout xmlns: android="http://schemas.android.com/apk/res/android" xmlns: app="http://schemas.android.com/apk./res-auto"
xmlns: tools="http://schemas.android.com/tools" android: layout -width = "match - parent" android: layout height = "match - parent" tools: content = ". Main Activity"> < Tent View android: layout-width = "match - parent" android: layout - height = "wrap-content" android: tent = "Hello, This is Activity 1" android: gravity="Center" android: layout_margin top="90dp" android: tentsize = "Godp" android : tentilolor = "@ color Heal_200" android: tent Style = "bold" android: id="@+id/tu_1"/> < Button android: layout-width = "wrap-content" android : layout height = "wrap-content" android : layout_below = "@+id/tv_1" ordroid: layout-margintop= "60 dp"
android: id="@+id/btn1"

Practi

android: layout_centertorizontal = "true"
android: tent = " Wich here for Activity?"/> </r>

< Vava Code : pachage com. enample. enplicit intent; import androidx. apprompat. app. App Compat Activity; android · content · Intent; import android view. View; Midalist Julido on android . widget . Button; import android widget. Tent View; public class Main Activity extends ApplompatActivity & Tentliew tu; Button 6tn; protected void onfreate (Bundle saved Instance State)
{ Supper onfreate (Seve d'Instance State); Set Content View CR. lagorit-activity main); tv = find View Byld (R.id.tv_1); 6th = find View Byld (R.id.6th 1); 6th. set On Click Listener (new View. On Click Listener () { a Override

Prachi Phosmana

Prach

Brachi Dhasmara # To show implicit Java Code: package comerample, implicit_intent; import android x. appcompat, app. Applompat Activity: import android content . litent, import android, net, Vri; & import android . os . Bundle; import android view . View, import android . widget . Button; import android widget . Edit Tent; public class MainActivity entends Applompat Activitis Editlent e1; Button btn; a Override predected void ontreate (Bundle saudhistance State) 9 Super. on Create (Saved Instance State); setContent View (R. Layout, activity-mein); es = findliew Byld (R. id. et 1); 6tn = find View Byld CR.id. 6tn _ 1); 6th, Set Set On Click lister (new view. On Clicklisters O) @ Overlide fublic void on Click (View v) S=e1, get lent(). to String (); Intent i= new Intent (Intent. ACTION_VIEW, Uni. parse(e)); start Activity(i);