Name: Lucky Ramot Fathers Name: Bohan Singh Ranat. University roll is: 1922030 Course: BSc IT Semester: 5th Papername: Mobile De Application Development Lab Paper type: - Mid Term, Regular Paper code: -PBI 501 import android os Burdle; emport android. support design widget. Floating Action Button; emport android support design widget . Snockba; import anderoid. support. v7. app. App Compat Activity; import anderoid support. v7. widget. Toolbas import android view. View; impost android. util. Log; import android . view, Menu; import android view. MenuItem; public class HomeActivity extends Applompat Activity pourate state final String HOME_ACTIVITY JA = Home Activity. class. getesimple Name (); porivate strong void should (Storing text) Log. & (HOME ACTIVITY TAG. Rout); public void on Groate (Burlle saved Instances State) super. on Greate (soved Instance office); showlog (Activity Greater");

Protected void on Restaut () super. on Restart (): // call to siestart often show Log ("Activity nestanted"); protected void on Start!) super. on Stort (); // soon be visible showlog ("Activity Storted"); protected void on Resume () super. on Resume (); // visible showlog ("Activity gresumed"); protected void on Pause() ruper.onPause(); // invisible showlog ("Activity paused"); protected void and top () super on Stop (");
showlog ("Activity Stopped"); Waster Street

1,00%

Ramat.

perstected void on Desteroy showlog ("Adirity is being destroyed"); Property of the second Andoroid Manifest. xml file (xml version="1.0" encoding: "it 8"?)

<marifest xmlns: android = http://schemas.android.com

/ aple/ nes/ android" / aple/ ner/ android" package = com. akashandroid. homeactivity? > <application ! anderoid: allow Backup = "tome" anderoid: icon= @ mipmap/ic-launcher android: label = & storing/app-name
android: supportsktl = "tome" android: theme = "@ style (AppTheme") androidiname = "Home Activity" Lactivily android. lable = @ stering /app-name" android: theme = @ style/App Theme. No Action B. Lintert-filter> Laction android: name = android. intent Lestegory andorsid: name = andorsid. intent Lintent-filter (lasterity) 2/application? 1/monifest> tal Round