

PC0

Physical Config Desktop Programming Attributes

Command Prompt

```
Cisco Packet Tracer PC Command Line 1.0
C:\>ping171.168.1.1
Invalid Command.

C:\>ping 171.168.1.1


Pinging 171.168.1.1 with 32 bytes of data:

Reply from 171.168.1.1: bytes=32 time=3ms TTL=128
Reply from 171.168.1.1: bytes=32 time=0ms TTL=128
Reply from 171.168.1.1: bytes=32 time=8ms TTL=128
Reply from 171.168.1.1: bytes=32 time=14ms TTL=128

Ping statistics for 171.168.1.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 3ms, Maximum = 14ms, Average = 8ms

C:\>
```





PC0

Physical Config Desktop Programming Attributes

Command Prompt

```
Cisco Packet Tracer PC Command Line 1.0
C:\> ping171.168.1.0
Invalid Command.

C:\>ping 171.168.1.0

Pinging 171.168.1.0 with 32 bytes of data:

Reply from 171.168.1.0: bytes=32 time=5ms TTL=128
Reply from 171.168.1.0: bytes=32 time=9ms TTL=128
Reply from 171.168.1.0: bytes=32 time=7ms TTL=128
Reply from 171.168.1.0: bytes=32 time=7ms TTL=128

Ping statistics for 171.168.1.0:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 5ms, Maximum = 9ms, Average = 7ms

C:\>
```

