





Cisco Packet Tracer

File Edit Options View Tools Extensions

Logical Physical x: 443, y: 164

Server-PT Server0

Time: 00:07:13

33°C Partly sunny

Physical Config **CLI** Attributes

IOS Command Line Interface

```
%LINK-5-CHANGED: Interface FastEthernet0/20, changed state to up
%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/20, changed state to up
%LINK-5-CHANGED: Interface FastEthernet0/21, changed state to up
%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/21, changed state to up

Switch>
Switch>en
Switch#sh ip int br
```

Interface	IP-Address	OK?	Method	Status	Protocol
FastEthernet0/1	unassigned	YES	manual	up	up
FastEthernet0/2	unassigned	YES	manual	up	up
FastEthernet0/3	unassigned	YES	manual	up	up
FastEthernet0/4	unassigned	YES	manual	up	up
FastEthernet0/5	unassigned	YES	manual	up	up
FastEthernet0/6	unassigned	YES	manual	up	up
FastEthernet0/7	unassigned	YES	manual	up	up
FastEthernet0/8	unassigned	YES	manual	up	up
FastEthernet0/9	unassigned	YES	manual	up	up
FastEthernet0/10	unassigned	YES	manual	up	up
FastEthernet0/11	unassigned	YES	manual	up	up
FastEthernet0/12	unassigned	YES	manual	up	up
FastEthernet0/13	unassigned	YES	manual	up	up
FastEthernet0/14	unassigned	YES	manual	up	up
FastEthernet0/15	unassigned	YES	manual	up	up
FastEthernet0/16	unassigned	YES	manual	up	up
FastEthernet0/17	unassigned	YES	manual	up	up
FastEthernet0/18	unassigned	YES	manual	up	up
FastEthernet0/19	unassigned	YES	manual	up	up
FastEthernet0/20	unassigned	YES	manual	up	up
FastEthernet0/21	unassigned	YES	manual	up	up

--More--

Ctrl+F6 to exit CLI focus

Copy Paste

☐ Top

03:38:00

Realtime Simulation

Cisco Packet Tracer

File Edit Options View Tools Extensions

Logical Physical x: 591, y: 53

Time: 00:09:37

33°C Partly sunny

Physical Config **Desktop** Programming Attributes

IP Configuration

Interface: FastEthernet0

IP Configuration

☒ DHCP ☐ Static DHCP request successful.

IP Address: 192.168.1.2

Subnet Mask: 255.255.255.0

Default Gateway: 0.0.0.0

DNS Server: 8.8.8.8

IPv6 Configuration

☐ DHCP ☐ Auto Config ☒ Static

IPv6 Address: /

Link Local Address: FE80::209:7CFF:FE6B:66E8

IPv6 Gateway:

IPv6 DNS Server:

802.1X

☐ Use 802.1X Security

Authentication: MD5

Username:

Password:

☐ Top

04:51:00

Realtime Simulation

