

Q1. Union of Sets

Score: 0.00 TC: 0/1 passed

CODE

```
A = {1, 2, 3}
B = {3, 4, 5}

C = A.union(B)

print(C)
```

INPUT

```
1 2 3
3 4 5
```

OUTPUT

```
{1, 2, 3, 4, 5}
```

Q2. Intersection

Score: 0.00 TC: 0/1 passed

CODE

```
A = {1, 2, 3}
B = {2, 3, 4}

C = A.intersection(B)

print(C)
```

INPUT

```
1 2 3
2 3 4
```

OUTPUT

```
{2, 3}
```

Q3. Difference

Score: 0.00 TC: 0/1 passed

CODE

```
A = set(map(int, input().split()))
B = set(map(int, input().split()))

print(A.difference(B))
```

INPUT

```
1 2 3
2 3 4
```

OUTPUT

```
{1}
```

Q4. Symmetric Difference

Score: 0.00 TC: 0/1 passed

CODE

```
A = set(map(int, input().split()))
B = set(map(int, input().split()))

print(A.symmetric_difference(B))
```

INPUT

```
1 2 3
2 3 4
```

OUTPUT

```
{1, 4}
```

SIMATS Engineering • CSE • CSA0802 — Python Programming • 05-08-2026 • Category: Class Work (4.8.26) • Student Submissions Report

Q5. Subset

Score: 0.00 TC: 0/1 passed

CODE

```
A = set(map(int, input().split()))
B = set(map(int, input().split()))

if A.issubset(B):
    print("Subset")
else:
    print("Not Subset")
```

INPUT

```
2 3
1 2 3 4
```

OUTPUT

Subset

Q6. Superset

Score: 5.00 TC: 1/1 passed

CODE

```
A = {1, 2, 3, 4}
B = {2, 3}

if A.issuperset(B):
    print("Superset")
else:
    print("Not Superset")
```

INPUT

```
1 2 3 4
2 3
```

OUTPUT

Superset

Q7. Disjoint Sets

Score: 0.00 TC: 0/1 passed

CODE

```
A = set(map(int, input().split()))
B = set(map(int, input().split()))

if A.isdisjoint(B):
    print("Disjoint")
else:
    print("Not Disjoint")
```

INPUT

```
1 2
3 4
```

OUTPUT

Disjoint

Q8. Remove Duplicates

Score: 0.00 TC: 0/1 passed

CODE

```
lst = list(map(int, input().split()))

print(set(lst))
```

INPUT

1 2 2 3 3 4

OUTPUT

{1, 2, 3, 4}

Q9. Common Elements

Score: 0.00 TC: 0/1 passed

CODE

```
A = set(map(int, input().split()))
B = set(map(int, input().split()))
C = set(map(int, input().split()))

print(A.intersection(B, C))
```

INPUT

```
1 2 3
2 3 4
2 5
```

OUTPUT

{2}

Q10. Missing Numbers

Score: 0.00 TC: 0/1 passed

CODE

```
given = set(map(int, input().split()))
all_numbers = set(range(1, 11))

print(all_numbers - given)
```

INPUT

1 2 4 5 7 10

OUTPUT

{8, 9, 3, 6}

25 / 191

Q11. First Repeated

Score: 5.00 TC: 1/1 passed

CODE

```
lst = [10, 20, 30, 20, 40]

seen = set()

for i in lst:
    if i in seen:
        print(i)
        break
    seen.add(i)
```

INPUT

10 20 30 20 40

OUTPUT

20

Q12. Duplicate Elements

Score: 0.00 TC: 0/1 passed

CODE

```
lst = list(map(int, input().split()))

seen = set()
dup = set()

for i in lst:
    if i in seen:
        dup.add(i)
    else:
        seen.add(i)

print(dup)
```

INPUT

10 20 30 20 10

OUTPUT

{10, 20}

Q13. Compare Lists

Score: 0.00 TC: 0/1 passed

CODE

```
list1 = list(map(int, input().split()))
list2 = list(map(int, input().split()))

print(set(list1) == set(list2))
```

25 / 191

INPUT1 2 2 3
3 2 1**OUTPUT**

True

Q14. Duplicate Tuples

Score: 0.00 TC: 0/1 passed

CODE

```
s = input().strip()

s = s.replace("[", "")
s = s.replace("]", "")
s = s.replace("(", " ")
s = s.replace(")", " ")

nums = list(map(int, s.split(" ")))

lst = []
for i in range(0, len(nums), 2):
    lst.append((nums[i], nums[i+1]))

seen = set()
result = []

for t in lst:
    if t not in seen:
        seen.add(t)
        result.append(t)

print(result)
```

INPUT

[(1,2),(1,2),(3,4)]

OUTPUT

[(1, 2), (3, 4)]

SIMATS Engineering • CSE • CSA0802 — Python Programming • 05-08-2026 • Category: Class Work (4.8.26) • Student Submissions Report

Q15. Pair Sum

— Not Submitted —

Q16. Unique Characters

— Not Submitted —

Q17. Unique Words

— Not Submitted —

Q18. Exactly One Set

— Not Submitted —

Q19. Menu Driven

— Not Submitted —

Q20. Student Database

— Not Submitted —

26 / 191