

```
mysql> SELECT 'start', SPACE(20), 'end';
+-----+-----+-----+
| start | SPACE(20) | end |
+-----+-----+-----+
| start |           | end |
+-----+-----+-----+
| start |           | end |
+-----+-----+-----+
1 row in set (0.00 sec)
```

```
mysql> SELECT substr("Database",5,4);
+-----+
| substr("Database",5,4) |
+-----+
| base                   |
+-----+
1 row in set (0.00 sec)
```

```
mysql> SELECT substr("Database",5);
+-----+
| substr("Database",5) |
+-----+
| base                 |
+-----+
1 row in set (0.00 sec)
```

```
mysql> SELECT substr("Database",-5);
+-----+
| substr("Database",-5) |
+-----+
| abase                 |
+-----+
1 row in set (0.00 sec)
```

```
mysql> SELECT UPPER('database');
+-----+
| UPPER('database') |
+-----+
| DATABASE          |
+-----+
```

```
mysql> SELECT UPPER('database');
```

```
+-----+
| UPPER('database') |
+-----+
| DATABASE          |
+-----+
```

```
mysql> SELECT lower('DATABASE');
```

```
+-----+
| lower('DATABASE') |
+-----+
| database          |
+-----+
```

```
mysql> SELECT UPPER('database');
```

```
+-----+
| UPPER('database') |
+-----+
| DATABASE          |
+-----+
```

```
mysql> SELECT lower('DATABASE');
```

```
+-----+
| lower('DATABASE') |
+-----+
| database          |
+-----+
```

```
mysql> SELECT TRIM(' DATABASE ');
```

```
+-----+  
| TRIM(' DATABASE ') |  
+-----+  
| DATABASE           |  
+-----+
```

```
1 row in set (0.00 sec)
```

```
mysql> SELECT TRIM('          DATABASE ');
```

```
+-----+  
| TRIM('          DATABASE ') |  
+-----+  
| DATABASE                     |  
+-----+
```

```
1 row in set (0.00 sec)
```

```
mysql> SELECT TRIM(LEADING "DATABASE" FROM "DATABASE MANAGEMENT");
```

```
+-----+  
| TRIM(LEADING "DATABASE" FROM "DATABASE MANAGEMENT") |  
+-----+  
| MANAGEMENT                                           |  
+-----+
```

```
1 row in set (0.00 sec)
```

```
mysql> SELECT BIT_LENGTH('abc');
```

```
+-----+
| BIT_LENGTH('abc') |
+-----+
|          24        |
+-----+
1 row in set (0.00 sec)
```

```
mysql> SELECT BIT_LENGTH(2);
```

```
+-----+
| BIT_LENGTH(2)      |
+-----+
|           8        |
+-----+
1 row in set (0.00 sec)
```

```
mysql> SELECT CHAR_LENGTH('abc');
```

```
+-----+
| CHAR_LENGTH('abc') |
+-----+
|           3        |
+-----+
1 row in set (0.00 sec)
```

```
mysql> SELECT CHAR_LENGTH(123);
```

```
+-----+
| CHAR_LENGTH(123)   |
+-----+
|           3        |
+-----+
1 row in set (0.00 sec)
```

```
mysql> SELECT CONCAT('data','base','system');
```

```
+-----+
| CONCAT('data','base','system') |
+-----+
| databasesystem                 |
+-----+
1 row in set (0.00 sec)
```

```
mysql> SELECT BIT_LENGTH('abc');
```

```
+-----+
| BIT_LENGTH('abc') |
+-----+
|          24       |
+-----+
1 row in set (0.00 sec)
```

```
mysql> SELECT BIT_LENGTH(2);
```

```
+-----+
| BIT_LENGTH(2)    |
+-----+
|           8      |
+-----+
1 row in set (0.00 sec)
```

```
mysql> SELECT CHAR_LENGTH('abc');
```

```
+-----+
| CHAR_LENGTH('abc') |
+-----+
|           3        |
+-----+
1 row in set (0.00 sec)
```

```
mysql> SELECT CHAR_LENGTH(123);
```

```
+-----+
| CHAR_LENGTH(123)  |
+-----+
|           3       |
+-----+
1 row in set (0.00 sec)
```

```
mysql> SELECT CONCAT('data','base','system');
```

```
+-----+
| CONCAT('data','base','system') |
+-----+
| databasesystem                 |
+-----+
1 row in set (0.00 sec)
```



```
mysql> SELECT INSTR('database','ab');
```

INSTR('database','ab')
4

1 row in set (0.00 sec)

```
mysql> SELECT INSTR('database','a');
```

INSTR('database','a')
2

1 row in set (0.00 sec)

```
mysql> SELECT LOCATE('ab','database');
```

LOCATE('ab','database')
4

1 row in set (0.00 sec)

```
mysql> SELECT MID('Database',5,4);
```

MID('Database',5,4)
base

1 row in set (0.00 sec)

```
mysql> SELECT MID('Database',1,4);
```

MID('Database',1,4)
Data

1 row in set (0.00 sec)

```
mysql> SELECT POSITION("ta" IN "Database");
```

```
+-----+
```

```
| POSITION("ta" IN "Database") |
```

```
+-----+
```

```
|                3                |
```

```
+-----+
```

```
1 row in set (0.00 sec)
```