Set 6 Product Sales Analysis

NAME- DILEEP KUMAR DESHABOINA

REG NO- 192424281

COURSE CODE-DSA 0603

COURSE NAME- DATA HANDLING AND VISUALISATIONS

Question 1: Grouped Bar Chart

Code:

```
sales <- data.frame(
  Product = c("Product A", "Product B", "Product C"),
  January = c(2000,1500,1200),
  February = c(2200,1800,1400),
  March = c(2400,1600,1100)
)
data <- rbind(sales$January, sales$February, sales$March)
barplot(data,
        beside = TRUE,
        names.arg = sales$Product,
        col = c("red","blue","green"),
        main = "Quarter 1 Product Sales",
        xlab = "Products",
        ylab = "Sales",
        legend.text = c("January","February","March"))
```

Output:



Question 2: Stacked Area Chart

Code:

```
months <- c(1,2,3)

A <- c(2000,2200,2400)

B <- c(1500,1800,1600)

C <- c(1200,1400,1100)

library(plotrix)

stackpoly(months,

          cbind(A,B,C),

          col = c("red","blue","green"),

          xlab = "Month",

          ylab = "Sales",

          main = "Overall Sales Trend")

axis(1, at = months, labels = c("January","February","March"))

legend("topleft",

       legend = c("Product A","Product B","Product C"),

       fill = c("red","blue","green"))
```

Output:



Question 3: Monthly Sales Table

Code:

```
sales <- data.frame(
  Product = c("Product A", "Product B", "Product C"),
  January = c(2000,1500,1200),
  February = c(2200,1800,1400),
  March = c(2400,1600,1100)
)
print(sales)
```

Output:

```
>
> legend("topleft",
+        legend = c("Product A","Product B","Product C"),
+        fill = c("red","blue","green"))
> # Dataset
> sales <- data.frame(
+     Product = c("Product A", "Product B", "Product C"),
+     January = c(2000,1500,1200),
+     February = c(2200,1800,1400),
+     March = c(2400,1600,1100)
+ )
>
> # Display Table
> print(sales)
    Product January February March
1 Product A    2000     2200  2400
2 Product B    1500     1800  1600
3 Product C    1200     1400  1100
> # Dataset
> sales <- data.frame(
+     Product = c("Product A", "Product B", "Product C"),
+     January = c(2000,1500,1200),
+     February = c(2200,1800,1400),
+     March = c(2400,1600,1100)
+ )
>
> # Display Table
> print(sales)
    Product January February March
1 Product A    2000     2200  2400
2 Product B    1500     1800  1600
3 Product C    1200     1400  1100
>
```