

```
x=58
print(x)
print(type(x))
```

```
x=58
print(x)
print(type(x))
```

```
x="Hello World"
print(x)
print(type(x))
```

Run >

```
58
<class 'int'>
```

Run >

Run >

Run >

```
x= "Hello World"
print(x)
print(type(x))
```

```
x=80.2
print(x)
print(type(x))
```

```
x=1j
print(x)
print(type(x))
```

Run >

Run >

W3Schools.com/python3/python.asp?menuname=demo_type_list_

Run >

```
x=["cherry","kiwi","papaya"]
print(x)
print(type(x))
```

```
x=('cherry','banana','kiwi')
print(x)
print(type(x))
```

58

<class 'int'>

Hello World <class
'str'>

```
Hello World <class  
'str'>
```

```
80.2  
<class 'float'>
```

```
1j  
<class 'complex'>
```

Result Si

Result Si

Result

Result

RE

Result Size: 620 >

Result Size: 620 x 771

[Get y](#)

```
['cherry', 'kiwi', 'papaya'] <class 'list'>
```

```
('cherry', 'banana', 'kiwi') <class 'tuple'>
```

```
x=range(7)
print(x)
print(list(x))
```

```
x={"cherry","kiwi","apple"}
print(x)
print(type(x))
```

=

```
x={"name=sai", "age=20"}
print(x)
print(type(x))
```

[Run >](#)

=

[Run >](#)

```
x = 1.10
y 1.0
Z = -3.5|
print(type(x))
print(type(y))
print(type(z))
```

range (0, 7)

[0, 1, 2, 3, 4, 5, 6]

```
{'kiwi','apple', 'cherry'}<class 'set'>
```

```
{'name=sai', 'age=20'}  
<class 'set'>
```

Result Size

F

```
<class 'float'>
```

```
<class 'float'>
```

```
<class 'float'>
```

Run >

Result Size: 620

```
a = "Hello"print(a)
```

```
Hello
```

```
thislist = ["apple", "banana", "cherry", "apple", "cherry"]
```

```
print(thislist)
```

```
['apple', 'banana', 'cherry','apple', 'cherry']
```

```
cars = ["Ford", "Volvo", "BMW"]
```

cars

```
print(cars)
```

II

```
['Ford', 'Volvo', 'BMW']
```

Run >

Result Size: 620 x 771

```
thisset = {"apple", "banana", "cherry"}  
print(thisset)
```

{'banana', 'cherry', 'apple'}

```
b =  
    "Hello,World!"  
print(b[2:5])
```

=

[w3schools.com/python/trypython.asp?filename=demo_string_slice_start](https://www.w3schools.com/python/trypython.asp?filename=demo_string_slice_start)

```
b = "Hello,World!"  
print(b[:5])
```

Run >

```
import datetime  
  
x = datetime.datetime.now()  
  
print(x)
```

=

```
x = min(5,10, 25) y =  
    max(5,10, 25)  
  
print(x)  
print(y)
```

```
i=1
while i < 6:
    print(i)
    i+=1
```

110

Result

Hello

Run >

Result Size: 620 x 771

2026-07-10 18:43:44.371196

Run >

[w3schools.com/python/trypython.asp?filename=demo_while](https://www.w3schools.com/python/trypython.asp?filename=demo_while)

Run >

Result

1

2

3

4

5