

Exp. No. 26

Write a LEX program to count the number of comment lines in a given C program and eliminate them and write into another file.

Input Source File: (input.c)

```
#include<stdio.h>
int main()
{
    int a,b,c; /*variable declaration*/
    printf("enter two numbers");
    scanf("%d %d",&a,&b);
    c=a+b;//adding two numbers
    printf("sum is %d",c);
    return 0;
}
```

Program: (comment.l)

```
%{
int com=0;
%}
%s COMMENT
%%
"/*" {BEGIN COMMENT;}
<COMMENT>"*/" {BEGIN 0; com++;}
<COMMENT>\n {com++;}
<COMMENT>. {;}
\\V.* {; com++;}
.|\\n {fprintf(yyout,"%s",yytext);}
%%
void main(int argc, char *argv[])
{
if(argc!=3)
{
printf("usage : a.exe input.c output.c\n");
exit(0);
}
yyin=fopen(argv[1],"r");
yyout=fopen(argv[2],"w");
yylex();
```

```
printf("\n number of comments are = %d\n",com);  
}  
int yywrap()  
{  
return 1;  
}
```

Output:

G:\lex>flex comment.l

G:\lex>gcc lex.yy.c

G:\lex>a.exe input.c
usage : a.exe input.c output.c

G:\lex>a.exe input.c output.c

number of comments are = 2

G:\lex>

