

```

values <- as.numeric(strsplit(
  readline("Enter 8 values: "), " ")
)[[1]])
arr <- array(
  values,
  dim = c(2, 2, 2),
  dimnames = list(
    c("Row1", "Row2"),
    c("Col1", "Col2"),
    c("Table1", "Table2")
  )
)
cat("\nArray:\n")
print(arr)
r <- readline("Enter row name (Row1/Row2): ")
c <- readline("Enter column name (Col1/Col2): ")
t <- readline("Enter table name (Table1/Table2): ")
cat("\nSelected element:\n")
print(arr[r, c, t])

```

RStudio

File Edit Code View Plots Session Build Debug Profile Tools Help

Go to file/function Addins

Run Source

```
1 values <- as.numeric(strsplit(
2   readline("Enter 8 values: "), " "
3 )[1])
4 arr <- array(
5   values,
6   dim = c(2, 2, 2),
7   dimnames = list(
8     c("Row1", "Row2"),
9     c("Col1", "Col2"),
10    c("Table1", "Table2")
11  )
12 )
13 cat("\nArray:\n")
14 print(arr)
15 r <- readline("Enter row name (Row1/Row2): ")
16 c <- readline("Enter column name (Col1/Col2): ")
17 t <- readline("Enter table name (Table1/Table2): ")
18 cat("\nSelected element:\n")
19 print(arr[r, c, t])
20
```

Console Background Jobs

```
> source("C:/Users/2021e/Desktop/EX 1.R")
Enter 8 values: 1 2 3 4 5 6 7 8

Array:
, , Table1
      Col1 Col2
Row1    1    3
Row2    2    4
, , Table2
      Col1 Col2
Row1    5    7
Row2    6    8

Enter row name (Row1/Row2): Row1
Enter column name (Col1/Col2): Col1
Enter table name (Table1/Table2): Table1

Selected element:
[1] 1
>
> |
```

19:20 (Top Level) Posit AI: No completions available. R Script

Environment History Connections Tutorial

Import Dataset 96 MB

R - Global Environment

Values

arr	num [1:2, 1:2, 1:2] 1 2 3 4 5 6 7 8
c	"Col1"
r	"Row1"
t	"Table1"
values	num [1:8] 1 2 3 4 5 6 7 8