

```

n <- as.integer(readline("Enter a number: "))

cat("Factors of", n, "are:\n")

for(i in 1:n) {


  if(n %% i == 0) {

    cat(i, " ")

  }

}

```



```


n <- as.integer(
  readline("How many random numbers do you want? ")
)

numbers <- sample(-50:50, n, replace = TRUE)

cat("Random numbers:\n")

print(numbers)

```



```
n <- as.integer(  
  readline("Enter ending number: ")  
)  
  
for(i in 1:n) {  
  if(i %% 3 == 0 && i %% 5 == 0) {  
    cat("FizzBuzz\n")  
  } else if(i %% 3 == 0) {  
    cat("Fizz\n")  
  } else if(i %% 5 == 0) {  
    cat("Buzz\n")  
  } else {  
    cat(i, "\n")  
  }  
}
```

RStudio

File Edit Code View Plots Session Build Debug Profile Tools Help

Go to file/function Addins

EX 1.R

```
1 n <- as.integer(  
2   readline("Enter ending number: ")  
3 )  
4 for(i in 1:n) {  
5   if(i %% 3 == 0 && i %% 5 == 0) {  
6     cat("FizzBuzz\n")  
7   } else if(i %% 3 == 0) {  
8     cat("Fizz\n")  
9   } else if(i %% 5 == 0) {  
10    cat("Buzz\n")  
11  } else {  
12    cat(i, "\n")  
13  }  
14 }  
15
```

Run Source

Console Background Jobs

```
R - R 4.6.1 ~/  
> source("C:/Users/2021e/Desktop/EX 1.R")  
Enter ending number: 21  
1  
2  
Fizz  
4  
Buzz  
Fizz  
7  
8  
Fizz  
Buzz  
11  
Fizz  
13  
14  
FizzBuzz  
16  
17  
Fizz  
19  
Buzz  
Fizz  
>
```

Posit AI: No completions available. R Script

Environment History Connections Tutorial

Import Dataset 97 MiB

R Global Environment

Values

i	21L
n	21L