

QUESTIONS 5 / 5 completed

Student

STUDENT

Write a C++ program to create a class for a student with a constructor and a destructor.

PROGRAM EDITOR

C++

Run

Save

```
2 using namespace std;
3 class Student
4 {
5 private:
6     int rollNo;
7     string name;
8 public:
9     Student(int r, string n)
10    {
11        rollNo = r;
12        name = n;
13        cout << "Constructor Called" << endl;
14    }
15    void display()
16    {
17        cout << "Student Details" << endl;
18        cout << "Roll Number: " << rollNo << endl;
19        cout << "Name: " << name << endl;
20    }
21    ~Student()
22    {
```

OUTPUT

```
Constructor Called
Student Details
Roll Number: 101
Name: Sravanthi
Destructor Called
```

INPUT

Your INPUT goes here!

QUESTIONS 5 / 5 completed

Book

BOOK

Write a C++ program to create a class for a book with a constructor and a destructor.

PROGRAM EDITOR

C++

Run

Save

```
1 #include <iostream>
2 using namespace std;
3 class Book
4 {
5 private:
6     int bookId;
7     string title;
8 public:
9     Book(int id, string t)
10    {
11        bookId = id;
12        title = t;
13        cout << "Constructor Called" << endl;
14    }
15    void display()
16    {
17        cout << "Book Details" << endl;
18        cout << "Book ID: " << bookId << endl;
19        cout << "Title: " << title << endl;
20    }
21    ~Book()
```

OUTPUT

```
Constructor Called
Book Details
Book ID: 101
Title: C++ Programming
Destructor Called
```

INPUT

Your INPUT goes here!

QUESTIONS 5 / 5 completed

Rectangle

RECTANGLE

Write a C++ program to create a class for a rectangle with a constructor and a destructor.

PROGRAM EDITOR

C++

Run

Save

```
1 #include <iostream>
2 using namespace std;
3
4 class Rectangle
5 {
6 private:
7     int length, width;
8
9 public:
10    Rectangle(int l, int w)
11    {
12        length = l;
13        width = w;
14        cout << "Constructor Called" << endl;
15    }
16    void display()
17    {
18        cout << "Length: " << length << endl;
19        cout << "Width: " << width << endl;
20        cout << "Area: " << length * width << endl;
21    }
```

OUTPUT

```
Constructor Called
Length: 10
Width: 5
Area: 50
Destructor Called
```

INPUT

Your INPUT goes here!

QUESTIONS 5 / 5 completed

Car

CAR

Write a C++ program to create a class for a car with a constructor and a destructor.

PROGRAM EDITOR

C++

Run

Save

```
1 #include <iostream>
2 using namespace std;
3 class Car
4 {
5 private:
6     string brand;
7     int model;
8 public:
9     Car(string b, int m)
10    {
11        brand = b;
12        model = m;
13        cout << "Constructor Called" << endl;
14    }
15    void display()
16    {
17        cout << "Car Details" << endl;
18        cout << "Brand: " << brand << endl;
19        cout << "Model: " << model << endl;
20    }
21    ~Car()
```

OUTPUT

```
Constructor Called
Car Details
Brand: Toyota
Model: 2024
Destructor Called
```

INPUT

Your INPUT goes here!

QUESTIONS 5 / 5 completed

Bank

BANK

Write a C++ program to create a class for a bank account with a constructor and a destructor.

PROGRAM EDITOR

C++

Run

Save

```
1 #include <iostream>
2 using namespace std;
3
4 class Bank
5 {
6 private:
7     string accountHolder;
8     int accountNumber;
9     float balance;
10
11 public:
12     Bank(string name, int accNo, float bal)
13     {
14         accountHolder = name;
15         accountNumber = accNo;
16         balance = bal;
17         cout << "Constructor Called" << endl;
18     }
19     void display()
20     {
21         cout << "Bank Details" << endl;
```

OUTPUT

```
Constructor Called
Bank Details
Account Holder: Sravanthi
Account Number: 123456
Balance: 50000
Destructor Called
```

INPUT

Your INPUT goes
here!