

Exp. No.: 20

Date:

MYSQL STRING FUNCTIONS

REPLACE, REPEAT, REVERSE, RIGHT, LEFT, RPAD, LPAD, ASCII, BIN and OCT

AIM:

To implement Replace, Repeat, Reverse, Right, Left, Rpad, Lpad, ASCII, BIN and OCT string functions using MySQL.

PROGRAM:

The following MySQL program demonstrates the required string functions with simple example values.

```
CREATE DATABASE IF NOT EXISTS StringDB;  
USE StringDB;
```

```
SELECT REPLACE('Hello World', 'World', 'MySQL') AS Replace_Result;
```

```
SELECT REPEAT('SQL ', 3) AS Repeat_Result;
```

```
SELECT REVERSE('MySQL') AS Reverse_Result;
```

```
SELECT RIGHT('DATABASE', 4) AS Right_Result;
```

```
SELECT LEFT('DATABASE', 4) AS Left_Result;
```

```
SELECT RPAD('SQL', 8, '*') AS Rpad_Result;
```

```
SELECT LPAD('SQL', 8, '*') AS Lpad_Result;
```


```
SELECT ASCII('A') AS ASCII_Result;
```

```
SELECT BIN(10) AS Binary_Result;
```

```
SELECT OCT(10) AS Octal_Result;
```

Expected Output:

REPLACE → Hello MySQL
REPEAT → SQL SQL SQL
REVERSE → LqSyM
RIGHT → BASE
LEFT → DATA
RPAD → SQL*****
LPAD → *****SQL
ASCII → 65
BIN → 1010
OCT → 12



Result:

Thus, the MySQL string functions such as REPLACE, REPEAT, REVERSE, RIGHT, LEFT, RPAD, LPAD, ASCII, BIN and OCT were executed successfully.