

## LAB EXPERIMENT ITA0506-COMPUTER VISION

**G Chandra Sekhar Reddy(192472173)**

### **EXPNO:25**

#### **Aim**

To sharpen an image using a High-Boost Masking technique.

#### **Principle**

High-boost filtering is an extension of unsharp masking. It increases the contribution of the original image while adding the high-frequency details.

#### **The formula is:**

where:

- = Original image
- = Blurred image
- = High-boost constant
- = Sharpened image
- 

When  $A = 1$ , it becomes standard Laplacian/unsharp sharpening.

#### **High-Boost Masks**

As shown in your image, two masks can be used.

4-neighbor mask:

$$\begin{array}{ccc} 0 & -1 & 0 \\ -1 & A+4 & -1 \\ 0 & -1 & 0 \end{array}$$

8-neighbor mask:

$$\begin{array}{ccc} -1 & -1 & -1 \\ -1 & A+8 & -1 \\ -1 & -1 & -1 \end{array}$$

Here, we will use  $A = 2$ .

#### **Algorithm**

1. Read the input image.

2. Convert the image to grayscale.
3. Select the high-boost value .
4. Create the high-boost mask.
5. Apply the mask to the image using convolution.
6. Limit pixel values between 0 and 255.
7. Display the original and sharpened images.

**CODE:**

```
EXP-25.py - C:/Users/POORNA SKHT/OneDrive/Tài liệu/computer vision ita0502/lab experim...
File Edit Format Run Options Window Help

import cv2
import numpy as np

# Step 1: Read the image
image = cv2.imread("BEN 10.png")

# Check whether image is loaded
if image is None:
    print("Error: Image not found!")
    print("Make sure BEN 10.png is in the same folder as this Python file.")
    exit()

# Step 2: Convert image to grayscale
gray = cv2.cvtColor(image, cv2.COLOR_BGR2GRAY)

# Step 3: Set high-boost constant
A = 2

# Step 4: Create High-Boost Mask
# 4-neighbor mask
mask = np.array([
    [0, -1, 0],
    [-1, A + 4, -1],
    [0, -1, 0]
], dtype=np.float32)

# Step 5: Apply high-boost mask
sharpened = cv2.filter2D(gray, cv2.CV_32F, mask)

# Step 6: Convert result to valid pixel range
sharpened = np.clip(sharpened, 0, 255)

# Convert to unsigned 8-bit
sharpened = sharpened.astype(np.uint8)

# Step 7: Display images
cv2.imshow("Original Image", gray)
cv2.imshow("High-Boost Sharpened Image", sharpened)

# Step 8: Wait for key press
cv2.waitKey(0)
```

Ln: 10 Col: 31

## OUTPUT :

```
*IDLE Shell 3.13.3*
File Edit Shell Debug Options Window Help
Python 3.13.3 (tags/v3.13.3:6280bb5, Apr 8 2025, 14:47:33) [MSC v.1943 64 bit (AMD64)] on win32
Enter "help" below or click "Help" above for more information.
>>>
= RESTART: C:/Users/POORNA SKHT/OneDrive/Tài liệu/computer vision ita0502/lab experiments/EXP-21.py
= RESTART: C:/Users/POORNA SKHT/OneDrive/Tài liệu/computer vision ita0502/lab experiments/EXP-22.py
= RESTART: C:/Users/POORNA SKHT/OneDrive/Tài liệu/computer vision ita0502/lab experiments/EXP-25.py
```



Ln: 9 Col: 0

### Result

The image is successfully sharpened using a High-Boost Mask. The high-boost mask enhances edges and fine details while retaining the main information of the original image.