

```
MySQL 8.0 Command Line Client
-> P.name AS passenger_name,
-> P.social_network,
-> P.social_network_id,
-> Tr.train_name,
-> Tr.departure,
-> Tr.destination,
-> T.seat_number,
-> T.status
-> FROM Tickets T
-> JOIN Passengers P ON T.passenger_id = P.passenger_id
-> JOIN Trains Tr ON T.train_id = Tr.train_id;
+-----+-----+-----+-----+-----+-----+-----+-----+-----+
| ticket_id | passenger_name | social_network | social_network_id | train_name | departure | destination | seat_number | status |
+-----+-----+-----+-----+-----+-----+-----+-----+-----+
| 1 | John Doe | Facebook | john.fb123 | Express A | New York | Washington | 12A | Booked |
| 2 | Jane Smith | Twitter | jane_tw | Local B | Boston | New York | 5B | Booked |
+-----+-----+-----+-----+-----+-----+-----+-----+-----+
2 rows in set (0.00 sec)

mysql> SELECT
-> P.name, P.social_network_id, T.ticket_id, Tr.train_name, T.seat_number
-> FROM Tickets T
-> JOIN Passengers P ON T.passenger_id = P.passenger_id
-> JOIN Trains Tr ON T.train_id = Tr.train_id
-> WHERE P.social_network = 'Facebook';
+-----+-----+-----+-----+-----+
| name | social_network_id | ticket_id | train_name | seat_number |
+-----+-----+-----+-----+-----+
| John Doe | john.fb123 | 1 | Express A | 12A |
+-----+-----+-----+-----+-----+
1 row in set (0.00 sec)

mysql> UPDATE Tickets
-> SET status = 'Cancelled'
-> WHERE ticket_id = 2;
Query OK, 1 row affected (0.01 sec)
Rows matched: 1 Changed: 1 Warnings: 0

mysql> DELETE FROM Tickets
-> WHERE ticket_id = 2;
```