






Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Associator
Choose
Apriori -N 10 -T 0 -C 0.9 -D 0.05 -U 1.0 -M 0.1 -S -1.0 -c -1
Start
Stop
Result list (right-click for op...
09:14:59 - FilteredAssociator
09:16:22 - Apriori
Associator output
=== Run information ===
Scheme: weka.associations.Apriori -N 10 -T 0 -C 0.9 -D 0.05 -U 1.0 -M 0.1 -S -1.0 -c -1
Relation: supermarket
Instances: 4627
Attributes: 217
[list of attributes omitted]
=== Associator model (full training set) ===
Apriori
=======
Minimum support: 0.15 (694 instances)
Minimum metric <confidence>: 0.9
Number of cycles performed: 17
Generated sets of large itemsets:
Size of set of large itemsets L(1): 44
Size of set of large itemsets L(2): 380
Size of set of large itemsets L(3): 910
Size of set of large itemsets L(4): 633
Size of set of large itemsets L(5): 105
Size of set of large itemsets L(6): 1
Best rules found:
Activate Windows
Go to Settings to activate Windows.
Status
OK
Log
x 0
ENG
09:16
21-10-2026



Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Associator
Choose
Apriori -N 10 -T 0 -C 0.9 -D 0.05 -U 1.0 -M 0.1 -S -1.0 -c -1
Start
Stop
Result list (right-click for op...
09:14:59 - FilteredAssociator
09:16:22 - Apriori
Associator output
=== Run information ===
Scheme: weka.associations.Apriori -N 10 -T 0 -C 0.9 -D 0.05 -U 1.0 -M 0.1 -S -1.0 -c -1
Relation: supermarket
Instances: 4627
Attributes: 217
[list of attributes omitted]
=== Associator model (full training set) ===
Apriori
=======
Minimum support: 0.15 (694 instances)
Minimum metric <confidence>: 0.9
Number of cycles performed: 17
Generated sets of large itemsets:
Size of set of large itemsets L(1): 44
Size of set of large itemsets L(2): 380
Size of set of large itemsets L(3): 910
Size of set of large itemsets L(4): 633
Size of set of large itemsets L(5): 105
Size of set of large itemsets L(6): 1
Best rules found:
Activate Windows
Go to Settings to activate Windows.
Status
OK
Log
x 0
ENG
09:16
21-10-2026



Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Associator
Choose
Apriori -N 10 -T 0 -C 0.9 -D 0.05 -U 1.0 -M 0.1 -S -1.0 -c -1
Start
Stop
Result list (right-click for op...
09:14:59 - FilteredAssociator
09:16:22 - Apriori
Associator output
=== Run information ===
Scheme: weka.associations.Apriori -N 10 -T 0 -C 0.9 -D 0.05 -U 1.0 -M 0.1 -S -1.0 -c -1
Relation: supermarket
Instances: 4627
Attributes: 217
[list of attributes omitted]
=== Associator model (full training set) ===
Apriori
=======
Minimum support: 0.15 (694 instances)
Minimum metric <confidence>: 0.9
Number of cycles performed: 17
Generated sets of large itemsets:
Size of set of large itemsets L(1): 44
Size of set of large itemsets L(2): 380
Size of set of large itemsets L(3): 910
Size of set of large itemsets L(4): 633
Size of set of large itemsets L(5): 105
Size of set of large itemsets L(6): 1
Best rules found:
Activate Windows
Go to Settings to activate Windows.
Status
OK
Log
x 0
ENG
09:16
21-10-2026



Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Classifier
Choose
LinearRegression -S 0 -R 1.0E-8 -num-decimal-places 4
Test options
Use training set
Supplied test set
Set...
Cross-validation
Folds
15
Percentage split
%
66
More options...
(Dat) Date
Start
Stop
Result list (right-click for options)
09:35:13 - trees.J48
09:41:32 - trees.J48
09:42:53 - trees.J48
09:45:50 - functions.SMO
09:49:10 - bayes.NaiveBayes
09:49:27 - bayes.NaiveBayes
09:51:19 - lazy.IBk
09:55:43 - functions.LinearRegression
09:55:58 - functions.LinearRegression
09:56:15 - functions.LinearRegression
09:56:31 - functions.LinearRegression
Classifier output
Scheme: weka.classifiers.functions.LinearRegression -S 0 -R 1.0E-8 -num-decimal-places 4
Relation: airline_passengers
Instances: 144
Attributes: 2
passenger_numbers
Date
Test mode: 15-fold cross-validation
=== Classifier model (full training set) ===
Linear Regression Model
Date =
844774835.7902 * passenger_numbers +
-711559013173.6233
Time taken to build model: 0 seconds
=== Cross-validation ===
=== Summary ===
Correlation coefficient 0.9198
Mean absolute error 35244048789.1212
Root mean squared error 42916973182.1379
Relative absolute error 37.0674 %
Root relative squared error 39.0974 %
Total Number of Instances 144
Activate Windows
Go to Settings to activate Windows.
Status
OK
Log
x 0
ENG
09:56
21-10-2026



Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Classifier
Choose
LinearRegression -S 0 -R 1.0E-8 -num-decimal-places 4
Test options
Use training set
Supplied test set
Set...
Cross-validation
Folds
10
Percentage split
%
66
More options...
(Dat) Date
Start
Stop
Result list (right-click for options)
09:35:13 - trees.J48
09:41:32 - trees.J48
09:42:53 - trees.J48
09:45:50 - functions.SMO
09:49:10 - bayes.NaiveBayes
09:49:27 - bayes.NaiveBayes
09:51:19 - lazy.IBk
09:55:43 - functions.LinearRegression
09:55:58 - functions.LinearRegression
09:56:15 - functions.LinearRegression
Classifier output
Scheme: weka.classifiers.functions.LinearRegression -S 0 -R 1.0E-8 -num-decimal-places 4
Relation: airline_passengers
Instances: 144
Attributes: 2
passenger_numbers
Date
Test mode: 10-fold cross-validation
=== Classifier model (full training set) ===
Linear Regression Model
Date =
844774835.7902 * passenger_numbers +
-711559013173.6233
Time taken to build model: 0 seconds
=== Cross-validation ===
=== Summary ===
Correlation coefficient 0.9206
Mean absolute error 35150317070.9152
Root mean squared error 42706541521.4767
Relative absolute error 37.0136 %
Root relative squared error 38.9587 %
Total Number of Instances 144
Activate Windows
Go to Settings to activate Windows.
Status
OK
Log
x 0
ENG
09:56
21-10-2026


Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Classifier
Choose
LinearRegression -S 0 -R 1.0E-8 -num-decimal-places 4
Test options
Use training set
Supplied test set
Set...
Cross-validation
Folds
5
Percentage split
%
66
More options...
(Dat) Date
Start
Stop
Result list (right-click for options)
09:35:13 - trees.J48
09:41:32 - trees.J48
09:42:53 - trees.J48
09:45:50 - functions.SMO
09:49:10 - bayes.NaiveBayes
09:49:27 - bayes.NaiveBayes
09:51:19 - lazy.IBk
09:55:43 - functions.LinearRegression
09:55:58 - functions.LinearRegression
Classifier output
Scheme: weka.classifiers.functions.LinearRegression -S 0 -R 1.0E-8 -num-decimal-places 4
Relation: airline_passengers
Instances: 144
Attributes: 2
passenger_numbers
Date
Test mode: 5-fold cross-validation
=== Classifier model (full training set) ===
Linear Regression Model
Date =
844774835.7902 * passenger_numbers +
-711559013173.6233
Time taken to build model: 0 seconds
=== Cross-validation ===
=== Summary ===
Correlation coefficient 0.9195
Mean absolute error 35206966719.2534
Root mean squared error 42985449238.2095
Relative absolute error 37.004 %
Root relative squared error 39.1772 %
Total Number of Instances 144
Activate Windows
Go to Settings to activate Windows.
Status
OK
Log
x 0
ENG
09:56
21-10-2026


Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Classifier
Choose
IBk -K 1 -W 0 -A "weka.core.neighboursearch.LinearNNSearch -A \"weka.core.EuclideanDistance -R first-last\""
Test options
Use training set
Supplied test set
Set...
Cross-validation
Folds
10
Percentage split
%
66
More options...
(Nom) play
Start
Stop
Result list (right-click for options)
09:35:13 - trees.J48
09:41:32 - trees.J48
09:42:53 - trees.J48
09:45:50 - functions.SMO
09:49:10 - bayes.NaiveBayes
09:49:27 - bayes.NaiveBayes
09:51:19 - lazy.IBk
Classifier output
Time taken to build model: 0 seconds
=== Evaluation on training set ===
Time taken to test model on training data: 0 seconds
=== Summary ===
Correctly Classified Instances 14 100 %
Incorrectly Classified Instances 0 0 %
Kappa statistic 1
Mean absolute error 0.0625
Root mean squared error 0.0625
Relative absolute error 13.4615 %
Root relative squared error 13.0347 %
Total Number of Instances 14
=== Detailed Accuracy By Class ===
TP Rate FP Rate Precision Recall F-Measure MCC ROC Area PRC Area Class
1.000 0.000 1.000 1.000 1.000 1.000 1.000 1.000 yes
1.000 0.000 1.000 1.000 1.000 1.000 1.000 1.000 no
Weighted Avg. 1.000 0.000 1.000 1.000 1.000 1.000 1.000 1.000
=== Confusion Matrix ===
a b <-- classified as
9 0 | a = yes
0 5 | b = no
Activate Windows
Go to Settings to activate Windows.
Status
OK
Log
x 0
ENG
09:51
21-10-2026


Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Classifier
Choose
NaiveBayes
Test options
Use training set
Supplied test set
Set...
Cross-validation
Folds
10
Percentage split
%
66
More options...
(Nom) play
Start
Stop
Result list (right-click for options)
09:35:13 - trees.J48
09:41:32 - trees.J48
09:42:53 - trees.J48
09:45:50 - functions.SMO
09:49:10 - bayes.NaiveBayes
09:49:27 - bayes.NaiveBayes
Classifier output
Time taken to build model: 0 seconds
=== Evaluation on training set ===
Time taken to test model on training data: 0 seconds
=== Summary ===
Correctly Classified Instances 13 92.8571 %
Incorrectly Classified Instances 1 7.1429 %
Kappa statistic 0.8372
Mean absolute error 0.2917
Root mean squared error 0.3392
Relative absolute error 62.8233 %
Root relative squared error 70.7422 %
Total Number of Instances 14
=== Detailed Accuracy By Class ===
TP Rate FP Rate Precision Recall F-Measure MCC ROC Area PRC Area Class
1.000 0.200 0.900 1.000 0.947 0.849 0.922 0.947 yes
0.800 0.000 1.000 0.800 0.889 0.849 0.911 0.911 no
Weighted Avg. 0.929 0.129 0.936 0.929 0.926 0.849 0.918 0.934
=== Confusion Matrix ===
a b <-- classified as
9 0 | a = yes
1 4 | b = no
Activate Windows
Go to Settings to activate Windows.
Status
OK
Log
x 0
ENG
09:49
21-10-2026


Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Classifier
Choose
SimpleLogistic -I 0 -M 500 -H 50 -W 0.0
Test options
Use training set
Supplied test set
Set...
Cross-validation
Folds
10
Percentage split
%
66
More options...
(Nom) play
Start
Stop
Result list (right-click for options)
09:35:13 - trees.J48
09:41:32 - trees.J48
09:42:53 - trees.J48
09:45:50 - functions.SMO
Classifier output
Number of kernel evaluations: 84 (85.859% cached)
Time taken to build model: 0.01 seconds
=== Stratified cross-validation ===
=== Summary ===
Correctly Classified Instances 9 64.2857 %
Incorrectly Classified Instances 5 35.7143 %
Kappa statistic 0.186
Mean absolute error 0.3571
Root mean squared error 0.5976
Relative absolute error 75 %
Root relative squared error 121.1306 %
Total Number of Instances 14
=== Detailed Accuracy By Class ===
TP Rate FP Rate Precision Recall F-Measure MCC ROC Area PRC Area Class
0.778 0.600 0.700 0.778 0.737 0.189 0.589 0.687 yes
0.400 0.222 0.500 0.400 0.444 0.189 0.589 0.414 no
Weighted Avg. 0.643 0.465 0.629 0.643 0.632 0.189 0.589 0.590
=== Confusion Matrix ===
a b <-- classified as
7 2 | a = yes
3 2 | b = no
Activate Windows
Go to Settings to activate Windows.
Status
OK
Log
x 0
ENG
09:48
21-10-2026


Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Classifier
Choose
SimpleLogistic -I 0 -M 500 -H 50 -W 0.0
Test options
Use training set
Supplied test set
Set...
Cross-validation
Folds
10
Percentage split
%
66
More options...
(Nom) play
Start
Stop
Result list (right-click for options)
09:35:13 - trees.J48
09:41:32 - trees.J48
09:42:53 - trees.J48
09:45:50 - functions.SMO
Classifier output
Number of kernel evaluations: 84 (85.859% cached)
Time taken to build model: 0.01 seconds
=== Stratified cross-validation ===
=== Summary ===
Correctly Classified Instances 9 64.2857 %
Incorrectly Classified Instances 5 35.7143 %
Kappa statistic 0.186
Mean absolute error 0.3571
Root mean squared error 0.5976
Relative absolute error 75 %
Root relative squared error 121.1306 %
Total Number of Instances 14
=== Detailed Accuracy By Class ===
TP Rate FP Rate Precision Recall F-Measure MCC ROC Area PRC Area Class
0.778 0.600 0.700 0.778 0.737 0.189 0.589 0.687 yes
0.400 0.222 0.500 0.400 0.444 0.189 0.589 0.414 no
Weighted Avg. 0.643 0.465 0.629 0.643 0.632 0.189 0.589 0.590
=== Confusion Matrix ===
a b <-- classified as
7 2 | a = yes
3 2 | b = no
Activate Windows
Go to Settings to activate Windows.
Status
OK
Log
x 0
ENG
09:48
21-10-2026

```
=== Detailed Accuracy By Class ===

                 TP Rate  FP Rate  Precision  Recall   F-Measure  MCC      ROC Area  PRC Area  Class
                 0.778    0.600    0.700      0.778    0.737      0.189    0.589     0.687     yes
                 0.400    0.222    0.500      0.400    0.444      0.189    0.589     0.414     no
Weighted Avg.    0.643    0.465    0.629      0.643    0.632      0.189    0.589     0.590

=== Confusion Matrix ===


 a b   <-- classified as
 7 2 | a = yes
 3 2 | b = no
```



```
=== Detailed Accuracy By Class ===


                 TP Rate  FP Rate  Precision  Recall   F-Measure  MCC      ROC Area  PRC Area  Class
                 0.778    0.600    0.700      0.778    0.737      0.189    0.589     0.687     yes
                 0.400    0.222    0.500      0.400    0.444      0.189    0.589     0.414     no
Weighted Avg.    0.643    0.465    0.629      0.643    0.632      0.189    0.589     0.590


=== Confusion Matrix ===


 a b   <-- classified as
 7 2 | a = yes
 3 2 | b = no
```







Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Classifier
Choose
SMO -C 1.0 -L 0.001 -P 1.0E-12 -N 0 -V
Test options
Use training set
Supplied test set
Set...
Cross-validation
Folds
10
Percentage split
%
66
More options...
(Nom) play
Start
Stop
Result list (right-click for options)
09:35:13 - trees.J48
09:41:32 - trees.J48
09:42:53 - trees.J48
09:45:50 - functions.SMO
Weka Classifier Visualize: 09:45:50 - functions.SMO (weather.symbolic)
X: play (Nom)
Y: predicted play (Nom)
Colour: play (Nom)
Select Instance
Reset
Clear
Open
Save
Jitter
Plot: weather.symbolic_predicted
n
o
Y
e
s
yes
no
Class colour
yes no
Activate Windows
Go to Settings to activate Windows.
Status
OK
Log
x 0
ENG
09:46
21-10-2026



Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Classifier
Choose
SMO -C 1.0 -L 0.001 -P 1.0E-12 -N 0 -V
Test options
Use training set
Supplied test set
Set...
Cross-validation
Folds
10
Percentage split
%
66
More options...
(Nom) play
Start
Stop
Result list (right-click for options)
09:35:13 - trees.J48
09:41:32 - trees.J48
09:42:53 - trees.J48
09:45:50 - functions.SMO
Weka Classifier Visualize: MarginCurve
X: Margin (Num)
Y: Cumulative (Num)
Colour: Margin (Num)
Select Instance
Reset
Clear
Open
Save
Jitter
Plot: MarginCurve
14
7
0
-1
0
1
Class colour
-1
0
1
Activate Windows
Go to Settings to activate Windows.
Status
OK
Log
x 0
ENG
09:46
21-10-2026



Weka Explorer
Preprocess
Classify
Weka Classifier: Cost/Benefit Analysis - functions.SMO (class = no)
X: Sample Size (Num)
Y: True Positive Rate (Num)
Colour: Threshold (Num)
Select Instance
Reset
Clear
Open
Save
Jitter
Plot: ThresholdCurve
Plot: Cost/Benefit Curve
Y: Cost/Benefit (Num)
Threshold
% of Population
% of Target (recall)
Score Threshold
% of Population: 0
% of Target: 0
Score Threshold: 1
Confusion Matrix
Predicted (a)
Predicted (b)
Actual (a): no
Actual (b): yes
Classification Accuracy: 64.2857%
Cost Matrix
Actual (a)
Actual (b)
Cost: 5
Random: 5
Gain: 0
Maximize Cost/Benefit
Minimize Cost/Benefit
Total Population: 14
Cost
Benefit
Classifier
Choose
Test options
Use training set
Supplied test set
Cross-validation
Folds
Percentage split
More options...
(Nom) play
Start
Result list (right-click for options)
09:35:13 - trees.J48
09:41:32 - trees.J48
09:42:53 - trees.J48
09:45:50 - functions.SMO
Status
OK
Log
ENG
09:46
21-10-2026



Weka Explorer
Preprocess
Classify
Weka Classifier: Cost/Benefit Analysis - functions.SMO (class = yes)
X: Sample Size (Num)
Y: True Positive Rate (Num)
Colour: Threshold (Num)
Select Instance
Reset
Clear
Open
Save
Jitter
Plot: ThresholdCurve
Plot: Cost/Benefit Curve
Y: Cost/Benefit (Num)
Threshold
% of Population
% of Target (recall)
Score Threshold
% of Population: 0
% of Target: 0
Score Threshold: 1
Confusion Matrix
Predicted (a)
Predicted (b)
Actual (a): yes
Actual (b): no
Classification Accuracy: 35.7143%
Cost Matrix
Actual (a)
Actual (b)
Cost: 9
Random: 9
Gain: 0
Maximize Cost/Benefit
Minimize Cost/Benefit
Total Population: 14
Cost
Benefit
Classifier
Choose
Test options
Use training set
Supplied test set
Cross-validation
Folds
Percentage split
More options...
(Nom) play
Start
Result list (right-click for options)
09:35:13 - trees.J48
09:41:32 - trees.J48
09:42:53 - trees.J48
09:45:50 - functions.SMO
Status
OK
Log
ENG
09:46
21-10-2026



Weka Classifier Visualize: CostCurve. (Class value low)
X: Probability Cost Function (Num)
Y: Normalized Expected Cost (Num)
Colour: Threshold (Num)
Select Instance
Reset
Clear
Open
Save
Jitter
Plot: CostCurve
1
0.5
0
0
0.5
1
X
Y
Class colour
0.64
0.64
0.64



Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Classifier
Choose
J48 -C 0.25 -M 2
Test options
Use training set
Supplied test set
Set...
Cross-validation
Folds
10
Percentage split
%
66
More options...
(Nom) total
Start
Stop
Result list (right-click for options)
09:35:13 - trees.J48
Weka Classifier Visualize: MarginCurve
X: Margin (Num)
Y: Cumulative (Num)
Colour: Margin (Num)
Select the attribute for the x axis
Reset
Clear
Open
Save
Jitter
Plot: MarginCurve
4627
3313.5
0
-1
-0.36
0.27
Class colour
-1
-0.36
0.27
Status
OK
Log
x 0
Activate Windows
Go to Settings to activate Windows.
ENG
09:36
21-10-2026


Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Associator
Choose
Apriori -N 10 -T 0 -C 0.9 -D 0.05 -U 1.0 -M 0.1 -S -1.0 -c -1
Start
Stop
Result list (right-click for op...
09:14:59 - FilteredAssociator
09:16:22 - Apriori
Associator output
=== Run information ===
Scheme: weka.associations.Apriori -N 10 -T 0 -C 0.9 -D 0.05 -U 1.0 -M 0.1 -S -1.0 -c -1
Relation: supermarket
Instances: 4627
Attributes: 217
[list of attributes omitted]
=== Associator model (full training set) ===
Apriori
=======
Minimum support: 0.15 (694 instances)
Minimum metric <confidence>: 0.9
Number of cycles performed: 17
Generated sets of large itemsets:
Size of set of large itemsets L(1): 44
Size of set of large itemsets L(2): 380
Size of set of large itemsets L(3): 910
Size of set of large itemsets L(4): 633
Size of set of large itemsets L(5): 105
Size of set of large itemsets L(6): 1
Best rules found:
Activate Windows
Go to Settings to activate Windows.
Status
OK
Log
x 0
ENG
09:17
21-10-2026


Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Associator
Choose
Apriori -N 10 -T 0 -C 0.9 -D 0.05 -U 1.0 -M 0.1 -S -1.0 -c -1
Start
Stop
Result list (right-click for op...
09:14:59 - FilteredAssociator
09:16:22 - Apriori
Associator output
Minimum support: 0.15 (694 instances)
Minimum metric <confidence>: 0.9
Number of cycles performed: 17
Generated sets of large itemsets:
Size of set of large itemsets L(1): 44
Size of set of large itemsets L(2): 380
Size of set of large itemsets L(3): 910
Size of set of large itemsets L(4): 633
Size of set of large itemsets L(5): 105
Size of set of large itemsets L(6): 1
Best rules found:
1. biscuits=t frozen foods=t fruit=t total=high 788 ==> bread and cake=t 723 <conf:(0.92)> lift:(1.27) lev:(0.03) [155] conv:(3.35)
2. baking needs=t biscuits=t fruit=t total=high 760 ==> bread and cake=t 696 <conf:(0.92)> lift:(1.27) lev:(0.03) [149] conv:(3.28)
3. baking needs=t frozen foods=t fruit=t total=high 770 ==> bread and cake=t 705 <conf:(0.92)> lift:(1.27) lev:(0.03) [150] conv:(3.27)
4. biscuits=t fruit=t vegetables=t total=high 815 ==> bread and cake=t 746 <conf:(0.92)> lift:(1.27) lev:(0.03) [159] conv:(3.26)
5. party snack foods=t fruit=t total=high 854 ==> bread and cake=t 779 <conf:(0.91)> lift:(1.27) lev:(0.04) [164] conv:(3.15)
6. biscuits=t frozen foods=t vegetables=t total=high 797 ==> bread and cake=t 725 <conf:(0.91)> lift:(1.26) lev:(0.03) [151] conv:(3.06)
7. baking needs=t biscuits=t vegetables=t total=high 772 ==> bread and cake=t 701 <conf:(0.91)> lift:(1.26) lev:(0.03) [145] conv:(3.01)
8. biscuits=t fruit=t total=high 954 ==> bread and cake=t 866 <conf:(0.91)> lift:(1.26) lev:(0.04) [179] conv:(3)
9. frozen foods=t fruit=t vegetables=t total=high 834 ==> bread and cake=t 757 <conf:(0.91)> lift:(1.26) lev:(0.03) [156] conv:(3)
10. frozen foods=t fruit=t total=high 969 ==> bread and cake=t 877 <conf:(0.91)> lift:(1.26) lev:(0.04) [179] conv:(2.92)
Activate Windows
Go to Settings to activate Windows.
Status
OK
Log
x 0
ENG
09:17
21-10-2026


Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Associator
Choose
FPGrowth -P 2 -I -1 -N 10 -T 0 -C 0.9 -D 0.05 -U 1.0 -M 0.1
Start
Stop
Result list (right-click for op...
09:14:59 - FilteredAssociator
09:16:22 - Apriori
09:23:44 - FPGrowth
Associator output
=== Run information ===
Scheme: weka.associations.FPGrowth -P 2 -I -1 -N 10 -T 0 -C 0.9 -D 0.05 -U 1.0 -M 0.1
Relation: supermarket
Instances: 4627
Attributes: 217
[list of attributes omitted]
=== Associator model (full training set) ===
FPGrowth found 16 rules (displaying top 10)
1. [fruit=t, frozen foods=t, biscuits=t, total=high]: 788 ==> [bread and cake=t]: 723 <conf:(0.92)> lift:(1.27) lev:(0.03) conv:(3.35)
2. [fruit=t, baking needs=t, biscuits=t, total=high]: 760 ==> [bread and cake=t]: 696 <conf:(0.92)> lift:(1.27) lev:(0.03) conv:(3.28)
3. [fruit=t, baking needs=t, frozen foods=t, total=high]: 770 ==> [bread and cake=t]: 705 <conf:(0.92)> lift:(1.27) lev:(0.03) conv:(3.27)
4. [fruit=t, vegetables=t, biscuits=t, total=high]: 815 ==> [bread and cake=t]: 746 <conf:(0.92)> lift:(1.27) lev:(0.03) conv:(3.26)
5. [fruit=t, party snack foods=t, total=high]: 854 ==> [bread and cake=t]: 779 <conf:(0.91)> lift:(1.27) lev:(0.04) conv:(3.15)
6. [vegetables=t, frozen foods=t, biscuits=t, total=high]: 797 ==> [bread and cake=t]: 725 <conf:(0.91)> lift:(1.26) lev:(0.03) conv:(3.06)
7. [vegetables=t, baking needs=t, biscuits=t, total=high]: 772 ==> [bread and cake=t]: 701 <conf:(0.91)> lift:(1.26) lev:(0.03) conv:(3.01)
8. [fruit=t, biscuits=t, total=high]: 954 ==> [bread and cake=t]: 866 <conf:(0.91)> lift:(1.26) lev:(0.04) conv:(3)
9. [fruit=t, vegetables=t, frozen foods=t, total=high]: 834 ==> [bread and cake=t]: 757 <conf:(0.91)> lift:(1.26) lev:(0.03) conv:(3)
10. [fruit=t, frozen foods=t, total=high]: 969 ==> [bread and cake=t]: 877 <conf:(0.91)> lift:(1.26) lev:(0.04) conv:(2.92)
Activate Windows
Go to Settings to activate Windows.
Status
OK
Log
x 0
ENG
09:24
21-10-2026


Weka Explorer
Preprocess
Classify
Cluster
Associate
Select attributes
Visualize
Associator
Choose
FPGrowth -P 2 -I -1 -N 10 -T 0 -C 0.9 -D 0.05 -U 1.0 -M 0.1
Start
Stop
Result list (right-click for op...
09:14:59 - FilteredAssociator
09:16:22 - Apriori
09:23:44 - FPGrowth
Associator output
=== Run information ===
Scheme: weka.associations.FPGrowth -P 2 -I -1 -N 10 -T 0 -C 0.9 -D 0.05 -U 1.0 -M 0.1
Relation: supermarket
Instances: 4627
Attributes: 217
[list of attributes omitted]
=== Associator model (full training set) ===
FPGrowth found 16 rules (displaying top 10)
1. [fruit=t, frozen foods=t, biscuits=t, total=high]: 788 ==> [bread and cake=t]: 723 <conf:(0.92)> lift:(1.27) lev:(0.03) conv:(3.35)
2. [fruit=t, baking needs=t, biscuits=t, total=high]: 760 ==> [bread and cake=t]: 696 <conf:(0.92)> lift:(1.27) lev:(0.03) conv:(3.28)
3. [fruit=t, baking needs=t, frozen foods=t, total=high]: 770 ==> [bread and cake=t]: 705 <conf:(0.92)> lift:(1.27) lev:(0.03) conv:(3.27)
4. [fruit=t, vegetables=t, biscuits=t, total=high]: 815 ==> [bread and cake=t]: 746 <conf:(0.92)> lift:(1.27) lev:(0.03) conv:(3.26)
5. [fruit=t, party snack foods=t, total=high]: 854 ==> [bread and cake=t]: 779 <conf:(0.91)> lift:(1.27) lev:(0.04) conv:(3.15)
6. [vegetables=t, frozen foods=t, biscuits=t, total=high]: 797 ==> [bread and cake=t]: 725 <conf:(0.91)> lift:(1.26) lev:(0.03) conv:(3.06)
7. [vegetables=t, baking needs=t, biscuits=t, total=high]: 772 ==> [bread and cake=t]: 701 <conf:(0.91)> lift:(1.26) lev:(0.03) conv:(3.01)
8. [fruit=t, biscuits=t, total=high]: 954 ==> [bread and cake=t]: 866 <conf:(0.91)> lift:(1.26) lev:(0.04) conv:(3)
9. [fruit=t, vegetables=t, frozen foods=t, total=high]: 834 ==> [bread and cake=t]: 757 <conf:(0.91)> lift:(1.26) lev:(0.03) conv:(3)
10. [fruit=t, frozen foods=t, total=high]: 969 ==> [bread and cake=t]: 877 <conf:(0.91)> lift:(1.26) lev:(0.04) conv:(2.92)
Activate Windows
Go to Settings to activate Windows.
Status
OK
Log
x 0
ENG
09:24
21-10-2026


Weka Explorer
Preprocess
Classify
Classifier
Choose
J48 -C 0.25 -M 2
Test options
Use training set
Supplied test set
Cross-validation
Folds
Percentage split
More options...
(Nom) total
Start
Result list (right-click for options)
09:35:13 - trees.J48
Status
OK
Log
Weka Classifier: Cost/Benefit Analysis - trees.J48 (class = low)
X: Sample Size (Num)
Y: True Positive Rate (Num)
Colour: Threshold (Num)
Select Instance
Reset
Clear
Open
Save
Jitter
Plot: ThresholdCurve
Plot: Cost/Benefit Curve
X: Sample Size (Num)
Y: Cost/Benefit (Num)
Colour: Threshold (Num)
Select Instance
Reset
Clear
Open
Save
Jitter
2948
2313.5
1679
Threshold
% of Population
% of Target (recall)
Score Threshold
% of Population: 0
% of Target: 0
Score Threshold: 0.6372
Confusion Matrix
Predicted (a)
Predicted (b)
0
0%
2948
63.71%
Actual (a): low
0
0%
1679
36.29%
Actual (b): high
Classification Accuracy: 36.287%
Cost Matrix
Predicted (a)
Predicted (b)
0.0
1.0
Actual (a)
1.0
0.0
Actual (b)
Total Population: 4627
Cost: 2948
Random: 2948
Gain: 0
Maximize Cost/Benefit
Minimize Cost/Benefit
Cost
Benefit
ENG
09:35
21-10-2026