

SIMATS ENGINEERING (SAVEETHA SCHOOL OF ENGINEERING)

Department of Computer Science and Engineering

ASSESSMENT TOOL 1 – ANALYTICAL PROBLEM SOLVING

Course Code:	CSA06	Course Title:	Design and Analysis of Algorithms
CO Assessed:	CO2 – Manipulation (BL1, BL2, BL3)	Assessment:	Assessment Tool 1 – Analytical Problem Solving
Weightage:	40% of CIA	Total Marks:	100
CO2 Statement:	Apply Brute Force technique to solve sorting, searching, Closest-Pair and Convex-Hull problems (BL1, BL2, BL3)		
Student Name:	MANOJ M	Reg. No.:	192511060
Section / Batch:	CSE	Date:	29.07.2026

Instructions to Students

- Answer the following question. Total Marks: 100.
- Analyze each problem carefully before applying the appropriate Brute Force technique.
- Clearly show all intermediate steps, comparisons, iterations, and logical reasoning used in solving the problems.
- Apply suitable algorithms for sorting, searching, Closest-Pair, and Convex-Hull problems wherever required.
- Justify the correctness and efficiency of the proposed solution using appropriate complexity analysis.
- Use diagrams, tables, or stepwise illustrations wherever necessary for better explanation.
- Maintain neat presentation, proper algorithmic notation, and structured analytical reasoning throughout the answers.

Question Type	Focus Area	Questions
Application-Based Questions	Apply Brute Force techniques for sorting, searching, Closest-Pair and Convex-Hull problem analysis	Q1

SECTION A – APPLICATION BASED QUESTIONS

Q51. Selection Sort – Random Integer Arrangement

Apply the Brute Force technique using Selection Sort on the dataset [38, 12, 47, 5, 29, 18]. Clearly interpret the problem and justify why Selection Sort is suitable for this unsorted dataset. Perform the sorting step-by-step and show the intermediate array after each pass. Count the total number of comparisons and swaps made during execution. Analyze the time complexity in best, average, and worst cases. Verify the correctness of the final sorted output and interpret the efficiency of the algorithm

Code of Conduct

I MANOJ M(192511060)____ (Name / Reg No) certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment. I understand that any violation of academic integrity rules will result in disciplinary action.

Signature of the Student: _____

RUBRICS FOR CALCULATION

Criteria	Wt.	Level 4 – Exemplary	Level 3 – Proficient	Level 2 – Developing	Level 1 – Beginning
Understanding of Problem Context	20%	Clearly understands the problem and accurately identifies all requirements	Good understanding with minor gaps	Basic understanding; some requirements unclear	Poor understanding or misinterpretation of the problem
Application of Concepts	30%	Accurately applies appropriate concepts to solve complex problems	Applies relevant concepts correctly with minor errors	Applies basic concepts with limited accuracy	Fails to apply appropriate concepts
Problem-Solving Approach	20%	Logical, well-structured, and efficient approach	Mostly logical approach with minor gaps	Basic approach with some inconsistencies	Illogical or unclear approach
Accuracy of Solution	20%	Completely correct solution with proper justification	Mostly correct with minor errors	Partially correct solution	Incorrect or incomplete solution
Clarity	10%	Clear, well-organized, and properly explained solution	Understandable with minor clarity issues	Limited clarity and explanation	Poorly presented and difficult to understand

Marks Evaluation:

Criteria	Wt.	Level 4 – Exemplary	Level 3 – Proficient	Level 2 – Developing	Level 1 – Beginning
Understanding of Problem Context	20%				
Application of Concepts	30%				
Problem-Solving Approach	20%				
Accuracy of Solution	20%				

Clarity	10%				
Total Marks (100):					

Faculty In-charge	Course Coordinator	Head of Department
Name:	Name:	Name:
Signature: _____	Signature: _____	Signature: _____
Date: _____	Date: _____	Date: _____

Problem Interpretation:-

We are given an unsorted dataset

[60, 25, 33, 41, 52, 77, 89]

We need to find the target element 25 using Linear Search algorithm.

Given data is unsorted. Linear search checks each element one by one from the beginning until it finds the target.

Algorithm (Linear Search):-

1. Start from the first element.
2. Compare the current element with the target.
3. If both are equal, stop the search.
4. Otherwise, move to the next element.
5. Repeat until the target is found or the array ends.

Step by Step Search Process:-

Position	Element
1	60
2	25
3	33
4	41
5	52
6	77
7	89

Step 1 :-

$60 == 25$? No

Comparisons = 1

Move to the next element.

Step 2 :-

Compare $25 == 25$ Yes

Target found Comparisons = 2

Stop searching

Search Trace :-

Step	Element Checked	Comparison	Result
1	60	$60 == 25$	Not Found
2	25	$25 == 25$	Found

Total Comparisons = 2

Time Complexity Analysis

Best Case

The target is the first element.

Only 1 comparison is required.

Time Complexity = $O(1)$

Average Case

- Approximately $n/2$ comparisons are needed.
- Time complexity = $O(n)$.

Worst Case :-

The target is the last element or is not present.
All n elements must be checked.

Time complexity = $O(n)$