


Name: C. PRIYANKA

Reg No: 192511074


Lab Experiments: 1-10

1.Configuration of Network Devices using Packet Tracer tools (Hub, Switch, Ethernet, Broadcast)




2. Design and Configuration of Star Topologies using Packet Tracer Star

Topology using Hub:




Star Topology using Switch:




3. Design and Configuration of BUS Topologies using Packet Tracer.


Bus Topology using Hub:




Bus Topology using Switch:



4. Design and Configuration of RING Topologies using Packet Tracer Ring Topology using Hub:




Ring Topology using Switch:




5. Design and Configuration of Mesh Topologies using Packet Tracer

Mesh Topology using Hub:




Mesh Topology using Switch:




6.Design and Configuration of Tree Topologies using Packet Tracer.


Tree Topology using Hub:




Tree Topology using Switch:



7. Design and Configuration of Hybrid Topologies using Packet Tracer Hybrid Topology using Hub:



Hybrid Topology using Switch:



8.Data Link Layer Traffic Simulation using Packet Tracer Analysis of ARP

Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical x 1436, y 480

ARP Table for Server0

IP Address	Hardware Address	Interface
123.45...	0001.96...	FastEth...

Simulation Panel

List

Time(sec)	Last Device	At Device
0.000	—	PC0
0.000	—	PC0
0.001	PC0	Switch0
0.002	Switch0	PC1
0.002	Switch0	PC2
0.002	Switch0	Server0
0.003	Server0	Switch0
0.004	Switch0	PC0
0.004	—	PC0
0.005	PC0	Switch0
0.006	Switch0	Server0
0.007	Server0	Switch0
0.008	Switch0	PC0

Reset Simulation ☒ Constant Delay Captured to: 0.008 s

Play Controls

Event List Filter: Visible Events

ACL Filter: ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPsec, ISAKMP, iST, iST TCP, LACP, LLDP, Meraki, NDP, NETFLOW, NTP, OSPF, OSPFv6, PAgg, POP3, PPP, PPPoE, PTP, RADIUS, REP, RIP, RIPng, RTP, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TFTP, TFTP, Telnet, UDP, USB, VTP

Edit Filter Show All/None

Time: 00:21:36.501 PLAY CONTROLS

Scenario 0

File Last Status Source Destination Type Color Time(sec) Periodic Num Edit Delete

Toggle PDU List Window

Copper Straight Through

10.Data Link Layer Traffic Simulation using Packet Tracer Analysis of CSMA/CD & CSMA/CA

Cisco Packet Tracer - C:\Users\jaya sree dulla\Cisco Packet Tracer 8.2.2\saves\9 CSMA.pkt

File Edit Options View Tools Extensions Window Help

Logical Physical 1366 x 692

CSMA

PC-PT PC6
PC-PT PC5
PC-PT PC4
PC-PT PC3
PC-PT PC2
PC-PT PC1

Hub

Simulation Panel

Event List

Vis: Time(sec) Last Device

Visible 0.000

Reset Simulation Constant Delay Captured to: 0.000 s

Play Controls

Event List Filters - Visible Events

ICMP

Edit Filters Show All/None

Event List Realtime Simulation

Time: 01:26:22.634 PLAY CONTROLS

Scenario 0

New Delete Toggle PDU List Window

Fire: Last Status Source Destination Type Color Time(sec) Periodic Num Edit Delete

Successful	PC3	PC2	ICMP	234.536	N	4	(edit)	(delete)
Successful	PC2	PC5	ICMP	998.013	N	6	(edit)	(delete)
Successful	PC3	PC3	ICMP	1135.283	N	6	(edit)	(delete)

(Select a Device to Drag and Drop to the Workspace)

86°F Partly sunny

Search

ENG IN 12:20 09-12-2024

