

Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

smtp

No.	Time	Source	Destination	Protocol	Length	Info
786	64.166821	2409:40f4:3b:5360:c...	2404:6800:4003:c11...	SMTP	76	C: DATA fragment, 18 bytes
788	64.343616	2409:40f4:3b:5360:c...	2404:6800:4003:c11...	SMTP	76	C: DATA fragment, 2 bytes
790	64.481148	2409:40f4:3b:5360:c...	2404:6800:4003:c11...	SMTP	76	C: DATA fragment, 2 bytes
791	64.500593	2404:6800:4003:c11...	2409:40f4:3b:5360:c...	SMTP	240	S: 502-5.5.1 Unrecognized command. For more information, go to 5.5.1 https://support.google.com/a/answer/3221
794	64.606486	2409:40f4:3b:5360:c...	2404:6800:4003:c11...	SMTP	76	C: DATA fragment, 2 bytes
2742	118.065641	74.125.130.109	192.168.205.237	SMTP	129	S: 220 smtp.gmail.com ESMTP 41be03b00d2f7-7db498f9f28sm8690440a12.22 - gsmt
2788	130.343576	192.168.205.237	74.125.130.109	SMTP	56	C: DATA fragment, 16 bytes
2790	130.610782	74.125.130.109	192.168.205.237	SMTP	220	S: 502-5.5.1 Unrecognized command. For more information, go to 5.5.1 https://support.google.com/a/answer/3221
2806	133.546796	192.168.205.237	74.125.130.109	SMTP	56	C: helo
2808	133.803122	74.125.130.109	192.168.205.237	SMTP	224	S: 501-5.5.4 Empty HELO/EHLO argument not allowed, closing connection. 5.5.4 https://support.google.com/mail/
2970	148.895488	2404:6800:4003:c11...	2409:40f4:3b:5360:c...	SMTP	148	S: 220 smtp.gmail.com FSMTP 08a67ed50e1d1-2dd50c10d6eum1867658a91.0 - gsmt
3176	166.722579	2409:40f4:3b:5360:c...	2404:6800:4003:c11...	SMTP	76	C: helo
3178	166.975030	2404:6800:4003:c11...	2409:40f4:3b:5360:c...	SMTP	243	S: 501-5.5.4 Empty HELO/EHLO argument not allowed, closing connection. 5.5.4 https://support.google.com/mail/

Frame 2808: 224 bytes on wire (1792 bits), 224 bytes captured (1792 bits) on interface \Device\NPF...
Ethernet II, Src: 2a:99:57:fb:7f:2a (2a:99:57:fb:7f:2a), Dst: Intel_deic3:e9 (f4:06:69:de:c5:2e)
Internet Protocol Version 4, Src: 74.125.130.109, Dst: 192.168.205.237
Transmission Control Protocol, Src Port: 587, Dst Port: 53528, Seq: 242, Ack: 23, Len: 170
Source Port: 587
Destination Port: 53528
[Stream index: 46]
[Stream Packet Number: 38]
[Conversation completeness: Complete, WITH_DATA (31)]
[TCP Segment Len: 170]
Sequence Number: 242 (relative sequence number)
Sequence Number (raw): 2714736421
[Next Sequence Number: 412 (relative sequence number)]
Acknowledgment Number: 23 (relative ack number)
Acknowledgment number (raw): 1179687745
0101 = Header Length: 20 bytes (5)
Flags: 0x018 (PSH, ACK)
Window: 256
[Calculated window size: 65536]

0000 f4 06 69 de c3 e9 2a 99 57 fb 7f 2a 08 00 45 00 - i * W * E
0010 00 d2 00 00 40 00 74 06 aa a5 4a 7d 82 6d c0 a8 - @ t - J } m -
0020 cd ed 02 4b d1 18 a1 cf 97 25 46 50 9b 41 50 18 - K - - XFP AP -
0030 01 00 3b 9a 00 00 35 30 31 2d 35 2e 35 2e 34 20 - ; - 50 1-5.5.4
0040 45 6d 70 74 79 20 48 45 4c 4f 2f 45 48 4c 4f 20 - Empty HE LO/EHLO
0050 61 72 67 75 6d 65 6e 74 20 6e 6f 74 20 61 6c 6c - argument not all
0060 6f 77 65 64 2c 20 63 6c 6f 73 69 6e 67 20 63 6f - owed, cl osing co
0070 6e 6e 65 63 74 69 6f 6e 2e 0d 0a 35 30 31 20 35 - nnection - 501 5
0080 2e 35 2e 34 20 20 68 74 74 70 73 3a 2f 2f 73 75 - .5.4 ht tps://su
0090 70 70 6f 72 74 2e 67 6f 6f 67 6c 65 2e 63 6f 6d - pport.go ogle.com
00a0 2f 6d 61 69 6c 2f 3f 70 3d 68 65 6c 6f 20 34 31 - /mail/?p =helo 41
00b0 62 65 30 33 62 30 30 64 32 66 37 2d 37 64 62 34 - be03b00d 2f7-7db4
00c0 39 38 66 39 66 32 38 73 6d 38 36 39 30 34 34 30 - 98f9f28s m8690440
00d0 61 31 32 2e 32 32 20 2d 20 67 73 6d 74 70 0d 0a - a12.22 - gsmt

Packets: 3212 - Displayed: 13 (0.4%) - Dropped: 0 (0.0%) Profile: De

Wireshark · Packet 5355 · Wi-Fi

> Frame 5355: 50 bytes on wire (400 bits), 50 bytes captured (400 bits) on interface \Device\NPF_{CC571BE7-ACBA-4B54-B0D3-96594A8C5D44}, id 0

> Ethernet II, Src: Cisco_bf:eb:fe (f8:e5:7e:bf:eb:fe), Dst: IPv4mcast_01 (01:00:5e:00:00:01)

> Internet Protocol Version 4, Src: 172.24.32.189, Dst: 224.0.0.1

> Internet Control Message Protocol

0000	01 00 5e 00 00 01 f8 e5 7e bf eb fe 08 00 45 e0	..^-----E-
0010	00 24 17 4c 00 00 01 01 f4 d6 ac 18 20 bd e0 00	..\$.L-----
0020	00 01 09 00 22 20 01 02 07 00 ac 18 20 bd 00 00	m..K....
0030	00 00	..

No. 5355 · Time: 129.032797 · Source: 172.24.32.189 · Destination: 224.0.0.1 · Protocol: ICMP · Length: 50 · Info: Mobile IP Advertisement (Normal router advertisement)

☒ Show packet bytes Layout: Vertical (Stacked) Close Help



