




Logical Physical x 876, y 360

Root 01:58:32



Simulation Panel

Event List

Time(sec)	Last Device
0.004	PC1
0.006	Switch0
0.006	Multilayer Switch0
0.176	-
0.177	Multilayer Switch0
0.177	Multilayer Switch0
0.178	Switch0
2.174	-
2.175	Multilayer Switch0
2.175	Multilayer Switch0
2.176	Switch0
Visible 4.175	

Reset Simulation

Constant Delay

Captured in 4.175 s

Play Controls



Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPsec, ISAKMP, iST, iST TGP, LACP, LLDP, Meraki, NET, NETFLOW, NDP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoE, PTP, RADIUS, RDP, RIP, RIPv2, RIPv3, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TGP, TFTP, Telnet, UDP, USB, VRRP

Edit Filters

Show All/None

Time: 00:02:49.54% PLAY CONTROLS



Scenario 0

New

Delete

Topology List Window

File	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
Successful		PC0	PC1	ICMP		0.000	N	0	(edit)	(delete)

Event List

Realtime

Simulation

Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

dp

	Time	Source	Destination	Protocol	Length	Info
1	0.000000	2409:40f4:3d:dca0:9...	2404:6800:4007:814:...	UDP	242	56263 → 443 Len=188
2	0.056359	2404:6800:4007:814:...	2409:40f4:3d:dca0:9...	UDP	89	443 → 56263 Len=27
3	0.056970	2409:40f4:3d:dca0:9...	2404:6800:4007:814:...	UDP	682	56263 → 443 Len=620
4	0.101257	2404:6800:4007:814:...	2409:40f4:3d:dca0:9...	UDP	126	443 → 56263 Len=64
5	0.101257	2404:6800:4007:814:...	2409:40f4:3d:dca0:9...	UDP	1287	443 → 56263 Len=1225
6	0.101257	2404:6800:4007:814:...	2409:40f4:3d:dca0:9...	UDP	1292	443 → 56263 Len=1230
7	0.101257	2404:6800:4007:814:...	2409:40f4:3d:dca0:9...	UDP	1292	443 → 56263 Len=1230
8	0.101257	2404:6800:4007:814:...	2409:40f4:3d:dca0:9...	UDP	1292	443 → 56263 Len=1230
9	0.101257	2404:6800:4007:814:...	2409:40f4:3d:dca0:9...	UDP	1292	443 → 56263 Len=1230
10	0.101257	2404:6800:4007:814:...	2409:40f4:3d:dca0:9...	UDP	968	443 → 56263 Len=906
11	0.101257	2404:6800:4007:814:...	2409:40f4:3d:dca0:9...	UDP	1287	443 → 56263 Len=1225
12	0.101257	2404:6800:4007:814:...	2409:40f4:3d:dca0:9...	UDP	1292	443 → 56263 Len=1230
13	0.101257	2404:6800:4007:814:...	2409:40f4:3d:dca0:9...	UDP	1292	443 → 56263 Len=1230
14	0.101257	2404:6800:4007:814:...	2409:40f4:3d:dca0:9...	UDP	1292	443 → 56263 Len=1230
15	0.101257	2404:6800:4007:814:...	2409:40f4:3d:dca0:9...	UDP	1292	443 → 56263 Len=1230
16	0.101257	2404:6800:4007:814:...	2409:40f4:3d:dca0:9...	UDP	1292	443 → 56263 Len=1230
17	0.101257	2404:6800:4007:814:...	2409:40f4:3d:dca0:9...	UDP	1292	443 → 56263 Len=1230
18	0.101962	2409:40f4:3d:dca0:9...	2404:6800:4007:814:...	UDP	99	56263 → 443 Len=37
22	0.105691	2404:6800:4007:814:...	2409:40f4:3d:dca0:9...	UDP	1292	443 → 56263 Len=1230
23	0.105691	2404:6800:4007:814:...	2409:40f4:3d:dca0:9...	UDP	1292	443 → 56263 Len=1230
24	0.105691	2404:6800:4007:814:...	2409:40f4:3d:dca0:9...	UDP	1287	443 → 56263 Len=1225
25	0.105691	2404:6800:4007:814:...	2409:40f4:3d:dca0:9...	UDP	1292	443 → 56263 Len=1230
26	0.105691	2404:6800:4007:814:...	2409:40f4:3d:dca0:9...	UDP	1292	443 → 56263 Len=1230

Frame 4: 126 bytes on wire (1008 bits), 126 bytes captured (1008 bits) on interface \Device\NPF... Ethernet II, Src: 2a:99:57:fb:7f:2a (2a:99:57:fb:7f:2a), Dst: Intel_de:c3:e9 (f4:06:69:de:c3:e9) Internet Protocol Version 6, Src: 2404:6800:4007:814::2016, Dst: 2409:40f4:3d:dca0:9cb2:7f5:d1 ser Datagram Protocol, Src Port: 443, Dst Port: 56263

Data: 578d0d4aa4ff803dbd103ec582c0f423676c0a4a53d26b5a487295a352d7ffadc019cdda53f02977f3821 [Length: 64]

0000 f4 06 69 de c3 e9 2a 99 57 fb 7f 2a 86 dd 60 00 ...i...W...
0010 00 00 00 48 11 39 24 04 68 00 40 07 00 14 00 00 ...H9\$ h@...
0020 00 00 00 00 20 16 24 09 40 f4 00 3d dc a0 9c b2 ...\$ @...
0030 07 f5 d1 b2 68 ce 01 bb db c7 00 48 16 a4 57 8d ...h...H-W-
0040 0d 4a a4 ff 80 3d bd 10 3e c5 82 c0 f4 23 67 6c ...>...#gl
0050 0a 4a 53 d2 6b 5a 48 72 95 a3 52 d7 ff ad c0 19 ...S-kZtr...R...
0060 cd ba 53 f0 29 77 f3 82 17 1e a1 5e 9c 22 bc 07 ...S)w...
0070 d0 e4 23 d9 0a 0b 95 db 28 d2 61 f9 60 da ...#...(-a-h...

Wi-Fi 2

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http

No.	Time	Source	Destination	Protocol	Length	Info
7465	173.760225	157.240.192.55	192.168.38.123	HTTP	102	[TCP Previous segment not captured] Continuation
7467	173.760225	157.240.192.55	192.168.38.123	HTTP	102	Continuation
7471	173.773599	157.240.192.55	192.168.38.123	HTTP	162	Continuation
7474	174.060433	157.240.192.55	192.168.38.123	HTTP	1267	Continuation
7950	186.718012	157.240.192.55	192.168.38.123	HTTP	262	Continuation
8064	187.406428	157.240.192.55	192.168.38.123	HTTP	152	Continuation
8403	192.927372	192.168.38.123	157.240.192.55	HTTP	59	POST /chat HTTP/1.1
8604	232.605422	192.168.38.123	146.75.122.172	HTTP	403	HEAD /filestreamingservice/files/b0683dd4-1a80-4fef-a654-12f434dbb6b2?P1=1723449298&P2=404&P3=2&P4=fukH9YnRyncJH...
8607	233.138327	146.75.122.172	192.168.38.123	HTTP	651	HTTP/1.1 200 OK
8609	233.170364	192.168.38.123	146.75.122.172	HTTP	475	GET /filestreamingservice/files/b0683dd4-1a80-4fef-a654-12f434dbb6b2?P1=1723449298&P2=404&P3=2&P4=fukH9YnRyncJH...
8614	233.829325	146.75.122.172	192.168.38.123	HTTP	478	HTTP/1.1 206 Partial Content (application/x-chrome-extension)
8619	235.261224	192.168.38.123	146.75.122.172	HTTP	478	GET /filestreamingservice/files/b0683dd4-1a80-4fef-a654-12f434dbb6b2?P1=1723449298&P2=404&P3=2&P4=fukH9YnRyncJH...
8624	235.731123	146.75.122.172	192.168.38.123	HTTP	202	HTTP/1.1 206 Partial Content (application/x-chrome-extension)
8627	236.534493	192.168.38.123	146.75.122.172	HTTP	478	GET /filestreamingservice/files/b0683dd4-1a80-4fef-a654-12f434dbb6b2?P1=1723449298&P2=404&P3=2&P4=fukH9YnRyncJH...
8630	236.838652	146.75.122.172	192.168.38.123	HTTP	541	HTTP/1.1 206 Partial Content (application/x-chrome-extension)
8632	237.538872	192.168.38.123	146.75.122.172	HTTP	478	GET /filestreamingservice/files/b0683dd4-1a80-4fef-a654-12f434dbb6b2?P1=1723449298&P2=404&P3=2&P4=fukH9YnRyncJH...

> Frame 7465: 102 bytes on wire (816 bits), 102 bytes captured (816 bits) on interface \Device\NPF...
> Ethernet II, Src: 3e:01:06:3b:29:45 (3e:01:06:3b:29:45), Dst: AzureWaveTec_f4:24:83 (90:e8:68:26:7b:00)
> Internet Protocol Version 4, Src: 157.240.192.55, Dst: 192.168.38.123
> Transmission Control Protocol, Src Port: 80, Dst Port: 53661, Seq: 2075, Ack: 1030, Len: 48
> Hypertext Transfer Protocol

0000 90 e8 68 f4 24 83 3e 01 06 3b 29 45 08 00 45 88 --h-\$->-...;)E..E..
0010 00 58 59 09 40 00 39 06 a2 c3 9d f0 c0 37 c0 a8 -XY-@-9-....7...
0020 26 7b 00 50 d1 9d 93 4d 18 46 05 bb e2 5b 50 18 &{.P...M.F...[P...
0030 01 09 fc ea 00 00 32 41 0d 0a 00 00 27 cc 9a 2a2A'...'..
0040 e4 10 d8 84 a7 05 0e c8 1d f8 53 8d db e0 21 cc-S...!..
0050 90 8f c3 70 92 31 95 b0 64 42 0d ae be f4 60 e9 ...p-1...dB....'..
0060 9f 3f 69 f2 0d 0a-?1...

Microsoft Transfer Protocol Protocol Backdoor: 6740 Discovered: 47/0/553 Profile: Def...

Wi-Fi
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

smtp

No.	Time	Source	Destination	Protocol	Length	Info
786	64.166821	2409:40f4:3b:5360:c...	2404:6800:4003:c11...	SMTP	76 C	DATA fragment, 18 bytes
788	64.343616	2409:40f4:3b:5360:c...	2404:6800:4003:c11...	SMTP	76 C	DATA fragment, 2 bytes
790	64.481148	2409:40f4:3b:5360:c...	2404:6800:4003:c11...	SMTP	76 C	DATA fragment, 2 bytes
791	64.508593	2404:6800:4003:c11...	2409:40f4:3b:5360:c...	SMTP	248 S	582-5.5.1 Unrecognized command. For more information, go to 5.5.1 https://support.google.com/a/answer/32216..
794	64.606486	2409:40f4:3b:5360:c...	2404:6800:4003:c11...	SMTP	76 C	DATA fragment, 2 bytes
2742	118.065641	74.125.130.109	192.168.205.237	SMTP	129 S	220 smtp.gmail.com ESMTP 41be03b00d2f7-7db498f9f28e8690440a12.22 - gsmtp
2788	130.343576	192.168.205.237	74.125.130.109	SMTP	56 C	DATA fragment, 16 bytes
2790	130.618782	74.125.130.109	192.168.205.237	SMTP	220 S	582-5.5.1 Unrecognized command. For more information, go to 5.5.1 https://support.google.com/a/answer/32216..
2806	133.546796	192.168.205.237	74.125.130.109	SMTP	56 C	hello
2808	133.801122	74.125.130.109	192.168.205.237	SMTP	224 S	581-5.5.4 Empty HELO/EHLO argument not allowed, closing connection. 5.5.4 https://support.google.com/mail/?..
2970	148.895488	2404:6800:4003:c11...	2409:40f4:3b:5360:c...	SMTP	148 S	220 smtp.gmail.com ESMTP 98e67ed5e1d1-2d850c109d0e81867658a91.8 - gsmtp
3176	166.722579	2409:40f4:3b:5360:c...	2404:6800:4003:c11...	SMTP	76 C	hello
3178	166.975030	2404:6800:4003:c11...	2409:40f4:3b:5360:c...	SMTP	243 S	581-5.5.4 Empty HELO/EHLO argument not allowed, closing connection. 5.5.4 https://support.google.com/mail/?..

Frame 2808: 224 bytes on wire (1792 bits), 224 bytes captured (1792 bits) on interface \Device\NPF...
 Ethernet II, Src: 2a:99:57:fb:7f:2a (2a:99:57:fb:7f:2a), Dst: Intel_i210:fa:46:89:dc:3e
 Internet Protocol Version 4, Src: 74.125.130.109, Dst: 192.168.205.237
 Transmission Control Protocol, Src Port: 587, Dst Port: 53528, Seq: 242, Ack: 23, Len: 170
 Source Port: 587
 Destination Port: 53528
 [Stream Index: 46]
 [Stream Packet Number: 38]
 [Conversation completeness: Complete, WITH_DATA (31)]
 [TCP Segment Len: 170]
 Sequence Number: 242 (relative sequence number)
 Sequence Number (raw): 2714736421
 [Next Sequence Number: 412 (relative sequence number)]
 Acknowledgment Number: 23 (relative ack number)
 Acknowledgment number (raw): 1179687745
 0101 = Header Length: 20 bytes (5)
 Flags: 0x018 (PSH, ACK)
 Window: 256
 [Calculated window size: 65536]

```

0000  f4 06 69 de c3 e9 2a 99 57 fb 7f 2a 00 00 45 00  |...*W.*E|
0010  00 d2 00 00 40 00 74 06 aa a5 4a 78 82 6d c0 a8  |...t...}w|
0020  00 20 cd ed 02 40 d1 18 a1 cf 97 25 46 50 90 41 50 18  |...K...SPP-AP|
0030  00 10 01 00 30 9a 00 00 35 30 31 2d 35 2e 35 2e 34 20  |...;...50 1-5.5.4|
0040  00 00 43 6d 70 74 79 20 48 43 4c 4f 2f 43 48 4c 4f 20  |...Empty HE LO/EHLO|
0050  81 72 67 75 6d 05 0e 74 20 0e 6f 74 20 81 6c 0c  |...argument not all|
0060  6f 77 65 64 2c 20 63 6c 6f 73 69 6e 67 20 63 6f  |...mond, closing co|
0070  6e 6e 65 63 74 69 6f 6e 2e 04 0a 35 30 31 20 35  |...nnection... 501 5|
0080  2e 35 2e 34 20 20 68 74 74 70 73 3a 2f 2f 73 75  |...5.4 ht tps://su|
0090  70 70 6f 72 74 2e 67 6f 6f 67 6c 65 2e 63 6f 6d  |...pport.go gle.com|
00a0  2f 6d 61 69 6c 2f 3f 70 5d 68 65 6c 6f 20 34 31  |.../mail/?p =hello 41|
00b0  62 65 30 33 62 30 30 64 32 66 37 2d 37 64 62 34  |...he03b00d 2f7-7db4|
00c0  39 38 66 39 66 32 38 73 6d 38 36 39 30 34 34 30  |...98f9f28s a0690440|
00d0  61 31 32 2e 32 32 20 2d 20 67 73 6d 74 70 0d 0a  |...a12.22 - gsmtp-|
    
```

Simple Mail Transfer Protocol Protocol

Packets: 3212 · Displayed: 13 (0.4%) · Dropped: 0 (0.0%)

Profile: Default

Search

ENG 1:09 PM