CO-1-AT-1

HARI CHARAN
192511107
CSA-04-05
Operating System


1. a) ☆ Multiuser OS :- Enables Multiple User to Access Software.

☆ Multitasking OS :- OS Switch between Multiple task at a time and process Multitasking

☆ MultiProcessing OS :- OS allows Multiple process to ~~access~~ execute at a time.

b) The main resources are :-

☆ I/O device ☆ CPU ☆ Memory




c) fork()
exec()
wait()
exit()

3. a)

2. (a) File management:-


open() :- open a new file
read() :- read content in a file
write() :- writes content in a file
close() :- closes the file

b)



c)

⇒ ★ Provide Quick response
★ Manages Computer hardware
★ If any I/O device is required for process the OS will allocate the respective I/O device.



Process Control:- Create process, excute Process, Exit process, Abort

File manipulation:- Open file, read file, write file, Close file.

Device manipulation:- Get device attribut & release device attribute.

Information management:- Get date & time, set date & time.


☆ Connection :- Establishing connection, sen
☆ Security :- Restricting user interation.

4. c) ☆ The type of operation OS used the distributed system.

☆ Distributed System :- ~~OS~~

Distributed System	Centralised OS
☆ Allow multiple system in a network	☆ Contains only Centralised server.
☆ A copy of main server is present in many places.	☆ Contain only Centralised one ma server.
☆ If any one system fails the other system provide service.	☆ If the server fa whole service will interupted.

b)



Process Manipulat control

↓

Device manipulation

↓

File manipulation

↓

information management

↓

Connection

↓

Security

No clarity

5. a) ✱ Process Scheduling :- The operating syste
will assign the CPU to excute the proces

✱ Memory allocation :- when a file is cr
the OS allocates memory for the file
harddisk / SSD.

✱ Device Communication :- Connection est
the OS will enable connection bet
device to share data.

b)

Hardware
↓
OS
↓
System call
↓
CPU
↓
service

c) ★ Memory allocation:-

Open file()
Read()
write()
close()

★ System management:-

fork()
exec()
wait()
exit()