


- ① IoT based Smart home application
- ② Configuration of Firewall in PT.
- ③ Design & config. star, ring, bus, hybrid topologies using PT

4. Aim:

To implement IoT based smart home application in Cisco Packet tracer.

Apparatus Required:


Packet tracer (End devices, hubs, connectors)



Procedure:

1. Create a network topology in Cisco Packet tracer which includes IoT devices, such as sensors, actuators & gateway.
2. Configure IoT devices with IP addresses, subnet masks & gateway address.
3. Setup a Communicational protocol b/w IoT devices or any other protocol.
4. Write a code to collect data from sensors and send it to gateway.
5. Use gateway to process data and send commands to actuators.
6. Finally, use a web interface or mobile application in Cisco Packet tracer.

Diagram:



Result:

Thus, IoT based smart home application in Cisco Packet Tracer implemented Successfully.


Aim:

To Configure firewall in Packet tracer

Apparatus Required:

Packet tracer / End devices, hubs, connectors.

Diagram:



Result:

Hence the Configuration of firewall in Packet tracer is successful.

3. Aim :


To implement design & configure star, ring, bus hybrid topology's using packet tracer.

Apparatus Required :

Packet tracer / End devices, hubs, connectors.


Diagram:

1. Star Topology




hybrid

2. Bus Topology:



3. Ring Topology:



Result: The star, Bus, and Ring Topologies were successfully designed and configured using Cisco Packet Tracer.