

Source on Save

Run

Source

```
1 x <- c(10, 20, 30, 40, 50)
2
3 hist(x)|
```

3:8 (Top Level) R Script

Console

Terminal

Background Jobs

R 4.6.1 · ~/

```
> print(c)
[1] 30
> print(z)
[1] 0.00 0.25 0.50 0.75 1.00
> a <- c(55, 67, 89, 80, 90)
>
> barplot(a)
> barplot(a, horiz = TRUE)
> x <- c(10, 20, 30, 40, 50)
>
> boxplot(x)
> x <- c(10, 20, 30, 40, 50)
>
> hist(x)
```

Import Dataset 218 MiB

R Global Environment

Values

a	num [1:5]	55 67 89 80 90
b		50
c		30
num		10
num1		20
num2		10
x	num [1:5]	10 20 30 40 50
y		20
z	num [1:5]	0 0.25 0.5 0.75 1

Files Plots Packages Help Viewer Presentation

Zoom Export

Histogram of x

A histogram titled "Histogram of x" showing the frequency of values in the vector x. The x-axis is labeled "x" and has tick marks at 10, 20, 30, 40, and 50. The y-axis is labeled "Frequency" and has tick marks at 0, 1, and 2. There are four bars: the first bar (10-20) has a frequency of 2, and the subsequent three bars (20-30, 30-40, 40-50) each have a frequency of 1.

x	Frequency
10	2
20	1
30	1
40	1