

Experiment 24-37

Pugazharasan K

192511341

24

The image shows two screenshots from the Microsoft Azure portal. The top screenshot is the 'Deployments' page for an Azure App Service. It features a sidebar with navigation options: Home, Environment, Logs, SSH, File Manager, Deployments (highlighted with a red box), and AI Playground. The main content area is titled 'Deployments' and includes a progress bar with '1 Upload' and '2 Deploy' steps. Below this is a large dashed box for uploading a .zip file, with a 'Browse Files' button and a note that the maximum file size is 1GB.

The bottom screenshot shows the 'Deployment Center' settings for a resource named 'datacamp-app-lab'. The left sidebar lists various settings categories, with 'Deployment Center' selected. The main panel shows configuration options for the deployment source, build, runtime stack, and authentication. The 'Source' is set to 'GitHub'. The 'Runtime stack' is 'Python' and the 'Version' is 'Python 3.13'. Under 'Authentication settings', 'User-assigned identity' is selected. The 'Subscription' is 'Pay-As-You-Go' and the 'Identity' is '(Create new)'.

Microsoft Azure

Search resources, services, and docs (G+)

Home > Virtual machines > SHANUKA-RG > Test-VM01 >

Create an image ...

Basics

Tags

Review + create

Create an image from this virtual machine that can be used to deploy additional virtual machines and virtual machine scale sets. To create a managed image, you must first generalize this virtual machine. [Learn more](#)

Project details

Subscription

Resource group *

Microsoft Azure

Shanuka-RG

Create new

Instance details

Region

(US) East US

Share image to Azure compute gallery

☐ Yes, share it to a gallery as a VM image version.

☒ No, capture only a managed image.

Automatically delete this virtual machine after creating the image

☐

Review + create

< Previous

Next : Tags >

Microsoft Azure

Images > jira-7-sysprep-20170724133831

Search resources

Images

jira-7-sysprep-20170724133831

Overview

Activity log

Access control (IAM)

Tags

SETTINGS

Locks

Automation script

SUPPORT + TROUBLESHOOTING

New support request

Create VM

Move

Delete

NAME

jira-7-sysprep-20170724133831

SOURCE VIRTUAL MACHINE

sysprep-17

OS DISK

OS TYPE	SOURCE BLOB URI	ACCOUNT TYPE	CACHING
Windows			Read/write

DATA DISKS

This image doesn't contain any data disks.

RESOURCE GROUP

LOCATION

North Europe

SUBSCRIPTION

RESOURCE ID

/subscriptions/ /resourceGroups/ /providers/Microsoft.Compute/images/jira-7-sysprep-20170724133831

Microsoft Azure

Upgrade

Search resources, services, and docs (G+/)

Home > Storage center | Blob Storage

Create a storage account

Subscription *

Azure subscription 1

Resource group *

louisstoragerg

Create new

Instance details

Storage account name * ⓘ

Region * ⓘ

Preferred storage type

Performance * ⓘ

Redundancy * ⓘ

(UK) UK South

Deploy to an Azure Extended Zone

Choose preferred storage type

This helps us provide relevant guidance. It doesn't restrict your storage to this resource type. [Learn more](#)

☒ **Standard:** Recommended for most scenarios (general-purpose v2 account)

☐ **Premium:** Recommended for scenarios that require low latency.

Geo-redundant storage (GRS)

☒ Make read access to data available in the event of regional unavailability.

☐ Geo priority replication guarantees Blob storage data is geo-replicated within 15 minutes.

Previous

Next

Review + create

Home > adtcontainer | Containers > adt-container >

adt-container

Container

Search

Upload

Change access level

...

Overview

Diagnose and solve problems

Access Control (IAM)

Settings

Shared access tokens

Access policy

Properties

Metadata

Authentication method: Access key ([Switch to Microsoft Entra user account](#))

Location: adt-container

Search blobs by prefix (case-...)

☒ Show deleted blobs

Add filter

Name

☐ bulkimport.ndjson

☐ OutdoorTanks.gif

bulkimport.ndjson

Blob

Save

Discard

Download

Refresh

Delete

Change tier

Acquire lease

Overview

Versions

Snapshots

Edit

Generate SAS

Properties

URL

LAST MODIFIED

CREATION TIME

VERSION ID

TYPE

SIZE

ACCESS TIER

ACCESS TIER LAST MODIFIED

https://adtcontainer.blo...

4/26/2024, 4:35:26 PM

4/26/2024, 4:35:26 PM

-

Block blob

-

Hot (Inferred)

N/A

27

Microsoft Azure

Search resources, services, and docs (G+)

[Home](#) > [Resource groups](#) > [practice_rg](#) > [New](#) > [Marketplace](#) > [Azure SQL](#) > [Select SQL deployment option](#) > [Create SQL Database](#)

Create SQL Database

Microsoft

Create a SQL database with your preferred configurations. Complete the Basics tab then go to Review + Create to provision with smart defaults, or visit each tab to customize. [Learn more](#)

Project details

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription *

Free Trial

Resource group *

practice_rg

[Create new](#)

Database details

Enter required settings for this database, including picking a logical server and configuring the compute and storage resources

Database name *

practice_db

Server

(new) practice-srvr (East US)

[Create new](#)

Want to use SQL elastic pool? *

☐ Yes
 ☒ No

Compute + storage *

Standard S0
 10 DTUs, 250 GB storage

Review + create

Next : Networking >

28

Create a resource

Home

Dashboard

All services

FAVORITES

All resources

Resource groups

Quickstart Center

App Services

Function App

SQL databases

Azure Cosmos DB

Virtual machines

Load balancers

Storage accounts

Virtual networks

Azure Active Directory

Monitor

Advisor

Dashboard > kidehen-db-2 (kidehendb/kidehen-db-2)

SQL database

Search (Ctrl+)

Overview

Activity log

Tags

Diagnose and solve problems

Quick start

Query editor (preview)

Settings

Configure

Geo-Replication

Connection strings

Sync to other databases

Add Azure Search

Properties

Locks

Export template

Security

Copy

Restore

Export

Set server firewall

Delete

Connect with...

Feedback

Resource group (change)

Status Online

Location East US 2

Subscription (change) Pay-As-You-Go

Subscription ID 0442617e-0c4e-4770-8603-311020aea683

Tags (change)

Click here to add tags

Server name kidehendb.database.windows.net

Elastic pool No elastic pool

Connection strings Show database connection strings

Pricing tier Standard S0: 10 DTUs

Oldest restore point 2019-08-02 00:00 UTC

Show data for last: 1 hour 24 hours 7 days

Compute utilization

View: Max

Microsoft Azure Search resources, services, and docs (G+)

Home > Microsoft.SqlDatabase.newDatabaseNewServer_6ad47f56b91d45b89fdea > Northwind (sampleserver099/Northwind)

Northwind (sampleserver099/Northwind) | Query editor (preview)

SQL database

Search (Ctrl+/) Login + New Query Open query Feedback

Overview

Activity log

Tags

Diagnose and solve problems

Quick start

Query editor (preview)

Power Platform

Power BI (preview)

Power Apps (preview)

Power Automate (preview)

Settings

Compute + storage

Connection strings

Properties

Locks

Data management

Geo-Replication

Sync to other databases

Integrations

Stream analytics (preview)

Add Azure Search

Security

Auditing

Data Discovery & Classification

Dynamic Data Masking

Security Center

Transparent data encryption

Northwind (sampledb)

Showing limited object explorer here. For full capability please open SSDT.

Tables

- > dbo.Categories
- > dbo.CustomerCustomerDemo
- > dbo.CustomerDemographics
- > dbo.Customers
- > dbo.Employees
- > dbo.EmployeeTerritories
- > dbo.Order Details
- > dbo.Orders
- > dbo.Products
- > dbo.Region
- > dbo.Shippers
- > dbo.Suppliers
- > dbo.Territories

Views

Stored Procedures

Query 1

Run Cancel query Save query Export data as Show only Editor

```
1 /*
2  ** Copyright Microsoft, Inc. 1994 - 2000
3  ** All Rights Reserved.
4  */
5
6 SET NOCOUNT ON
7 GO
8
9 set quoted_identifier on
10 GO
11
12 /* Set DATEFORMAT so that the date strings are interpreted correctly regardless of
13    the default DATEFORMAT on the server.
14 */
15 SET DATEFORMAT mdy
16 GO
17 use "Northwind"
```

Results Messages

Query succeeded: Affected rows: 0Affected rows: 0Affected rows: 0Affected rows: 0Affected rows: 0Affected n

Query succeeded | 32s

Microsoft Azure Search resources, services, and docs (G+/)

Home > Microsoft.SqlDatabase.newDatabaseNewServer_6ad47f56b91d45b89fdea > Northwind (sampleserver099/Northwind)

Northwind (sampleserver099/Northwind) | Query editor (preview)

SQL database

Search (Ctrl+/) Login + New Query Open query Feedback

Overview
Activity log
Tags
Diagnose and solve problems
Quick start
Query editor (preview)

Power Platform
Power BI (preview)
Power Apps (preview)
Power Automate (preview)

Settings
Compute + storage
Connection strings
Properties
Locks

Data management
Geo-Replication
Sync to other databases

Integrations
Stream analytics (preview)
Add Azure Search

Security
Auditing
Data Discovery & Classification
Dynamic Data Masking
Security Center
Transparent data encryption

Northwind (sampledb)

Showing limited object explorer here. For full capability please open SSOT.

- Tables
 - dbo.Categories
 - dbo.CustomerCustomerDemo
 - dbo.CustomerDemographics
 - dbo.Customers
 - dbo.Employees
 - dbo.EmployeeTerritories
 - dbo.Order Details
 - dbo.Orders
 - dbo.Products
 - dbo.Region
 - dbo.Shippers
 - dbo.Suppliers
 - dbo.Territories
- Views
- Stored Procedures

Query 1

Run Cancel query Save query Export data as Show only Editor

```
1 /*
2  ** Copyright Microsoft, Inc. 1994 - 2000
3  ** All Rights Reserved.
4  */
5
6  SET NOCOUNT ON
7  GO
8
9  set quoted_identifier on
10 GO
11
12 /* Set DATEFORMAT so that the date strings are interpreted correctly regardless of
13    the default DATEFORMAT on the server.
14 */
15 SET DATEFORMAT mdy
16 GO
17 use "Northwind"
```

Results Messages

Query succeeded: Affected rows: 0Affected rows: 0Affected rows: 0Affected rows: 0Affected rows: 0Affected n

Query succeeded | 32s

Microsoft Azure

Search resources, services, and docs (G+I)

Home > Microsoft.SqlDatabase.newDatabaseNewServer_6ad47f56b91d45b89fdea > Northwind (sampleserver099/Northwind)

Northwind (sampleserver099/Northwind) | Query editor (preview)

SQL database

Search (Ctrl+I) Login New Query Open query Feedback

Overview

Activity log

Tags

Diagnose and solve problems

Quick start

Query editor (preview)

Power Platform

Power BI (preview)

Power Apps (preview)

Power Automate (preview)

Settings

Compute + storage

Connection strings

Properties

Locks

Data management

Geo-Replication

Sync to other databases

Integrations

Stream analytics (preview)

Add Azure Search

Security

Auditing

Data Discovery & Classification

Dynamic Data Masking

Security Center

Transparent data encryption

Northwind (sampledb)

Showing limited object explorer here. For full capability please open SSDT.

Tables

dbo.Categories

dbo.CustomerCustomerDemo

dbo.CustomerDemographics

dbo.Customers

dbo.Employees

dbo.EmployeeTerritories

dbo.Order Details

dbo.Orders

dbo.Products

dbo.Region

dbo.Shippers

dbo.Suppliers

dbo.Territories

Views

Stored Procedures

Query 1

Run Cancel query Save query Export data as Show only Editor

```
1  /*
2  ** Copyright Microsoft, Inc. 1994 - 2000
3  ** All Rights Reserved.
4  */
5
6  SET NOCOUNT ON
7  GO
8
9  set quoted_identifier on
10 GO
11
12 /* Set DATEFORMAT so that the date strings are interpreted correctly regardless of
13    the default DATEFORMAT on the server.
14 */
15 SET DATEFORMAT mdy
16 GO
17 use "Northwind"
```

Results Messages

Query succeeded: Affected rows: 0Affected rows: 0Affected rows: 0Affected rows: 0Affected rows: 0Affected n

Query succeeded | 32s

Microsoft Azure

Search resources, services, and docs (G+/)

Home > Microsoft.SqlDatabase.newDatabaseNewServer_6ad47f56b91d45b89fdea > Northwind (sampleserver099/Northwind)

Northwind (sampleserver099/Northwind) | Query editor (preview)

SQL database

Search (Ctrl+/)

« Login + New Query ↑ Open query Feedback

Overview

Activity log

Tags

Diagnose and solve problems

Quick start

Query editor (preview)

Power Platform

Power BI (preview)

Power Apps (preview)

Power Automate (preview)

Settings

Compute + storage

Connection strings

Properties

Locks

Data management

Geo-Replication

Sync to other databases

Integrations

Stream analytics (preview)

Add Azure Search

Security

Auditing

Data Discovery & Classification

Dynamic Data Masking

Security Center

Transparent data encryption

Northwind (sampledb)

Showing limited object explorer here. For full capability please open SSDT.

Tables

dbo.Categories

dbo.CustomerCustomerDemo

dbo.CustomerDemographics

dbo.Customers

dbo.Employees

dbo.EmployeeTerritories

dbo.Order Details

dbo.Orders

dbo.Products

dbo.Region

dbo.Shippers

dbo.Suppliers

dbo.Territories

Views

Stored Procedures

Query 1

Run Cancel query Save query Export data as Show only Editor

```
1  /*
2  ** Copyright Microsoft, Inc. 1994 - 2000
3  ** All Rights Reserved.
4  */
5
6  SET NOCOUNT ON
7  GO
8
9  set quoted_identifier on
10 GO
11
12 /* Set DATEFORMAT so that the date strings are interpreted correctly regardless of
13 the default DATEFORMAT on the server.
14 */
15 SET DATEFORMAT mdy
16 GO
17 use "Northwind"
```

Results Messages

Query succeeded: Affected rows: 0Affected rows: 0Affected rows: 0Affected rows: 0Affected rows: 0Affected n

Query succeeded | 32s

32

Microsoft Azure Search resources, services, and docs (G+/I)

Home > Virtual machines >

Create a virtual machine

Instance details

Virtual machine name *

Region *

Availability options

Security type

Image *

[See all images](#) | [Configure VM generation](#)

VM architecture ☐ Arm64 ☒ x64

i Arm64 is not supported with the selected image.


Run with Azure Spot discount ☐

Size *


[See all sizes](#)

i Item(s) availability based on policy assignment(s) for the selected scope.
[Allowed virtual machine size SKUs \(Policy details\)](#)


33




34



35





The screenshot shows the Microsoft Azure Marketplace interface. The left sidebar contains navigation links such as 'Create a resource', 'Home', 'Dashboard', 'All services', 'FAVORITES', 'Recent', 'SQL databases', 'Virtual machines (classic)', 'Virtual machines', 'Cloud services (classic)', 'Subscriptions', 'Azure Active Directory', 'Monitor', 'Security Center', 'Cost Management + Billing', 'Help + support', 'Advisor', and 'Users'. The main area is titled 'Everything' and displays search results for 'Windows Server 2019'. The results table lists various Windows Server 2019 offerings, all published by Microsoft and categorized as 'Compute'.

NAME	PUBLISHER	CATEGORY
Windows Server 2019 Datacenter	Microsoft	Compute
[smalldisk] Windows Server 2019 Datacenter	Microsoft	Compute
Windows Server 2019 Datacenter (zh-cn)	Microsoft	Compute
Windows Server 2019 Datacenter with Containers	Microsoft	Compute
[smalldisk] Windows Server 2019 Datacenter Server Core	Microsoft	Compute
Windows Server 2019 Datacenter Server Core	Microsoft	Compute
Windows Server 2019 Datacenter Server Core with Containers	Microsoft	Compute
[smalldisk] Windows Server 2019 Datacenter with Containers	Microsoft	Compute
[smalldisk] Windows Server 2019 Datacenter Server Core with Containers	Microsoft	Compute
Free SQL Server License (CTP2.2) SQL 2019 Developer on Windows Server 2016	Microsoft	Compute
Visual Studio 2019 (latest preview) on Windows Server 2016 (x64)	Microsoft	Compute
Visual Studio 2019 (latest preview) on Windows Server 2016 (x64)	Microsoft	Compute
Windows Server, version 1709	Microsoft	Compute
Windows Server, version 1803 with Containers	Microsoft	Compute
Windows Server, version 1709 with Containers	Microsoft	Compute

The right pane shows the details for 'Windows Server 2019 Datacenter'. It includes a description: 'Windows Server 2019 Datacenter is the operating system that bridges on-premises environments with Azure services enabling hybrid scenarios and maximizing existing investments. Increase security and reduce business risk with multiple layers of protection built into the operating system. Evolve your datacenter infrastructure to achieve greater efficiency and scale with Hyper-converged Infrastructure. Enable Developers and IT Pros to create cloud native and modernize their traditional apps using containers and micro-services. This image can be used with Azure Hybrid Benefit for Windows Server.' It also features a 'Legal Terms' section, a 'Save for later' button, and a 'Create' button at the bottom.

Create a virtual machine ...

Basics Disks Networking Management Advanced Tags Review + create

Create a virtual machine that runs Linux or Windows. Select an image from Azure marketplace or use your own customized image. Complete the Basics tab then Review + create to provision a virtual machine with default parameters or review each tab for full customization. [Learn more](#)

Project details

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription *	Pay-As-You-Go
Resource group *	(New) Resource group
	Create new

Instance details

Virtual machine name *	
Region *	(Europe) North Europe
Availability options	Availability zone
Availability zone *	1
Security type	Standard
Image *	Windows Server 2019 Datacenter - Gen2
	Windows Server
Azure Spot instance	
Size *	
Administrator account	

Marketplace images to get started

- Windows Server 2022 Datacenter: Azure Edition - Gen2
- Windows Server 2019 Datacenter - Gen2
- Windows Server 2016 Datacenter - Gen2