




SIMATS
ENGINEERING



SIMATS
Saveetha Institute of Medical And Technical Sciences
(Declared as Deemed to be University under Section 3 of UGC Act 1956)

CO1 ASSESSMENT 1

INTELLIGENT AI-BASED SMART PUBLIC TRANSPORTATION DEMAND FORECASTING SYSTEM



NAME: N.RAMYA

REG.No: 192511403

COUESE CODE: CSA1017

COURSE NAME: SOFTWARE ENGINEERING

FACULTY: LATHA.R

Table of Contents

- Introduction
- Understanding the Problem Statement
- Identifying Key Stakeholders and Challenges
- Analyzing the Current Approach
- Proposed Software Solution
- Functional Requirements
- Non-Functional Requirements
- Software Engineering Principles
- Justification of the Selected SDLC Methodology
- Expected Outcomes and Limitations
- Future Enhancements
- Conclusion
- References

INTRODUCTION

Public transportation is a cornerstone of sustainable urban mobility, yet most transit agencies still rely on static, historically-averaged timetables that cannot react to real-world fluctuations in demand. This report presents a systematic case study analysis of Problem Statement 20: an Intelligent AI-Based Smart Public Transportation Demand Forecasting System. The report begins by unpacking the problem, its objectives, and its scope, before identifying the stakeholders affected and the challenges they currently face. It then critically examines the limitations of today's manual, reactive scheduling approach and proposes a comprehensive, AI-driven software solution built on sound software engineering principles — modularity, scalability, maintainability, reliability, usability, and security. An Agile Scrum development methodology is justified as the most suitable approach for delivering and maintaining the platform, supported by a sample sprint roadmap. The report closes with an evaluation of expected outcomes, potential risks and limitations, and directions for future enhancement, giving a complete, implementation-oriented view of how AI, IoT, GPS, and Big Data Analytics can be combined to make public transportation more efficient, reliable, and commuter-friendly.

Intelligent AI-Based Smart Public Transportation Demand Forecasting System, which aims to transform traditional transportation management into a predictive and data-driven system. The proposed software solution uses AI to forecast passenger demand, optimize transport schedules, monitor passenger flow in real time, and generate analytical reports to support decision-making. The system is designed by applying key software engineering principles such as modularity, scalability, maintainability, reliability, usability, and security to ensure that it is efficient, flexible, and capable of supporting future expansion.

Recent advancements in **Artificial Intelligence (AI)**, **Machine Learning (ML)**, **Internet of Things (IoT)**, **Global Positioning System (GPS)**, and **Big Data Analytics** have created new opportunities to improve public transportation services. By analyzing historical ridership data along with real-time information such as weather conditions, traffic congestion, special events, and GPS location data, AI can accurately forecast passenger demand and assist transit authorities in making informed decisions. This enables better scheduling of buses and trains, optimized fleet allocation, and timely communication with passengers.

The purpose of this report is to analyze the given problem statement, identify the key stakeholders and challenges, examine the limitations of the existing system, propose a suitable software solution, justify the selection of an appropriate Software Development Life Cycle (SDLC) methodology, and discuss the expected outcomes, risks, limitations, and future enhancements. Through this analysis, the report demonstrates how software engineering concepts can be applied to solve real-world transportation problems and contribute to the development of smarter, more sustainable public transportation systems.

1. UNDERSTANDING THE PROBLEM STATEMENT

1.1 Problem in Own Words

Public transportation agencies find it difficult to match the number of buses or trains they operate with the actual number of passengers who want to travel at any given moment. During peak hours — such as the early-morning and evening commute — vehicles are frequently overcrowded, forcing commuters to wait for a later service or to travel in uncomfortable and sometimes unsafe conditions. During off-peak hours, the opposite problem occurs: vehicles run largely empty, wasting fuel, crew hours, and operating budget that could be redirected elsewhere.

This mismatch happens primarily because schedules are planned using fixed timetables or simple historical averages that are revised only periodically — often once every few months. Such static planning cannot account for the many factors that shift demand from day to day: a sudden rainstorm that pushes commuters off bicycles and onto buses, a football match that floods a station with passengers for two hours, or a highway closure that reroutes traffic and riders alike. Without a way to sense and predict these changes, transit operators are always one step behind actual demand.

The proposed system addresses this by applying Artificial Intelligence to continuously study historical ridership, weather, event, and traffic data, forecast how many passengers are likely to travel on each route at each time of day, and automatically recommend better schedules and vehicle assignments — shifting the agency from reactive, manual planning to proactive, data-driven operations.

1.2 Objectives of the Proposed System

The system is built around eight interconnected objectives that together transform how a transit agency senses, predicts, and responds to demand:

- Forecast passenger demand accurately using AI/ML models.
- Optimize bus/train schedules based on predicted demand.
- Improve fleet allocation so vehicles are assigned where they are needed most.
- Monitor passenger flow in real time across stops and routes.
- Analyze long-term travel patterns to support planning decisions.
- Generate transportation analytics and reports for decision-makers.
- Reduce overcrowding during peak periods.
- Improve overall public transport efficiency and commuter experience.

1.3 Scope of the Problem

The scope of the proposed system covers demand forecasting and schedule/fleet optimization for a public transit network (bus and/or rail) within a city or region. To make the boundaries of the project explicit, the table below separates what the system is responsible for from what remains outside its control.

In Scope	Out of Scope
Demand forecasting for bus and rail networks within a city/region	Construction of new physical infrastructure (routes, depots, stations)
Integration of ridership, GPS/IoT, weather, event, and traffic data	Procurement or manufacturing of new vehicles
AI/ML-based short- and medium-term passenger demand prediction	Setting of fare policy and ticket pricing structures
Automated schedule and fleet allocation recommendations	Direct control of traffic signals or road infrastructure
Real-time passenger information via mobile app and station displays	Payroll and HR management of drivers and staff
Analytics dashboards and reports for planners and administrators	

2. IDENTIFYING KEY STAKEHOLDERS AND CHALLENGES

A system of this scale touches many different groups, each with distinct goals and pain points. Understanding these stakeholders is essential to designing a solution that delivers real value rather than just technical sophistication.



Figure 2: Key stakeholders interacting with the Smart Transit Demand Forecasting System.

2.1 Stakeholders, Roles, and Responsibilities

Stakeholder	Role & Responsibilities	Key Interest
Commuters / Passengers	End users who travel daily; expect short waits, comfortable capacity, and accurate real-time updates.	Reliable, predictable, comfortable service

Bus/Train Drivers & Crew	Operate vehicles, follow AI-recommended schedules, report real-time issues.	Fair, realistic schedules; clear instructions
Transit Operations Managers	Monitor live operations, approve/override recommendations, manage disruptions.	Operational control and situational awareness
Transit Planners	Use analytics for route design, capacity planning, and budget decisions.	Accurate long-term data and trend insight
Transportation Authority	Owns and governs the system; accountable for public funds and service quality.	Cost efficiency and public accountability
Software Development & Data Science Team	Design, build, deploy, and maintain the platform and ML models.	Clear requirements and maintainable architecture
Third-Party Data Providers	Supply weather, event, and traffic data via external APIs.	Stable integration and fair data-usage terms
IT / Infrastructure Team	Maintain servers, cloud resources, network, GPS/IoT hardware.	System uptime and manageable infrastructure load

2.2 Major Challenges and Their Impact

Each stakeholder group experiences the current gaps in demand forecasting differently. The table below maps specific challenges to their consequences, which helps prioritize which problems the proposed solution must address first.

Stakeholder	Challenge Faced	Impact if Unaddressed
Commuters	Unpredictable wait times and overcrowding during peaks or unexpected events	Reduced satisfaction; possible shift away from public transit
Operations Managers	Difficulty reallocating vehicles quickly enough during sudden demand spikes	Service disruption, complaints, inefficiency
Planners	Lack of a unified, data-driven view of ridership trends	Slow, reactive rather than proactive planning
Drivers/Crew	Schedules that do not reflect actual demand	Fatigue, idle time, morale issues
Transportation Authority	Budget pressure to cut costs while maintaining quality	Difficult trade-off decisions
Development Team	Integrating heterogeneous, inconsistent data sources	Increased engineering effort and integration risk

3. ANALYZING THE CURRENT APPROACH

3.1 Existing System / Current Process

Most public transportation agencies currently rely on fixed timetables created periodically — often quarterly or annually — using historical averages of ridership gathered from ticket sales or manual passenger counts. Schedule changes are typically manual: a planner reviews reports, identifies routes with persistent complaints or declining ridership, and adjusts frequencies by hand. Where GPS-based vehicle tracking exists, it typically shows commuters only where a vehicle currently is, without any predictive element such as expected crowding or arrival reliability.

This process works reasonably well when demand is stable and predictable, but it breaks down whenever conditions deviate from the historical norm — which, in a busy city, is nearly every day. The result is a system that is always describing the past rather than anticipating the near future.




Figure 3: Strengths and limitations of the current, non-predictive scheduling approach.

3.2 Gaps to Be Addressed

The core gap is the absence of an integrated, predictive, and adaptive system that continuously ingests multi-source data — ridership, weather, events, and traffic — and translates it into actionable scheduling and fleet decisions in near real time. Bridging this gap requires combining AI-based forecasting with automated optimization and real-time communication channels to both commuters and operators, which is precisely the aim of the proposed platform described in the next section.

4. PROPOSED SOFTWARE SOLUTION

4.1 Solution Overview

The proposed solution is a cloud-based, AI-powered Smart Public Transportation Demand Forecasting Platform. It continuously collects historical and real-time data, applies machine learning models to forecast passenger demand at a granular level (route, stop, and time slot), and uses this forecast to recommend optimized schedules and fleet assignments. The platform also delivers real-time passenger information and analytics dashboards to relevant stakeholders, closing the loop between prediction, decision, and communication.




Figure 1: High-level system architecture showing data sources, the AI forecasting engine, optimization layer, and platform outputs.

As shown in Figure 1, data flows upward from five source types through an integration layer into the AI forecasting engine, which feeds a schedule and fleet optimization layer. The results are then distributed to five outward-facing outputs — schedules, fleet plans, passenger information, dashboards, and alerts — ensuring every stakeholder group receives the information relevant to their role.

4.2 Major Functional Modules

Module	Description	Representative Technology
Data Ingestion Module	Collects historical ridership, GPS/IoT feeds, weather, traffic, and event-calendar data from external APIs and on-board sensors.	REST/Kafka APIs, IoT gateways
Demand Forecasting Engine	Applies ML models (LSTM, XGBoost, time-series regression) to predict demand per route, stop, and time slot.	Python, TensorFlow/PyTorch, scikit-learn
Schedule Optimization Module	Generates recommended schedules and headways from forecasted demand and fleet constraints.	Optimization solvers (e.g., OR-Tools)
Fleet Allocation Module	Dynamically assigns vehicles/crew to routes based on predicted load and availability.	Rule engine + optimization algorithms
Real-Time Passenger Information Module	Publishes live arrival times, crowding levels, and route status.	WebSockets, push notification services
Analytics & Reporting Dashboard	Visual dashboards, travel-pattern insights, and KPI reports for planners.	React/Power BI-style dashboards
Alert & Notification Module	Sends alerts for delays, overcrowding, or disruptions to operators and commuters.	Messaging queues, SMS/push gateways
User Management & Security Module	Authentication, role-based access control, and data privacy.	OAuth2/JWT, encryption libraries

4.3 Functional Requirements

No.	Functional Requirement
1	The system shall collect and store historical ridership data from ticketing/AFC systems, GPS units, and IoT sensors.
2	The system shall integrate external weather data and event/calendar data via APIs.
3	The system shall forecast passenger demand at route, stop, and time-slot granularity using AI/ML models.
4	The system shall recommend optimized bus/train schedules based on forecasted demand.
5	The system shall recommend optimal fleet allocation across routes and time periods.
6	The system shall provide real-time passenger information (arrival time, crowding level) via mobile app and displays.
7	The system shall generate analytics dashboards and reports for transit planners and administrators.
8	The system shall send automated alerts for anticipated overcrowding or predicted delays.
9	The system shall allow operations managers to manually override AI-generated recommendations when necessary.
10	The system shall log all forecasting outputs and scheduling decisions for auditing and model evaluation.

4.4 Non-Functional Requirements

No.	Non-Functional Requirement
1	Scalability: The system shall handle increasing volumes of ridership, GPS, and IoT data as the network grows.
2	Reliability: The forecasting and scheduling services shall maintain at least 99.5% uptime.
3	Performance: Real-time passenger information shall be updated with a latency of under 10 seconds.
4	Usability: Dashboards and mobile interfaces shall be intuitive for commuters and transit planners alike.
5	Maintainability: The system shall use a modular, well-documented architecture to simplify updates.
6	Security: The system shall enforce role-based access control and encrypt sensitive commuter and operational data.
7	Interoperability: The system shall integrate with existing AFC, GPS, and traffic-management systems via standard APIs.
8	Portability: Core services shall be deployable on cloud or on-premise infrastructure using containerization.
9	Auditability: The system shall retain logs of forecasts and decisions for at least 12 months for compliance review.

4.5 Incorporating Software Engineering Principles

- **Modularity:** The system is designed as a set of loosely coupled modules (data ingestion, forecasting engine, scheduling, fleet allocation, notifications, dashboard) communicating through well-defined APIs. Each module can be developed, tested, deployed, and updated independently, which reduces the risk that a change to one part of the system (for example, retraining the ML model) breaks another (for example, the mobile app).
- **Scalability:** A microservices architecture deployed on cloud infrastructure with container orchestration (e.g., Kubernetes) allows individual services — most importantly the forecasting engine — to scale horizontally during high-demand periods such as festivals or major sporting events, without over-provisioning the entire platform.

- **Maintainability:** Clear module boundaries, comprehensive documentation, automated testing, and versioned APIs make it easier to update ML models, add new data sources, or onboard a new transit route without disrupting the rest of the system.
- **Reliability:** Redundant service instances, health monitoring, and automated failover ensure the platform remains available even if individual components fail. Fallback to the last known good schedule protects operations against forecasting-service outages.
- **Usability:** Commuter-facing mobile apps and planner dashboards are designed with simple, intuitive interfaces, accessibility support, and multilingual options to serve diverse user groups across a city.
- **Security:** Role-based access control, encryption of data in transit and at rest, secure API authentication, and anonymization of personally identifiable commuter data protect the system against misuse and breaches.

4.6 Illustrative Use Case Scenarios

Scenario 1 – Rainy Peak-Hour Morning: A sudden downpour begins at 7:45 AM. The forecasting engine detects the weather change through its live weather-API feed and recognizes, from historical patterns, that rainfall pushes an additional 15–20% of commuters from bicycles and walking onto buses. It updates its demand forecast for the next two hours, and the optimization module immediately recommends adding two extra buses to the two most affected routes. Operations managers approve the recommendation with one click, and commuters see updated, more accurate wait times in the mobile app instead of experiencing an unexplained, overcrowded bus.

Scenario 2 – City Concert Event: A large concert is scheduled to end at 10:30 PM near a major transit hub. The system's event-calendar integration flags this in advance, and the forecasting engine predicts a sharp demand spike at the nearby stops between 10:15 and 11:15 PM. The fleet allocation module proactively repositions vehicles from low-demand routes to the hub ahead of time, and the notification module alerts both drivers and commuters about the temporary added capacity — preventing the overcrowding and safety concerns that would otherwise occur under the current, non-predictive system.

4.7 Suggested Technology Stack

Layer	Suggested Technologies
Data Layer	Apache Kafka / MQTT for streaming IoT and GPS data; PostgreSQL and a time-series database (e.g., InfluxDB) for storage.
AI/ML Layer	Python with TensorFlow/PyTorch and scikit-learn; MLflow for model versioning and experiment tracking.
Backend Services	Microservices built with Node.js/Java Spring Boot, exposed via REST/GraphQL APIs.
Frontend	React-based web dashboard for planners; cross-platform mobile app (Flutter/React Native) for commuters.
Infrastructure	Docker containers orchestrated with Kubernetes on a cloud platform (AWS/Azure/GCP), with CI/CD pipelines.
Security	OAuth2/JWT authentication, TLS encryption in transit, AES encryption at rest, API gateway with rate limiting.

5. JUSTIFYING THE CHOSEN METHODOLOGY/Framework

5.1 Selected Methodology

The Agile Scrum framework is selected as the software development methodology for this project.

5.2 Comparing SDLC Options

SDLC Model	Suitability for This Project
Waterfall	Low – rigid, sequential; poor fit for evolving ML/data requirements
Spiral	Medium – good for risk-heavy projects but adds process overhead
DevOps (standalone)	Medium – strong for deployment automation but not a full development methodology
Agile Scrum (Selected)	High – iterative, adaptable, supports continuous ML refinement and stakeholder feedback

5.3 Justification

- The system integrates multiple evolving data sources (ticketing, GPS, weather APIs, event calendars); Agile's iterative sprints allow the team to incrementally add and refine integrations as requirements become clearer.
- Machine learning components benefit from iterative experimentation — models can be built, evaluated, and improved across sprints as more data becomes available, rather than being fully specified upfront as in a Waterfall approach.
- Regular sprint reviews allow transit planners and operations managers to give continuous feedback, ensuring the forecasting and scheduling recommendations remain practically useful rather than purely theoretical.
- Agile supports early and frequent delivery of working increments, such as a single-route forecasting pilot, enabling the agency to validate real-world value before committing to full-scale rollout.
- The framework's flexibility accommodates changing external conditions — new data-source integrations, regulatory requirements, or shifting agency priorities — without derailing the overall project timeline.




Figure 4: The Agile Scrum development cycle followed for this project.

5.4 Supporting Successful Development and Maintenance

Agile Scrum organizes work into a prioritized product backlog and time-boxed sprints (typically two to four weeks), with daily stand-ups, sprint reviews, and retrospectives, as illustrated in Figure 4. This structure ensures continuous stakeholder involvement, rapid identification of integration issues such as inconsistent GPS data formats, and steady incremental improvement of forecasting accuracy. After deployment, the same Agile cadence supports ongoing maintenance — including retraining ML models with new data or adding new routes — through regular maintenance sprints, keeping the system continuously aligned with evolving transit operations.

5.5 Sample Sprint Roadmap

Sprints	Focus Area	Key Deliverables
Sprint 1–2	Foundation	Set up data ingestion pipelines for ridership, GPS, and weather data; establish cloud infrastructure and CI/CD.
Sprint 3–4	Core Forecasting	Build and train baseline demand forecasting models; validate against historical data.

Sprint 5–6	Optimization	Develop schedule and fleet allocation optimization logic on top of forecasts.
Sprint 7–8	User-Facing Features	Build commuter mobile app (real-time info) and planner analytics dashboard.
Sprint 9–10	Integration & Pilot	Integrate all modules; run a pilot on a limited set of routes; gather feedback.
Sprint 11–12	Refinement & Rollout	Refine models using pilot data, harden security, and prepare for full-scale rollout.

6. EXPECTED OUTCOMES AND LIMITATIONS

6.1 Expected Benefits

Benefit	How It Is Achieved
Improved service reliability	Schedules dynamically match actual demand rather than fixed averages.
Reduced passenger waiting time	Better-timed services reduce average wait, especially at peak hours.
Better fleet utilization	Vehicles are redirected from low-demand to high-demand routes.
Increased commuter satisfaction	Accurate real-time crowding and arrival information builds trust.
Lower operational costs	Reduced idle running and optimized crew deployment cut costs.
Accurate demand forecasting	Data-driven predictions replace guesswork in planning.
Enhanced urban mobility	A more attractive public transit system can reduce private vehicle use.
Sustainable transport management	Efficient resource use supports long-term environmental and fiscal goals.




Figure 5: Illustrative target improvements from deploying the proposed system (indicative planning estimates).

6.2 How the Solution Addresses the Identified Challenges

By replacing static, manually-updated timetables with continuously updated AI-driven forecasts, the platform directly resolves the core gap identified in Section 3 — the lack of predictive and adaptive scheduling. Real-time passenger information addresses commuter uncertainty about crowding, while the fleet allocation module gives operations managers the tools to react quickly to demand spikes, as demonstrated in the use case scenarios in Section 4.6. Analytics dashboards give planners the unified, data-driven view they previously lacked, and automated alerts keep drivers and crew informed rather than caught off guard.

6.3 Potential Risks, Implementation Challenges, and Limitations

Risk / Limitation	Potential Impact	Suggested Mitigation
Poor data quality/completeness	Unreliable forecasts, poor decisions	Establish data validation pipelines and quality monitoring
Legacy system integration difficulty	Delays, higher engineering cost	Use adapter/middleware layers; phased integration
Rare/unprecedented events not in training data	Forecast errors during anomalies	Maintain manual-override capability; retrain models regularly

High initial deployment cost	Budget constraints, especially for smaller agencies	Phased rollout starting with high-impact routes; cloud pay-as-you-go pricing
Data privacy concerns	Regulatory risk, loss of public trust	Anonymize commuter data; enforce strict access controls and compliance checks
Staff resistance to AI recommendations	Low adoption, reduced benefit realization	Training programs; maintain human override; transparent model explanations

6.4 Possible Future Enhancements

- Incorporating computer-vision-based passenger counting at stops for even more accurate real-time occupancy data.
- Extending the platform with dynamic, demand-based fare pricing to further balance peak and off-peak ridership.
- Adding multi-modal integration (ride-sharing, bike-sharing) to provide commuters with end-to-end journey recommendations.
- Using reinforcement learning to continuously self-optimize schedules based on live feedback rather than periodic retraining.
- Expanding predictive maintenance capabilities by correlating vehicle usage patterns with maintenance needs.

7. CONCLUSION

This case study has analyzed the challenge of mismatched public transportation supply and demand, and proposed an Intelligent AI-Based Smart Public Transportation Demand Forecasting System as a comprehensive solution. By combining AI/ML forecasting, IoT and GPS data integration, and automated schedule and fleet optimization, the proposed platform shifts transit agencies from reactive, manual planning to proactive, data-driven operations. The solution has been designed around core software engineering principles — modularity, scalability, maintainability, reliability, usability, and security — and is best delivered through an Agile Scrum methodology that accommodates the iterative nature of both software development and machine learning experimentation. While risks such as data quality, integration complexity, and adoption resistance must be carefully managed, the expected benefits — improved reliability, reduced waiting times, better fleet utilization, and lower operational costs — make a strong case for pursuing this system as a meaningful step toward sustainable, commuter-centered urban mobility.

References

- Sommerville, I. Software Engineering (10th Edition). Pearson Education.
- Pressman, R. S., & Maxim, B. R. Software Engineering: A Practitioner's Approach. McGraw-Hill Education.
- Schwaber, K., & Sutherland, J. The Scrum Guide. Scrum.org.
- Agile Alliance. Agile Manifesto and Principles. agilealliance.org.