

Experiment 5: SELECT with Various Clauses (WHERE, Pattern Matching)

Aim:

To perform **SELECT** queries using **WHERE** and **Pattern Matching (LIKE)** clauses on the `Vegetable` table.

Procedure:

1. Start.
2. Open the MySQL Command Line Client.
3. Create and select the required database.
4. Create the `Vegetable` table.
5. Insert sample records into the table.
6. Execute the **SELECT** statement with the **WHERE** clause to retrieve records based on a specified condition.
7. Execute the **SELECT** statement with the **LIKE** operator to perform pattern matching on character fields.
8. Display the selected records.
9. Verify the output.
10. Stop.

WHERE Clause Examples

1. Display vegetables with price greater than 35.

```
SELECT * FROM Vegetable  
WHERE Price > 35;
```

```
mysql> SELECT * FROM Vegetable  
-> WHERE Price > 35;  
+-----+-----+-----+-----+-----+  
| VegID | VegName | Category | Price | Stock |  
+-----+-----+-----+-----+-----+  
| 103   | Carrot  | Root     | 40.00 | 80    |  
| 105   | Brinjal | Vegetable | 45.50 | 90    |  
+-----+-----+-----+-----+-----+  
2 rows in set (0.00 sec)
```

3. Display vegetables whose stock is less than 100

```
SELECT * FROM Vegetable  
WHERE Stock < 100;
```

```
mysql> SELECT * FROM Vegetable  
-> WHERE Stock < 100;  
+-----+-----+-----+-----+-----+  
| VegID | VegName | Category | Price | Stock |  
+-----+-----+-----+-----+-----+  
| 103 | Carrot | Root | 40.00 | 80 |  
| 105 | Brinjal | Vegetable | 45.50 | 90 |  
+-----+-----+-----+-----+-----+  
2 rows in set (0.00 sec)
```

Pattern Matching (LIKE)

1. Vegetable names starting with 'T'

```
SELECT * FROM Vegetable  
WHERE VegName LIKE 'T%';
```

```
mysql> SELECT * FROM Vegetable  
-> WHERE VegName LIKE 'T%';  
+-----+-----+-----+-----+-----+  
| VegID | VegName | Category | Price | Stock |  
+-----+-----+-----+-----+-----+  
| 101 | Tomato | Vegetable | 30.50 | 100 |  
+-----+-----+-----+-----+-----+  
1 row in set (0.03 sec)
```

2. Vegetable names ending with 'o'

```
SELECT * FROM Vegetable  
WHERE VegName LIKE '%o';
```

```
mysql> SELECT * FROM Vegetable  
-> WHERE VegName LIKE '%o';  
+-----+-----+-----+-----+-----+  
| VegID | VegName | Category | Price | Stock |  
+-----+-----+-----+-----+-----+  
| 101 | Tomato | Vegetable | 30.50 | 100 |  
| 102 | Potato | Vegetable | 25.00 | 200 |  
+-----+-----+-----+-----+-----+  
2 rows in set (0.00 sec)
```

