

Enter password: ****

Welcome to the MySQL monitor. Commands end with ; or \g.

Your MySQL connection id is 14

Server version: 8.0.46 MySQL Community Server - GPL

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> USE EmployeeDB;

Database changed

mysql> DROP VIEW IF EXISTS v1;

Query OK, 0 rows affected, 1 warning (0.05 sec)

mysql> DROP TABLE IF EXISTS employees1;

Query OK, 0 rows affected, 1 warning (0.05 sec)

mysql> CREATE TABLE employees1

-> (

-> Employee_ID INT PRIMARY KEY,

-> Employee_Name VARCHAR(30),

-> Department VARCHAR(20),

-> Salary DECIMAL(10,2)

->);

Query OK, 0 rows affected (0.11 sec)

mysql> DESCRIBE employees1;

Field	Type	Null	Key	Default	Extra
Employee_ID	int	NO	PRI	NULL	
Employee_Name	varchar(30)	YES		NULL	
Department	varchar(20)	YES		NULL	
Salary	decimal(10,2)	YES		NULL	

4 rows in set (0.00 sec)

mysql> INSERT INTO employees1 VALUES

-> (101, 'Rahul', 'HR', 25000),

-> (102, 'Priya', 'IT', 45000),

-> (103, 'Kamal', 'ECE', 50000),

-> (104, 'Anitha', 'CSE', 38000),

-> (105, 'Ramesh', 'Finance', 42000);

Query OK, 5 rows affected (0.07 sec)

Records: 5 Duplicates: 0 Warnings: 0

mysql> SELECT * FROM employees1;

Employee_ID	Employee_Name	Department	Salary
101	Rahul	HR	25000
102	Priya	IT	45000
103	Kamal	ECE	50000
104	Anitha	CSE	38000
105	Ramesh	Finance	42000

```

+-----+-----+-----+-----+
|      101 | Rahul      | HR      | 25000.00 |
|      102 | Priya      | IT       | 45000.00 |
|      103 | Kamal      | ECE      | 50000.00 |
|      104 | Anitha     | CSE      | 38000.00 |
|      105 | Ramesh     | Finance  | 42000.00 |
+-----+-----+-----+-----+
5 rows in set (0.00 sec)

```

```

mysql> CREATE VIEW v1 AS
      -> SELECT Employee_ID, Salary
      -> FROM employees1;
Query OK, 0 rows affected (0.07 sec)

```

```

mysql> SELECT * FROM v1;
+-----+-----+
| Employee_ID | Salary |
+-----+-----+
|      101 | 25000.00 |
|      102 | 45000.00 |
|      103 | 50000.00 |
|      104 | 38000.00 |
|      105 | 42000.00 |
+-----+-----+
5 rows in set (0.00 sec)

```

```

mysql> INSERT INTO v1
      -> VALUES
      -> (106,30000);
Query OK, 1 row affected (0.07 sec)

```

```

mysql> SELECT * FROM v1;
+-----+-----+
| Employee_ID | Salary |
+-----+-----+
|      101 | 25000.00 |
|      102 | 45000.00 |
|      103 | 50000.00 |
|      104 | 38000.00 |
|      105 | 42000.00 |
|      106 | 30000.00 |
+-----+-----+
6 rows in set (0.00 sec)

```

```

mysql> DELETE FROM v1
      -> WHERE Employee_ID=106;
Query OK, 1 row affected (0.07 sec)

```

```

mysql> SELECT * FROM v1;
+-----+-----+
| Employee_ID | Salary |
+-----+-----+
|      101 | 25000.00 |
|      102 | 45000.00 |

```

	103		50000.00	
	104		38000.00	
	105		42000.00	
+-----+-----+				

5 rows in set (0.00 sec)

mysql>