

Enter password: ****

Welcome to the MySQL monitor. Commands end with ; or \g.

Your MySQL connection id is 13

Server version: 8.0.46 MySQL Community Server - GPL

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> USE EmployeeDB;

Database changed

mysql> DROP TABLE IF EXISTS SCORE;

Query OK, 0 rows affected, 1 warning (0.05 sec)

mysql> DROP TABLE IF EXISTS STUDENT;

Query OK, 0 rows affected (0.04 sec)

mysql> DROP TABLE IF EXISTS FACULTY;

Query OK, 0 rows affected (0.04 sec)

mysql> DROP TABLE IF EXISTS COURSE;

Query OK, 0 rows affected (0.07 sec)

mysql> CREATE TABLE STUDENT

```
-> (  
->     Reg_No BIGINT PRIMARY KEY,  
->     Student_Name VARCHAR(30),  
->     Course_No VARCHAR(10)  
-> );
```

Query OK, 0 rows affected (0.09 sec)

mysql> DESCRIBE STUDENT;

Field	Type	Null	Key	Default	Extra
Reg_No	bigint	NO	PRI	NULL	
Student_Name	varchar(30)	YES		NULL	
Course_No	varchar(10)	YES		NULL	

3 rows in set (0.00 sec)

mysql> CREATE TABLE FACULTY

```
-> (  
->     Faculty_ID INT PRIMARY KEY,  
->     Faculty_Name VARCHAR(30),  
->     Department VARCHAR(20),  
->     Course_No VARCHAR(10)  
-> );
```

Query OK, 0 rows affected (0.08 sec)

```
mysql> DESCRIBE FACULTY;
```

Field	Type	Null	Key	Default	Extra
Faculty_ID	int	NO	PRI	NULL	
Faculty_Name	varchar(30)	YES		NULL	
Department	varchar(20)	YES		NULL	
Course_No	varchar(10)	YES		NULL	

4 rows in set (0.00 sec)

```
mysql> CREATE TABLE COURSE
```

```
-> (  
->     Course_No VARCHAR(10) PRIMARY KEY,  
->     Course_Name VARCHAR(30)  
-> );
```

Query OK, 0 rows affected (0.11 sec)

```
mysql> DESCRIBE COURSE;
```

Field	Type	Null	Key	Default	Extra
Course_No	varchar(10)	NO	PRI	NULL	
Course_Name	varchar(30)	YES		NULL	

2 rows in set (0.00 sec)

```
mysql> DESCRIBE COURSE;
```

Field	Type	Null	Key	Default	Extra
Course_No	varchar(10)	NO	PRI	NULL	
Course_Name	varchar(30)	YES		NULL	

2 rows in set (0.00 sec)

```
mysql> CREATE TABLE SCORE
```

```
-> (  
->     Reg_No BIGINT,  
->     Course_No VARCHAR(10),  
->     Score INT  
-> );
```

Query OK, 0 rows affected (0.11 sec)

```
mysql> DESCRIBE SCORE;
```

Field	Type	Null	Key	Default	Extra
Reg_No	bigint	YES		NULL	
Course_No	varchar(10)	YES		NULL	
Score	int	YES		NULL	

3 rows in set (0.00 sec)

```
mysql> INSERT INTO COURSE VALUES
-> ('C001','Database Management System'),
-> ('C002','Programming in C'),
-> ('C003','Computer Networks'),
-> ('C004','Operating Systems');
Query OK, 4 rows affected (0.07 sec)
Records: 4 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM COURSE;
+-----+-----+
| Course_No | Course_Name |
+-----+-----+
| C001      | Database Management System |
| C002      | Programming in C |
| C003      | Computer Networks |
| C004      | Operating Systems |
+-----+-----+
4 rows in set (0.00 sec)
```

```
mysql> INSERT INTO STUDENT VALUES
-> (191711341,'Rahul','C001'),
-> (191711342,'Priya','C002'),
-> (191711343,'Karthik','C003'),
-> (191711344,'Anitha','C001'),
-> (191711345,'Ramesh','C004');
Query OK, 5 rows affected (0.07 sec)
Records: 5 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM STUDENT;
+-----+-----+-----+
| Reg_No | Student_Name | Course_No |
+-----+-----+-----+
| 191711341 | Rahul | C001 |
| 191711342 | Priya | C002 |
| 191711343 | Karthik | C003 |
| 191711344 | Anitha | C001 |
| 191711345 | Ramesh | C004 |
+-----+-----+-----+
5 rows in set (0.00 sec)
```

```
mysql> INSERT INTO FACULTY VALUES
-> (1,'Kamal','ECE','C002'),
-> (2,'Mohan','CSE','C001'),
-> (3,'Ravi','EEE','C003'),
-> (4,'Anitha','ECE','C004');
Query OK, 4 rows affected (0.07 sec)
Records: 4 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM FACULTY;
+-----+-----+-----+-----+
| Faculty_ID | Faculty_Name | Department | Course_No |
+-----+-----+-----+-----+
| 1 | Kamal | ECE | C002 |
+-----+-----+-----+-----+
```

2	Mohan	CSE	C001
3	Ravi	EEE	C003
4	Anitha	ECE	C004

4 rows in set (0.00 sec)

```
mysql>
mysql> SELECT * FROM FACULTY;
```

Faculty_ID	Faculty_Name	Department	Course_No
1	Kamal	ECE	C002
2	Mohan	CSE	C001
3	Ravi	EEE	C003
4	Anitha	ECE	C004

4 rows in set (0.00 sec)

```
mysql> INSERT INTO SCORE VALUES
-> (191711341,'C001',85),
-> (191711342,'C002',78),
-> (191711343,'C003',91),
-> (191711344,'C001',88);
Query OK, 4 rows affected (0.07 sec)
Records: 4 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM SCORE;
```

Reg_No	Course_No	Score
191711341	C001	85
191711342	C002	78
191711343	C003	91
191711344	C001	88

4 rows in set (0.00 sec)

```
mysql> SELECT Faculty_Name, Department
-> FROM FACULTY;
```

Faculty_Name	Department
Kamal	ECE
Mohan	CSE
Ravi	EEE
Anitha	ECE

4 rows in set (0.00 sec)

```
mysql> SELECT
-> STUDENT.Student_Name,
-> STUDENT.Course_No
-> FROM STUDENT
-> LEFT JOIN SCORE
```

```

-> ON STUDENT.Reg_No = SCORE.Reg_No
-> WHERE SCORE.Reg_No IS NULL;
+-----+-----+
| Student_Name | Course_No |
+-----+-----+
| Ramesh       | C004      |
+-----+-----+
1 row in set (0.03 sec)

mysql> SELECT
-> FACULTY.Faculty_Name,
-> FACULTY.Department,
-> COURSE.Course_Name
-> FROM FACULTY
-> INNER JOIN COURSE
-> ON FACULTY.Course_No = COURSE.Course_No
-> WHERE FACULTY.Department='ECE'
-> AND FACULTY.Faculty_Name='Kamal';
+-----+-----+-----+
| Faculty_Name | Department | Course_Name      |
+-----+-----+-----+
| Kamal        | ECE        | Programming in C |
+-----+-----+-----+
1 row in set (0.00 sec)

mysql>

```