

Enter password: ****
Welcome to the MySQL monitor. Commands end with ; or \g.
Your MySQL connection id is 8
Server version: 8.0.46 MySQL Community Server - GPL

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

```
mysql> USE EmployeeDB;
Database changed
mysql> DROP TABLE IF EXISTS STUDENT;
Query OK, 0 rows affected (0.19 sec)
```

```
mysql> DROP TABLE IF EXISTS FACULTY;
Query OK, 0 rows affected (0.02 sec)
```

```
mysql> DROP TABLE IF EXISTS COURSE;
Query OK, 0 rows affected, 1 warning (0.06 sec)
```

```
mysql> CREATE TABLE STUDENT
-> (
-> Reg_no BIGINT PRIMARY KEY,
-> Student_Name VARCHAR(30),
-> DOB DATE,
-> Gender VARCHAR(10),
-> Course_ID VARCHAR(10),
-> City VARCHAR(30)
-> );
Query OK, 0 rows affected (0.16 sec)
```

```
mysql> DESCRIBE STUDENT;
+-----+-----+-----+-----+-----+-----+
| Field          | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| Reg_no         | bigint        | NO   | PRI | NULL    |       |
| Student_Name   | varchar(30)   | YES  |     | NULL    |       |
| DOB            | date          | YES  |     | NULL    |       |
| Gender         | varchar(10)   | YES  |     | NULL    |       |
| Course_ID      | varchar(10)   | YES  |     | NULL    |       |
| City           | varchar(30)   | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.09 sec)
```

```
mysql> CREATE TABLE FACULTY
-> (
-> Faculty_ID INT PRIMARY KEY,
-> Faculty_Name VARCHAR(30),
-> Department VARCHAR(20),
-> Joining_Date DATE
-> );
Query OK, 0 rows affected (0.09 sec)
```

```
mysql> DESCRIBE FACULTY;
+-----+-----+-----+-----+-----+-----+
| Field          | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| Faculty_ID     | int           | NO   | PRI | NULL    |       |
| Faculty_Name   | varchar(30)   | YES  |     | NULL    |       |
| Department     | varchar(20)   | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
```

```
| Joining_Date | date          | YES | NULL |
+-----+-----+-----+-----+
4 rows in set (0.01 sec)
```

```
mysql> CREATE TABLE COURSE
-> (
-> Course_ID VARCHAR(10),
-> Course_Name VARCHAR(30),
-> Hall_No VARCHAR(10)
-> );
Query OK, 0 rows affected (0.10 sec)
```

```
mysql> DESCRIBE COURSE;
+-----+-----+-----+-----+-----+-----+
| Field          | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| Course_ID      | varchar(10)   | YES  |     | NULL    |       |
| Course_Name    | varchar(30)   | YES  |     | NULL    |       |
| Hall_No        | varchar(10)   | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)
```

```
mysql> INSERT INTO STUDENT VALUES
-> (191711341, 'Harish', '2003-01-15', 'Male', 'C001', 'Salem'),
-> (191711342, 'Aakash', '2002-04-20', 'Male', 'C002', 'Salem'),
-> (191711343, 'Lakshmi', '2003-03-18', 'Female', 'C001', 'Chennai'),
-> (191711344, 'Ramesh', '2002-11-25', 'Male', 'C003', 'Salem'),
-> (191711345, 'Suresh', '2003-08-10', 'Male', 'C001', 'Saligrاما'),
-> (191711346, 'Shyam', '2003-02-12', 'Male', 'C002', 'Madurai'),
-> (191711347, 'Priya', '2002-12-30', 'Female', 'C003', 'Salem');
Query OK, 7 rows affected (0.04 sec)
Records: 7 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM STUDENT;
+-----+-----+-----+-----+-----+-----+
| Reg_no | Student_Name | DOB          | Gender | Course_ID | City      |
+-----+-----+-----+-----+-----+-----+
| 191711341 | Harish      | 2003-01-15   | Male   | C001      | Salem    |
| 191711342 | Aakash      | 2002-04-20   | Male   | C002      | Salem    |
| 191711343 | Lakshmi     | 2003-03-18   | Female | C001      | Chennai   |
| 191711344 | Ramesh      | 2002-11-25   | Male   | C003      | Salem    |
| 191711345 | Suresh      | 2003-08-10   | Male   | C001      | Saligrاما |
| 191711346 | Shyam       | 2003-02-12   | Male   | C002      | Madurai   |
| 191711347 | Priya       | 2002-12-30   | Female | C003      | Salem    |
+-----+-----+-----+-----+-----+-----+
7 rows in set (0.00 sec)
```

```
mysql> INSERT INTO FACULTY VALUES
-> (1, 'Mohan', 'CSE', '2012-05-10'),
-> (2, 'Ravi', 'ECE', '2015-08-12'),
-> (3, 'Anitha', 'IT', '2013-03-25'),
-> (4, 'Kumar', 'MECH', '2016-11-01');
Query OK, 4 rows affected (0.01 sec)
Records: 4 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM FACULTY;
+-----+-----+-----+-----+
| Faculty_ID | Faculty_Name | Department | Joining_Date |
+-----+-----+-----+-----+
| 1 | Mohan      | CSE        | 2012-05-10   |
| 2 | Ravi       | ECE        | 2015-08-12   |
| 3 | Anitha     | IT         | 2013-03-25   |
| 4 | Kumar      | MECH       | 2016-11-01   |
+-----+-----+-----+-----+
```

4 rows in set (0.00 sec)

```
mysql> INSERT INTO COURSE VALUES
-> ('C001','DBMS','H001'),
-> ('C002','Java','H002'),
-> ('C003','Python','H003'),
-> ('C004','Networks','H004');
Query OK, 4 rows affected (0.05 sec)
Records: 4 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM COURSE;
+-----+-----+-----+
| Course_ID | Course_Name | Hall_No |
+-----+-----+-----+
| C001      | DBMS        | H001    |
| C002      | Java        | H002    |
| C003      | Python      | H003    |
| C004      | Networks    | H004    |
+-----+-----+-----+
4 rows in set (0.00 sec)
```

```
mysql> SELECT Reg_no,Student_Name,DOB
-> FROM STUDENT;
+-----+-----+-----+
| Reg_no   | Student_Name | DOB      |
+-----+-----+-----+
| 191711341 | Harish       | 2003-01-15 |
| 191711342 | Aakash       | 2002-04-20 |
| 191711343 | Lakshmi      | 2003-03-18 |
| 191711344 | Ramesh       | 2002-11-25 |
| 191711345 | Suresh       | 2003-08-10 |
| 191711346 | Shyam        | 2003-02-12 |
| 191711347 | Priya        | 2002-12-30 |
+-----+-----+-----+
7 rows in set (0.00 sec)
```

```
mysql> SELECT *
-> FROM STUDENT
-> WHERE Gender='Female';
+-----+-----+-----+-----+-----+-----+
| Reg_no   | Student_Name | DOB      | Gender | Course_ID | City      |
+-----+-----+-----+-----+-----+-----+
| 191711343 | Lakshmi      | 2003-03-18 | Female | C001      | Chennai   |
| 191711347 | Priya        | 2002-12-30 | Female | C003      | Salem    |
+-----+-----+-----+-----+-----+-----+
2 rows in set (0.03 sec)
```

```
mysql> SELECT *
-> FROM STUDENT
-> WHERE Course_ID='C001';
+-----+-----+-----+-----+-----+-----+
| Reg_no   | Student_Name | DOB      | Gender | Course_ID | City      |
+-----+-----+-----+-----+-----+-----+
| 191711341 | Harish       | 2003-01-15 | Male   | C001      | Salem    |
| 191711343 | Lakshmi      | 2003-03-18 | Female | C001      | Chennai   |
| 191711345 | Suresh       | 2003-08-10 | Male   | C001      | Saligrama |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)
```

```
mysql> SELECT *
-> FROM FACULTY
-> WHERE Joining_Date<'2014-11-01';
+-----+-----+-----+-----+
| Faculty_ID | Faculty_Name | Department | Joining_Date |
+-----+-----+-----+-----+
```

```

+-----+-----+-----+-----+
|          1 | Mohan          | CSE          | 2012-05-10   |
|          3 | Anitha         | IT           | 2013-03-25   |
+-----+-----+-----+-----+
2 rows in set (0.03 sec)

```

```

mysql> SELECT *
      -> FROM COURSE
      -> WHERE Hall_No<>'H001';

```

```

+-----+-----+-----+
| Course_ID | Course_Name | Hall_No |
+-----+-----+-----+
| C002      | Java        | H002    |
| C003      | Python      | H003    |
| C004      | Networks    | H004    |
+-----+-----+-----+
3 rows in set (0.00 sec)

```

```

mysql> SELECT *
      -> FROM STUDENT
      -> WHERE Student_Name LIKE '%sh';

```

```

+-----+-----+-----+-----+-----+-----+
| Reg_no   | Student_Name | DOB      | Gender | Course_ID | City      |
+-----+-----+-----+-----+-----+-----+
| 191711341 | Harish       | 2003-01-15 | Male   | C001      | Salem    |
| 191711342 | Aakash       | 2002-04-20 | Male   | C002      | Salem    |
| 191711344 | Ramesh       | 2002-11-25 | Male   | C003      | Salem    |
| 191711345 | Suresh       | 2003-08-10 | Male   | C001      | Saligrama |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.00 sec)

```

```

mysql> SELECT *
      -> FROM STUDENT
      -> WHERE Student_Name LIKE '%sh%';

```

```

+-----+-----+-----+-----+-----+-----+
| Reg_no   | Student_Name | DOB      | Gender | Course_ID | City      |
+-----+-----+-----+-----+-----+-----+
| 191711341 | Harish       | 2003-01-15 | Male   | C001      | Salem    |
| 191711342 | Aakash       | 2002-04-20 | Male   | C002      | Salem    |
| 191711343 | Lakshmi      | 2003-03-18 | Female | C001      | Chennai   |
| 191711344 | Ramesh       | 2002-11-25 | Male   | C003      | Salem    |
| 191711345 | Suresh       | 2003-08-10 | Male   | C001      | Saligrama |
| 191711346 | Shyam        | 2003-02-12 | Male   | C002      | Madurai   |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.00 sec)

```

```

mysql> SELECT *
      -> FROM STUDENT
      -> WHERE City LIKE '%Sal%';

```

```

+-----+-----+-----+-----+-----+-----+
| Reg_no   | Student_Name | DOB      | Gender | Course_ID | City      |
+-----+-----+-----+-----+-----+-----+
| 191711341 | Harish       | 2003-01-15 | Male   | C001      | Salem    |
| 191711342 | Aakash       | 2002-04-20 | Male   | C002      | Salem    |
| 191711344 | Ramesh       | 2002-11-25 | Male   | C003      | Salem    |
| 191711345 | Suresh       | 2003-08-10 | Male   | C001      | Saligrama |
| 191711347 | Priya        | 2002-12-30 | Female | C003      | Salem    |
+-----+-----+-----+-----+-----+-----+
5 rows in set (0.00 sec)

```

```

mysql> SELECT *
      -> FROM STUDENT
      -> WHERE LENGTH(Student_Name)<>6;

```

```

+-----+-----+-----+-----+-----+-----+

```

Reg_no	Student_Name	DOB	Gender	Course_ID	City
191711343	Lakshmi	2003-03-18	Female	C001	Chennai
191711346	Shyam	2003-02-12	Male	C002	Madurai
191711347	Priya	2002-12-30	Female	C003	Salem

3 rows in set (0.00 sec)

```
mysql> SELECT *
-> FROM STUDENT
-> WHERE Student_Name LIKE '%am%';
```

Reg_no	Student_Name	DOB	Gender	Course_ID	City
191711344	Ramesh	2002-11-25	Male	C003	Salem
191711346	Shyam	2003-02-12	Male	C002	Madurai

2 rows in set (0.00 sec)

```
mysql>
```