

Enter password: ****
Welcome to the MySQL monitor. Commands end with ; or \g.
Your MySQL connection id is 8
Server version: 8.0.46 MySQL Community Server - GPL

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

```
mysql> USE EmployeeDB;
Database changed
mysql> DROP TABLE IF EXISTS STUDENT;
Query OK, 0 rows affected (0.19 sec)
```

```
mysql> DROP TABLE IF EXISTS FACULTY;
Query OK, 0 rows affected (0.02 sec)
```

```
mysql> DROP TABLE IF EXISTS COURSE;
Query OK, 0 rows affected, 1 warning (0.06 sec)
```

```
mysql> CREATE TABLE STUDENT
-> (
-> Reg_no BIGINT PRIMARY KEY,
-> Student_Name VARCHAR(30),
-> DOB DATE,
-> Gender VARCHAR(10),
-> Course_ID VARCHAR(10),
-> City VARCHAR(30)
-> );
Query OK, 0 rows affected (0.16 sec)
```

```
mysql> DESCRIBE STUDENT;
+-----+-----+-----+-----+-----+-----+
| Field          | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| Reg_no         | bigint        | NO   | PRI | NULL    |       |
| Student_Name   | varchar(30)   | YES  |     | NULL    |       |
| DOB            | date          | YES  |     | NULL    |       |
| Gender         | varchar(10)   | YES  |     | NULL    |       |
| Course_ID      | varchar(10)   | YES  |     | NULL    |       |
| City           | varchar(30)   | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.09 sec)
```

```
mysql> CREATE TABLE FACULTY
-> (
-> Faculty_ID INT PRIMARY KEY,
-> Faculty_Name VARCHAR(30),
-> Department VARCHAR(20),
-> Joining_Date DATE
-> );
Query OK, 0 rows affected (0.09 sec)
```

```
mysql> DESCRIBE FACULTY;
+-----+-----+-----+-----+-----+-----+
| Field          | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| Faculty_ID     | int           | NO   | PRI | NULL    |       |
| Faculty_Name   | varchar(30)   | YES  |     | NULL    |       |
| Department     | varchar(20)   | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
```

```
| Joining_Date | date          | YES | NULL |
+-----+-----+-----+-----+
4 rows in set (0.01 sec)
```

```
mysql> CREATE TABLE COURSE
-> (
-> Course_ID VARCHAR(10),
-> Course_Name VARCHAR(30),
-> Hall_No VARCHAR(10)
-> );
Query OK, 0 rows affected (0.10 sec)
```

```
mysql> DESCRIBE COURSE;
+-----+-----+-----+-----+-----+-----+
| Field          | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| Course_ID      | varchar(10)   | YES  |     | NULL    |       |
| Course_Name    | varchar(30)   | YES  |     | NULL    |       |
| Hall_No        | varchar(10)   | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)
```

```
mysql> INSERT INTO STUDENT VALUES
-> (191711341, 'Harish', '2003-01-15', 'Male', 'C001', 'Salem'),
-> (191711342, 'Aakash', '2002-04-20', 'Male', 'C002', 'Salem'),
-> (191711343, 'Lakshmi', '2003-03-18', 'Female', 'C001', 'Chennai'),
-> (191711344, 'Ramesh', '2002-11-25', 'Male', 'C003', 'Salem'),
-> (191711345, 'Suresh', '2003-08-10', 'Male', 'C001', 'Saligrاما'),
-> (191711346, 'Shyam', '2003-02-12', 'Male', 'C002', 'Madurai'),
-> (191711347, 'Priya', '2002-12-30', 'Female', 'C003', 'Salem');
Query OK, 7 rows affected (0.04 sec)
Records: 7 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM STUDENT;
+-----+-----+-----+-----+-----+-----+
| Reg_no  | Student_Name | DOB          | Gender | Course_ID | City      |
+-----+-----+-----+-----+-----+-----+
| 191711341 | Harish       | 2003-01-15   | Male   | C001      | Salem    |
| 191711342 | Aakash       | 2002-04-20   | Male   | C002      | Salem    |
| 191711343 | Lakshmi      | 2003-03-18   | Female | C001      | Chennai    |
| 191711344 | Ramesh       | 2002-11-25   | Male   | C003      | Salem    |
| 191711345 | Suresh       | 2003-08-10   | Male   | C001      | Saligrاما  |
| 191711346 | Shyam        | 2003-02-12   | Male   | C002      | Madurai    |
| 191711347 | Priya        | 2002-12-30   | Female | C003      | Salem    |
+-----+-----+-----+-----+-----+-----+
7 rows in set (0.00 sec)
```

```
mysql> INSERT INTO FACULTY VALUES
-> (1, 'Mohan', 'CSE', '2012-05-10'),
-> (2, 'Ravi', 'ECE', '2015-08-12'),
-> (3, 'Anitha', 'IT', '2013-03-25'),
-> (4, 'Kumar', 'MECH', '2016-11-01');
Query OK, 4 rows affected (0.01 sec)
Records: 4 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM FACULTY;
+-----+-----+-----+-----+
| Faculty_ID | Faculty_Name | Department | Joining_Date |
+-----+-----+-----+-----+
| 1          | Mohan        | CSE        | 2012-05-10   |
| 2          | Ravi         | ECE        | 2015-08-12   |
| 3          | Anitha       | IT         | 2013-03-25   |
| 4          | Kumar        | MECH       | 2016-11-01   |
+-----+-----+-----+-----+
```

4 rows in set (0.00 sec)

```
mysql> INSERT INTO COURSE VALUES
-> ('C001','DBMS','H001'),
-> ('C002','Java','H002'),
-> ('C003','Python','H003'),
-> ('C004','Networks','H004');
Query OK, 4 rows affected (0.05 sec)
Records: 4 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM COURSE;
+-----+-----+-----+
| Course_ID | Course_Name | Hall_No |
+-----+-----+-----+
| C001      | DBMS        | H001    |
| C002      | Java        | H002    |
| C003      | Python      | H003    |
| C004      | Networks    | H004    |
+-----+-----+-----+
4 rows in set (0.00 sec)
```

```
mysql> SELECT Reg_no,Student_Name,DOB
-> FROM STUDENT;
+-----+-----+-----+
| Reg_no   | Student_Name | DOB      |
+-----+-----+-----+
| 191711341 | Harish       | 2003-01-15 |
| 191711342 | Aakash       | 2002-04-20 |
| 191711343 | Lakshmi      | 2003-03-18 |
| 191711344 | Ramesh       | 2002-11-25 |
| 191711345 | Suresh       | 2003-08-10 |
| 191711346 | Shyam        | 2003-02-12 |
| 191711347 | Priya        | 2002-12-30 |
+-----+-----+-----+
7 rows in set (0.00 sec)
```

```
mysql> SELECT *
-> FROM STUDENT
-> WHERE Gender='Female';
+-----+-----+-----+-----+-----+-----+
| Reg_no   | Student_Name | DOB      | Gender | Course_ID | City      |
+-----+-----+-----+-----+-----+-----+
| 191711343 | Lakshmi      | 2003-03-18 | Female | C001      | Chennai   |
| 191711347 | Priya        | 2002-12-30 | Female | C003      | Salem    |
+-----+-----+-----+-----+-----+-----+
2 rows in set (0.03 sec)
```

```
mysql> SELECT *
-> FROM STUDENT
-> WHERE Course_ID='C001';
+-----+-----+-----+-----+-----+-----+
| Reg_no   | Student_Name | DOB      | Gender | Course_ID | City      |
+-----+-----+-----+-----+-----+-----+
| 191711341 | Harish       | 2003-01-15 | Male   | C001      | Salem    |
| 191711343 | Lakshmi      | 2003-03-18 | Female | C001      | Chennai   |
| 191711345 | Suresh       | 2003-08-10 | Male   | C001      | Saligrama |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)
```

```
mysql> SELECT *
-> FROM FACULTY
-> WHERE Joining_Date<'2014-11-01';
+-----+-----+-----+-----+
| Faculty_ID | Faculty_Name | Department | Joining_Date |
+-----+-----+-----+-----+
```

```

+-----+-----+-----+-----+
|          1 | Mohan          | CSE          | 2012-05-10    |
|          3 | Anitha         | IT           | 2013-03-25    |
+-----+-----+-----+-----+
2 rows in set (0.03 sec)

```

```

mysql> SELECT *
-> FROM COURSE
-> WHERE Hall_No<>'H001';

```

```

+-----+-----+-----+
| Course_ID | Course_Name | Hall_No |
+-----+-----+-----+
| C002      | Java        | H002    |
| C003      | Python      | H003    |
| C004      | Networks    | H004    |
+-----+-----+-----+
3 rows in set (0.00 sec)

```

```

mysql> SELECT *
-> FROM STUDENT
-> WHERE Student_Name LIKE '%sh';

```

```

+-----+-----+-----+-----+-----+-----+
| Reg_no   | Student_Name | DOB      | Gender | Course_ID | City      |
+-----+-----+-----+-----+-----+-----+
| 191711341 | Harish       | 2003-01-15 | Male   | C001      | Salem    |
| 191711342 | Aakash       | 2002-04-20 | Male   | C002      | Salem    |
| 191711344 | Ramesh       | 2002-11-25 | Male   | C003      | Salem    |
| 191711345 | Suresh       | 2003-08-10 | Male   | C001      | Saligrama |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.00 sec)

```

```

mysql> SELECT *
-> FROM STUDENT
-> WHERE Student_Name LIKE '%sh%';

```

```

+-----+-----+-----+-----+-----+-----+
| Reg_no   | Student_Name | DOB      | Gender | Course_ID | City      |
+-----+-----+-----+-----+-----+-----+
| 191711341 | Harish       | 2003-01-15 | Male   | C001      | Salem    |
| 191711342 | Aakash       | 2002-04-20 | Male   | C002      | Salem    |
| 191711343 | Lakshmi      | 2003-03-18 | Female | C001      | Chennai   |
| 191711344 | Ramesh       | 2002-11-25 | Male   | C003      | Salem    |
| 191711345 | Suresh       | 2003-08-10 | Male   | C001      | Saligrama |
| 191711346 | Shyam        | 2003-02-12 | Male   | C002      | Madurai   |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.00 sec)

```

```

mysql> SELECT *
-> FROM STUDENT
-> WHERE City LIKE '%Sal%';

```

```

+-----+-----+-----+-----+-----+-----+
| Reg_no   | Student_Name | DOB      | Gender | Course_ID | City      |
+-----+-----+-----+-----+-----+-----+
| 191711341 | Harish       | 2003-01-15 | Male   | C001      | Salem    |
| 191711342 | Aakash       | 2002-04-20 | Male   | C002      | Salem    |
| 191711344 | Ramesh       | 2002-11-25 | Male   | C003      | Salem    |
| 191711345 | Suresh       | 2003-08-10 | Male   | C001      | Saligrama |
| 191711347 | Priya        | 2002-12-30 | Female | C003      | Salem    |
+-----+-----+-----+-----+-----+-----+
5 rows in set (0.00 sec)

```

```

mysql> SELECT *
-> FROM STUDENT
-> WHERE LENGTH(Student_Name)<>6;

```

```

+-----+-----+-----+-----+-----+-----+

```

Reg_no	Student_Name	DOB	Gender	Course_ID	City
191711343	Lakshmi	2003-03-18	Female	C001	Chennai
191711346	Shyam	2003-02-12	Male	C002	Madurai
191711347	Priya	2002-12-30	Female	C003	Salem

3 rows in set (0.00 sec)

```
mysql> SELECT *
-> FROM STUDENT
-> WHERE Student_Name LIKE '%am%';
```

Reg_no	Student_Name	DOB	Gender	Course_ID	City
191711344	Ramesh	2002-11-25	Male	C003	Salem
191711346	Shyam	2003-02-12	Male	C002	Madurai

2 rows in set (0.00 sec)

```
mysql> -----
-----
-----
-----
-----
->
-> USE EmployeeDB;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MySQL server version for the right syntax to use near '-----' at
```

```
line 1
mysql> USE EmployeeDB;
Database changed
mysql> DROP TABLE IF EXISTS STUDENT_MARKS;
Query OK, 0 rows affected, 1 warning (0.05 sec)
```

```
mysql> DROP TABLE IF EXISTS COURSE;
Query OK, 0 rows affected (0.07 sec)
```

```
mysql> CREATE TABLE COURSE
-> (
-> Course_No VARCHAR(10) PRIMARY KEY,
-> Course_Name VARCHAR(30),
-> Course_Type VARCHAR(20)
-> );
Query OK, 0 rows affected (0.05 sec)
```

```
mysql> DESCRIBE COURSE;
```

Field	Type	Null	Key	Default	Extra
Course_No	varchar(10)	NO	PRI	NULL	
Course_Name	varchar(30)	YES		NULL	
Course_Type	varchar(20)	YES		NULL	

3 rows in set (0.00 sec)

```
mysql> CREATE TABLE STUDENT_MARKS
-> (
-> Reg_No BIGINT,
-> Student_Name VARCHAR(30),
-> Course_No VARCHAR(10),
-> Score INT
-> );
Query OK, 0 rows affected (0.10 sec)
```

```
mysql> DESCRIBE STUDENT_MARKS;
```

Field	Type	Null	Key	Default	Extra
Reg_No	bigint	YES		NULL	
Student_Name	varchar(30)	YES		NULL	
Course_No	varchar(10)	YES		NULL	
Score	int	YES		NULL	

```
4 rows in set (0.03 sec)
```

```
mysql> INSERT INTO COURSE VALUES
```

```
-> ('C001','Statistics','Theory'),
-> ('C002','Programming','Practical'),
-> ('C003','Database','Theory'),
-> ('C004','Networks','Theory');
```

```
Query OK, 4 rows affected (0.07 sec)
```

```
Records: 4 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM COURSE;
```

Course_No	Course_Name	Course_Type
C001	Statistics	Theory
C002	Programming	Practical
C003	Database	Theory
C004	Networks	Theory

```
4 rows in set (0.00 sec)
```

```
mysql> INSERT INTO STUDENT_MARKS VALUES
```

```
-> (191711341,'Harish','C001',75),
-> (191711341,'Harish','C002',82),
-> (191711342,'Aakash','C002',68),
-> (191711343,'Lakshmi','C001',55),
-> (191711343,'Lakshmi','C002',91),
-> (191711344,'Ramesh','C003',48),
-> (191711345,'Suresh','C002',72),
-> (191711346,'Shyam','C004',88),
-> (191711347,'Priya','C001',65),
-> (191711347,'Priya','C003',78);
```

```
Query OK, 10 rows affected (0.06 sec)
```

```
Records: 10 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM STUDENT_MARKS;
```

Reg_No	Student_Name	Course_No	Score
191711341	Harish	C001	75
191711341	Harish	C002	82
191711342	Aakash	C002	68
191711343	Lakshmi	C001	55
191711343	Lakshmi	C002	91
191711344	Ramesh	C003	48
191711345	Suresh	C002	72
191711346	Shyam	C004	88
191711347	Priya	C001	65
191711347	Priya	C003	78

```
10 rows in set (0.00 sec)
```

```
mysql> SELECT Course_Name, Course_Type
```

```
-> FROM COURSE
```

```

-> WHERE Course_Name IN ('Statistics','Programming');
+-----+-----+
| Course_Name | Course_Type |
+-----+-----+
| Statistics   | Theory       |
| Programming  | Practical    |
+-----+-----+
2 rows in set (0.00 sec)

```

```

mysql> SELECT Course_No, Score
-> FROM STUDENT_MARKS
-> WHERE Score BETWEEN 50 AND 80;
+-----+-----+
| Course_No | Score |
+-----+-----+
| C001      | 75    |
| C002      | 68    |
| C001      | 55    |
| C002      | 72    |
| C001      | 65    |
| C003      | 78    |
+-----+-----+
6 rows in set (0.03 sec)

```

```

mysql> SELECT AVG(Score) AS Average_Mark
-> FROM STUDENT_MARKS
-> WHERE Course_No='C002';
+-----+
| Average_Mark |
+-----+
| 78.2500      |
+-----+
1 row in set (0.04 sec)

```

```

mysql> SELECT MAX(Score) AS Maximum_Mark,
-> MIN(Score) AS Minimum_Mark
-> FROM STUDENT_MARKS
-> WHERE Course_No='C002';
+-----+-----+
| Maximum_Mark | Minimum_Mark |
+-----+-----+
| 91           | 68           |
+-----+-----+
1 row in set (0.00 sec)

```

```

mysql> SELECT Course_No,
-> MAX(Score) AS Maximum,
-> MIN(Score) AS Minimum,
-> AVG(Score) AS Average
-> FROM STUDENT_MARKS
-> GROUP BY Course_No;
+-----+-----+-----+-----+
| Course_No | Maximum | Minimum | Average |
+-----+-----+-----+-----+
| C001      | 75      | 55      | 65.0000 |
| C002      | 91      | 68      | 78.2500 |
| C003      | 78      | 48      | 63.0000 |
| C004      | 88      | 88      | 88.0000 |
+-----+-----+-----+-----+
4 rows in set (0.03 sec)

```

```

mysql> SELECT COURSE.Course_Name,
-> AVG(STUDENT_MARKS.Score) AS Average_Mark
-> FROM COURSE

```

```

-> JOIN STUDENT_MARKS
-> ON COURSE.Course_No=STUDENT_MARKS.Course_No
-> GROUP BY COURSE.Course_Name;

```

```

+-----+-----+
| Course_Name | Average_Mark |
+-----+-----+
| Statistics  | 65.0000      |
| Programming | 78.2500      |
| Database    | 63.0000      |
| Networks    | 88.0000      |
+-----+-----+
4 rows in set (0.00 sec)

```

```

mysql> SELECT SUM(Score) AS Total_Score
-> FROM STUDENT_MARKS;

```

```

+-----+
| Total_Score |
+-----+
| 722         |
+-----+
1 row in set (0.00 sec)

```

```

mysql> SELECT COURSE.Course_Name,
-> COUNT(STUDENT_MARKS.Reg_No) AS Total_Students
-> FROM COURSE
-> JOIN STUDENT_MARKS
-> ON COURSE.Course_No=STUDENT_MARKS.Course_No
-> GROUP BY COURSE.Course_Name;

```

```

+-----+-----+
| Course_Name | Total_Students |
+-----+-----+
| Statistics  | 3              |
| Programming | 4              |
| Database    | 2              |
| Networks    | 1              |
+-----+-----+
4 rows in set (0.00 sec)

```

```

mysql> SELECT Student_Name,
-> COUNT(Course_No) AS Total_Courses
-> FROM STUDENT_MARKS
-> GROUP BY Student_Name;

```

```

+-----+-----+
| Student_Name | Total_Courses |
+-----+-----+
| Harish       | 2             |
| Aakash       | 1             |
| Lakshmi      | 2             |
| Ramesh       | 1             |
| Suresh       | 1             |
| Shyam        | 1             |
| Priya        | 2             |
+-----+-----+
7 rows in set (0.00 sec)

```

```

mysql>

```