

Enter password: ****

Welcome to the MySQL monitor. Commands end with ; or \g.

Your MySQL connection id is 10

Server version: 8.0.46 MySQL Community Server - GPL

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> USE EmployeeDB;

Database changed

mysql> DROP TABLE IF EXISTS STUDENT;

Query OK, 0 rows affected (0.08 sec)

mysql> DROP TABLE IF EXISTS FACULTY;

Query OK, 0 rows affected (0.02 sec)

mysql> DROP TABLE IF EXISTS COURSE;

Query OK, 0 rows affected (0.06 sec)

mysql> CREATE TABLE STUDENT

-> (

-> Reg_No BIGINT PRIMARY KEY,

-> Student_Name VARCHAR(30),

-> Gender VARCHAR(10),

-> Mobile_No VARCHAR(15),

-> Course_No VARCHAR(10)

->);

Query OK, 0 rows affected (0.12 sec)

mysql> DESCRIBE STUDENT;

Field	Type	Null	Key	Default	Extra
Reg_No	bigint	NO	PRI	NULL	
Student_Name	varchar(30)	YES		NULL	
Gender	varchar(10)	YES		NULL	
Mobile_No	varchar(15)	YES		NULL	
Course_No	varchar(10)	YES		NULL	

5 rows in set (0.00 sec)

mysql> CREATE TABLE COURSE

-> (

-> Course_No VARCHAR(10) PRIMARY KEY,

-> Course_Name VARCHAR(30)

->);

Query OK, 0 rows affected (0.09 sec)

```
mysql> DESCRIBE COURSE;
```

Field	Type	Null	Key	Default	Extra
Course_No	varchar(10)	NO	PRI	NULL	
Course_Name	varchar(30)	YES		NULL	

2 rows in set (0.00 sec)

```
mysql> CREATE TABLE FACULTY
```

```
-> (  
-> Faculty_ID INT PRIMARY KEY,  
-> Faculty_Name VARCHAR(30),  
-> Department VARCHAR(20),  
-> Age INT  
-> );
```

Query OK, 0 rows affected (0.09 sec)

```
mysql> DESCRIBE FACULTY;
```

Field	Type	Null	Key	Default	Extra
Faculty_ID	int	NO	PRI	NULL	
Faculty_Name	varchar(30)	YES		NULL	
Department	varchar(20)	YES		NULL	
Age	int	YES		NULL	

4 rows in set (0.00 sec)

```
mysql> INSERT INTO COURSE VALUES
```

```
-> ('C001','Statistics'),  
-> ('C002','Programming'),  
-> ('C003','Database'),  
-> ('C004','Networks');
```

Query OK, 4 rows affected (0.07 sec)

Records: 4 Duplicates: 0 Warnings: 0

```
mysql> SELECT * FROM COURSE;
```

Course_No	Course_Name
C001	Statistics
C002	Programming
C003	Database
C004	Networks

4 rows in set (0.00 sec)

```
mysql> INSERT INTO STUDENT VALUES
```

```
-> (191711341,'Harish','Male','9876543210','C001'),  
-> (191711342,'Aakash','Male','9876543211','C002'),  
-> (191711343,'Lakshmi','Female','9876543212','C001'),  
-> (191711344,'Ramesh','Male','9876543213','C003'),  
-> (191711345,'Suresh','Male','9876543214','C002'),
```

```

-> (191711346,'Shyam','Male','9876543215','C004'),
-> (191711347,'Priya','Female','9876543216','C003'),
-> (191711348,'Anitha','Female','9876543217','C002');
Query OK, 8 rows affected (0.07 sec)
Records: 8 Duplicates: 0 Warnings: 0

```

```

mysql> SELECT * FROM STUDENT;
+-----+-----+-----+-----+-----+
| Reg_No | Student_Name | Gender | Mobile_No | Course_No |
+-----+-----+-----+-----+-----+
| 191711341 | Harish | Male | 9876543210 | C001 |
| 191711342 | Aakash | Male | 9876543211 | C002 |
| 191711343 | Lakshmi | Female | 9876543212 | C001 |
| 191711344 | Ramesh | Male | 9876543213 | C003 |
| 191711345 | Suresh | Male | 9876543214 | C002 |
| 191711346 | Shyam | Male | 9876543215 | C004 |
| 191711347 | Priya | Female | 9876543216 | C003 |
| 191711348 | Anitha | Female | 9876543217 | C002 |
+-----+-----+-----+-----+-----+
8 rows in set (0.00 sec)

```

```

mysql> INSERT INTO FACULTY VALUES
-> (1,'Mohan','CSE',59),
-> (2,'Ravi','ECE',46),
-> (3,'Anitha','IT',52),
-> (4,'Kumar','MECH',63),
-> (5,'Suresh','EEE',57);
Query OK, 5 rows affected (0.01 sec)
Records: 5 Duplicates: 0 Warnings: 0

```

```

mysql> SELECT * FROM FACULTY;
+-----+-----+-----+-----+
| Faculty_ID | Faculty_Name | Department | Age |
+-----+-----+-----+-----+
| 1 | Mohan | CSE | 59 |
| 2 | Ravi | ECE | 46 |
| 3 | Anitha | IT | 52 |
| 4 | Kumar | MECH | 63 |
| 5 | Suresh | EEE | 57 |
+-----+-----+-----+-----+
5 rows in set (0.00 sec)

```

```

mysql> SELECT COURSE.Course_Name,
-> COUNT(STUDENT.Reg_No) AS Total_Students
-> FROM COURSE
-> JOIN STUDENT
-> ON COURSE.Course_No = STUDENT.Course_No
-> GROUP BY COURSE.Course_Name;
+-----+-----+
| Course_Name | Total_Students |
+-----+-----+
| Statistics | 2 |
| Programming | 3 |
| Database | 2 |

```

```
| Networks | 1 |
+-----+
4 rows in set (0.00 sec)
```

```
mysql> SELECT Student_Name,
-> COUNT(Course_No) AS Total_Courses
-> FROM STUDENT
-> GROUP BY Student_Name;
```

```
+-----+-----+
| Student_Name | Total_Courses |
+-----+-----+
| Harish       | 1             |
| Aakash       | 1             |
| Lakshmi      | 1             |
| Ramesh       | 1             |
| Suresh       | 1             |
| Shyam        | 1             |
| Priya        | 1             |
| Anitha       | 1             |
+-----+-----+
8 rows in set (0.03 sec)
```

```
mysql> SELECT Student_Name,
-> Gender,
-> Mobile_No
-> FROM STUDENT
-> ORDER BY Reg_No ASC;
```

```
+-----+-----+-----+
| Student_Name | Gender | Mobile_No |
+-----+-----+-----+
| Harish       | Male   | 9876543210 |
| Aakash       | Male   | 9876543211 |
| Lakshmi      | Female | 9876543212 |
| Ramesh       | Male   | 9876543213 |
| Suresh       | Male   | 9876543214 |
| Shyam        | Male   | 9876543215 |
| Priya        | Female | 9876543216 |
| Anitha       | Female | 9876543217 |
+-----+-----+-----+
8 rows in set (0.00 sec)
```

```
mysql> SELECT *
-> FROM FACULTY
-> ORDER BY Age DESC;
```

```
+-----+-----+-----+-----+
| Faculty_ID | Faculty_Name | Department | Age |
+-----+-----+-----+-----+
| 4          | Kumar        | MECH       | 63 |
| 1          | Mohan        | CSE        | 59 |
| 5          | Suresh       | EEE        | 57 |
| 3          | Anitha       | IT         | 52 |
| 2          | Ravi         | ECE        | 46 |
+-----+-----+-----+-----+
5 rows in set (0.00 sec)
```

```
mysql>
```